



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Aven Inc.
4595 Platt Rd.
Ann Arbor, MI 48108
Phone: 734.973.0099
Email: info@aventools.com • **Web Address:** www.aventools.com

All Categories > Hand Tools > Tweezers and Smart Tweezers > Ceramic Tweezers > Quick-Test Auto-Scanning Tweezers > Item # 18910



[larger image](#)

Item # 18910, Quick-Test Auto-Scanning Tweezers

Surface mount devices are usually tiny and without wire leads, making it much more difficult to test and identify SMD than conventional components. The Quick Test tweezers gives users an easy way to sort and evaluate loose components and to perform on-board measurements and debugging. Precise tips made of non-magnetic steel are able to pick and reliably contact even smallest SMD components, or take measurements from the device already mounted on a board. The probe can also be used to test conventional components with wire leads too short to insert into the test terminals

[Features](#) · [Specifications](#)

Features

- 2 pc extra test pins included
- Auto power off
- Auto Scanning Mode/Auto range
- Continuity checking function
- Entire outer surface of these tester is coated with thermo plastic elastomer
- Excellent for measuring surface mount devices
- LCD Display
- Low battery indication
- Overload protection
- Packaged in a sturdy plastic box for protection and safe keeping
- Testing pins gold plated to reduce resistance and prevent rust
- Uses Lithium battery CR2032, included
- Will automatically identify whether component is a resistor, capacitor or diode

Specifications

Resistance Range	300/3K/30K/300K/3m/30M Ohms Resolution: 0.1 Ohms
Capacitance Range	3/30/300/nF 3uF/30uF/300uF/3mF/30mF Resolution 1pF

Diode Check	Open Voltage: 2.8V Testing Current: 2mA
Continuity Check	When resistance is less than 30 ohms the buzzer will be activated
Weight	0.75 lb

[Print](#) [Back](#)