



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



4

3





2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
ES		D	UPDATE PACKAGING QUANTITY TO 1100 PCS	09OCT.2012	M.S S.Y
		E	ADD DIMENSIONS.	25OCT.2012	M.S S.Y
		F	UPDATE WEIGHT INFORMATION	14MAY2013	M.S S.Y
		G	PCN:E-13-014564	16SEP2013	M.S C.W

1932766-1, AS SHOWN



NOTE:

- 1 MATERIAL: COPPER ALLOY.
- 2 TERMINAL: STAINLESS STEEL.
- 3 HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0 BLACK FINISH
- 4 TERMINAL: NICKLE UNDERPLATING; GOLD PLATING ON CONTACT AREA. GOLD FLASH PLATING ON SOLDERING AREA.
- 5 SHELL: NICKLE UNDERPLATING; PURE TIN PLATING ON SOLDERING AREA.
- 6 COPLANARITY AMONG ALL SOLDER TAILS: 0.08 mm MAX.
- 7 RECOMMENDED DURABILITY: 2,000 CYCLES.
- 8 PACKAGING: TAPE & REEL.
- 9 RECOMMEND SOLDERING THICKNESS: 100 MICRON MIN.
- 10 RECOMMEND SOLDERING AREA: 100% OF REFERENCE LAYOUT PATTERN.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	30 JAN. 2011	STE TE Connectivity
		CHK	30 JAN. 2011	
		APVD	30 JAN. 2011	NAME 1.5 MM HEIGHT SIM CONNECTOR
		PRODUCT SPEC	STEVEN YAO	
DIMENSIONS: mm		APPLICATION SPEC	108-115023	SIZE CAGE CODE DRAWING NO RESTRICTED TO
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.20		114-XXXX	114-XXXX	
0 PLC ±		WEIGHT	0.5722 g	SCALE 4:1 SHEET 1 OF 2 REV G
1 PLC ±		CUSTOMER DRAWING	A300779 ©-1932766	
2 PLC ±				
3 PLC ±				
4 PLC ±				
ANGLES ±5°				
MATERIAL				
FINISH				

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20



LOC ES DIST

REVISIONS

© COPYRIGHT 20

ALL RIGHTS RESERVED.



P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



SECTION Z - Z

SECTION Y - Y

SCALE 2:1



40mm MIN. WITHOUT CHARGE SEALED WITH COVER TAPE

WITH PRODUCT CHARGE 1100 PCS/IREEL

100mm MIN. WITHOUT CHARGE SEALED WITH COVER TAPE

250mm MIN.

NOTES:
 1. MATERIAL: PS, 0.4MM THICKNESS, BLACK.
 2. QUANTITY PER REEL: 1100PCS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	30JAN.2011	STE TE Connectivity	NAME 1.5 MM HEIGHT SIM CONNECTOR
		CHK	30JAN.2011		
		APVD	30JAN.2011		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.20		PRODUCT SPEC	108-115023
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ±		APPLICATION SPEC	114-XXXXX
		ANGLES ±5°		WEIGHT	X.XXg
MATERIAL		FINISH		CUSTOMER DRAWING	SCALE 4:1
				SIZE	A300779
				CAGE CODE	C-1932766
				DRAWING NO	RESTRICTED TO
				SHEET	2 OF 2
				REV	G