



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**Industrial Ethernet
IE-PS-SCRJ-POF**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



FO SC-RJ plug-in connectors according to IEC 61754-24
for wire outer diameters 2.6 to 3 mm

General ordering data

Order No.	1962960000
Type	IE-PS-SCRJ-POF
Version	FO connector, Plug SCRJ, POF, IP 20
GTIN (EAN)	4032248645145
Qty.	10 pc(s).

**Industrial Ethernet
IE-PS-SCRJ-POF**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Net weight	19.7 g
------------	--------

Temperatures

Operating temperature	-40 °C...+70 °C	Storage temperature
Installation temperature		

Downloads

GOST Approval	POCC DE.ME25.B01411.pdf	PROFINET Manufacturer's Declaration	PN Manufacturer Declaration.pdf
---------------	----------------------------	-------------------------------------	------------------------------------

General data

Connection 1	SCRJ	Connection 2	Crimp
Description of article	Plug SCRJ, POF	Fibre type	POF
Plugging cycles	1000	Protection degree	IP 20

Standards

Connector standard	IEC 61754-24
--------------------	--------------

Classifications

ETIM 3.0	EC001121	UNSPSC	30-21-18-10
eClass 5.1	27-26-07-08	eClass 6.2	27-25-05-04
eClass 7.1	27-25-05-04		

Approvals

Approvals	
ROHS	Conform