



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





GPIO Ribbon Cable for Raspberry Pi Model A+/B+/Pi 2/Pi 3 - (40 pins)

PRODUCT ID: 1988



Description

That new Raspberry Pi® Model B+ computer you just got has a row of 2x20 pin headers soldered on - those are the GPIO (general purpose input/output) pins and for those of us who like to hack electronics they are where the real fun is. By programming the Pi, you can twiddle those pins high or low, send and receive I2C and SPI data, and access the 3V and 5V power rails.

This cable is not compatible with the Raspberry Pi Model B or Model A!

If you want to bridge those contacts out onto another PCB, you'll want this cable! It's 6" long and has 40 socket & wire sets. Pin #1 is marked with a white wire.

It's available in custom Adafruit Black and is an essential accessory for getting started with your brand new B+!

Note: The Raspberry Pi Model A+, Raspberry Pi 2 and Raspberry Pi 3 are also compatible with this product!

Technical Details

Dimensions:

- 173mm x 33mm / 6.8" x 1.3"
- Weight: 14.4g

