



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



| REVISIONS | | | | |
|-----------|-----|---------------------------|-----------|-------|
| P | LTN | DESCRIPTION | DATE | APP'D |
| D | | REVISED PER ECO-17-002306 | 08FEB2017 | TS EC |



1 LABEL INFORMATION: -1 SHOWN.



- SEE SHEET 2 FOR WIRING SCHEMATIC.
- PRODUCT AND PROCESSING MUST MEET THE REQUIREMENTS OF TE SPECIFICATION TEC-138-702.
- EEPROM DOES NOT INCLUDE PAGE SWAPPING.
- TEST IN ACCORDANCE WITH IEEE802.3bj.
- DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3bj. RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS


| | | | |
|-------------|------|--------------|-------------|
| | 30 | 3500 +80/-0 | 3-2231368-5 |
| | 30 | 2500 +80/-0 | 3-2231368-4 |
| | 26 | 2500 +80/-0 | 3-2231368-3 |
| | 30 | 6 500 +50/-0 | 2-2231368-3 |
| | 33 | 6 500 +50/-0 | 2-2231368-2 |
| PRELIMINARY | 28 | 4000 +80/-0 | 2-2231368-1 |
| PRELIMINARY | 28 | 2000 +80/-0 | 2-2231368-0 |
| OBSOLETE | 24 | 7000 +100/-0 | 1-2231368-9 |
| | 33 | 2000 +80/-0 | 1-2231368-8 |
| | 33 | 1500 +50/-0 | 1-2231368-7 |
| | 33 | 1000 +50/-0 | 1-2231368-6 |
| PRELIMINARY | 26 | 1500 +50/-0 | 1-2231368-5 |
| PRELIMINARY | 26 | 2000 +80/-0 | 1-2231368-4 |
| PRELIMINARY | 30 | 4000 +80/-0 | 1-2231368-3 |
| | 26 | 5000 +80/-0 | 1-2231368-2 |
| OBSOLETE | 24 | 4000 +80/-0 | 1-2231368-1 |
| OBSOLETE | 24 | 3000 +80/-0 | 1-2231368-0 |
| | 30 | 1500 +50/-0 | 2231368-9 |
| | 30 | 3000 +80/-0 | 2231368-8 |
| | 26 | 3000 +80/-0 | 2231368-7 |
| OBSOLETE | 24 | 6000 +80/-0 | 2231368-6 |
| OBSOLETE | 24 | 5000 +80/-0 | 2231368-5 |
| | 26 | 4000 +80/-0 | 2231368-4 |
| PRELIMINARY | 28 | 3000 +80/-0 | 2231368-3 |
| | 30 | 2000 +80/-0 | 2231368-2 |
| | 30 | 1000 +50/-0 | 2231368-1 |
| | GAGE | "L" mm | PART NO |

THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | | | |
|------------------|--|------------------|-----------|---------------|
| DIMENSIONS: | TOLERANCES UNLESS OTHERWISE SPECIFIED: | OWN | T. SMITH | 08FEB2017 |
| mm | 0 PLC ± | CHK | E. CUESTA | 08FEB2017 |
| | 1 PLC ± | APP'D | E. CUESTA | 08FEB2017 |
| | 2 PLC ± | PRODUCT SPEC | | |
| | 3 PLC ± | APPLICATION SPEC | | |
| | 4 PLC ± | SIZE | CAGE CODE | DRAWING NO |
| | ANGLES ± | A1 | - | C=2231368 |
| MATERIAL | FINISH | WEIGHT | | RESTRICTED TO |
| | | | | |
| CUSTOMER DRAWING | | SCALE | 7:5 | SHEET 1 OF 2 |

STE TE Connectivity
 NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP
 PRODUCT SPEC: 25GIG
 APPLICATION SPEC: -
 SIZE: A1
 CAGE CODE: -
 DRAWING NO: C=2231368
 RESTRICTED TO: -
 SCALE: 7:5
 SHEET: 1 OF 2
 REV: D

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P. | LTN | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



WIRING PATTERN

| | | | |
|--|--|---------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | OWN: T. SMITH 08FEB2017 | |
| | | CHK: E. CUESTA 08FEB2017 | |
| DIMENSIONS: | | APVD: E. CUESTA 08FEB2017 | NAME: CABLE ASSEMBLY, DIRECT ATTACH QSFP 25GIG |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | PRODUCT SPEC | |
| mm | | APPLICATION SPEC | |
| 0 PLC ± | | WEIGHT | |
| 1 PLC ± | | SCALE: 6:5 | SHEET 2 OF 2 |
| 2 PLC ± | | RESTRICTED TO | REV D |
| 3 PLC ± | | | |
| 4 PLC ± | | | |
| ANGLES ± | | | |
| FINISH | | | |
| MATERIAL | | CUSTOMER DRAWING | |