



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Rabbit® 4000

Low-EMI, High-Performance Microprocessor

High-performance, low-EMI microprocessor designed specifically for embedded control, communications and Ethernet connectivity.




Overview

The Rabbit 4000 offers a host of industrial peripherals along with 1 MB of code support to meet the most demanding applications. The Rabbit 4000 offers on chip Ethernet which reduces overall component costs and optimizes communication performance. Its compact instruction set and high clock speeds give the Rabbit 4000 exceptionally fast math, logic and I/O performance.

The Rabbit 4000 is programmed using the industry-proven Dynamic C® development system. Dynamic C is easy to use, allowing developers to write, compile and test both C and Assembly code without leaving the Dynamic C environment, and no costly in-circuit emulators are required. Full TCP/IP stack with source code is provided royalty-free.

Complete Solutions



Modules



SBCs




Development Kits

Dynamic C®

Supported Software Platforms

Application Highlight




Features/Benefits

- 60 MHz max clock speed
- Integrated 10Base-T Ethernet
- Supports 8-bit or 16-bit Flash and SRAM memories
- Extended low-power "sleepy" modes
- Watchdog timer
- Battery backed option for protected data storage



Feature	
Packaging	128-pin LQFP
Package Size	16 x 16 x 1.5 mm
Maximum Clock Speed	60 MHz
Operating Voltage	1.8V Core (3.3V I/O) or 1.8V Core and I/O
Ethernet	Integrated 10Base-T Ethernet controller
DMA	8 independent channels with 2 external DMA request inputs
Operating Temperature	-55° C to +85° C
Digital I/O	40+ (arranged in five 8-bit ports)
Serial Ports	6 CMOS-compatible
Baud Rate	Clock speed/8 max asynchronous
Address Bus	24-bit
Data Bus	8/16-bit
Timers	Ten 8-bit, one 10-bit with two match registers, one 16-bit timer
Real-Time Clock	Yes, battery-backable
RTC Oscillator Circuitry	External
Watchdog Timer/Supervisor	Yes
Clock Modes	1x, 2x, /2, /3, /4, /6, /8
Power Down Modes	Sleepy (32 kHz) Ultra-Sleepy (16, 8, 2 kHz)
Auxiliary I/O Bus	8 data, 8 address lines
Pricing	
Part Number (Sample 2-pack)	20-101-1186
Part Number	20-668-0024



You can purchase with confidence knowing that Digi is always available to serve you with expert technical support and our industry leading warranty. For detailed information visit www.digi.com/support

91001568
B2/415

Digi International
Worldwide HQ
877-912-3444
952-912-3444
www.digi.com

Digi International
France
+33-1-55-61-98-98
www.digi.fr

Digi International
Japan
+81-3-5428-0261
www.digi-intl.co.jp

Digi International
Singapore
+65-6213-5380

Digi International
China
+86-21-50492199
www.digi.com.cn



www.digi.com