



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





NOTES:

- MATERIAL:
HOUSING: LOW TEMP PLASTIC, UL94-V0, BLACK
TERMINAL: COPPER ALLOY, T=0.15MM
- FINISH:
TERMINAL: GOLD AT CONTACT,
G/F OVER 1um(40u")MIN Ni OVER ALL
- SPEC.:
PRODUCT SPEC: GS-12-629
PACKING SPEC: GS-14-1420
THE PRODUCT IS NOT INTEND TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
- 30AWG WIRE IS RECOMMENDED FOR THIS PRODUCT.
- PRODUCT NUMBERING:
20021444 - 0 0 0 XX X X LF
 - LEAD FREE
 - PLATING:
1:GOLD FLASH ALL OVER
4:0.25um(10U")GOLD AT CONTACT
8:0.76um(30U")GOLD AT CONTACT
 - PACKING
 - T: TUBE
 - PIN COUNT
SEE TABLE 1

6. RECOMMENDED MATING EJECTOR HEADER:20021611,20021612 AND 20021621.

TABLE 1

DASH No.	Dim.	Amount of Pins	Dim.A	Dim.B	Dim.C	Dim.D	
- 000 06 XX LF	06	06	2.54	8.04	1.85	4.95	OBS
- 000 08 XX LF	08	08	3.81	9.31	1.85	4.95	OBS
- 000 10 XX LF	10	10	5.08	10.58	1.85	4.95	OBS
- 000 12 XX LF	12	12	6.35	11.85	1.85	4.95	OBS
- 000 14 XX LF	14	14	7.62	13.12	1.85	4.95	OBS
- 000 16 XX LF	16	16	8.89	14.39	1.85	4.95	OBS
- 000 20 XX LF	20	20	11.43	16.93	1.85	4.95	OBS
- 000 22 XX LF	22	22	12.70	18.20	1.85	4.95	OBS
- 000 24 XX LF	24	24	13.97	19.47	1.85	4.95	OBS
- 000 26 XX LF	26	26	15.24	20.74	1.85	4.95	OBS
- 000 30 XX LF	30	30	17.78	23.28	1.85	4.95	OBS
- 000 34 XX LF	34	34	20.32	25.82	1.85	4.95	OBS
- 000 40 XX LF	40	40	24.13	29.63	1.85	4.95	OBS
- 000 44 XX LF	44	44	26.67	32.17	1.85	4.95	OBS
- 000 50 XX LF	50	50	30.48	35.98	1.85	4.95	OBS
- 000 60 XX LF	60	60	36.83	42.33	1.85	4.95	OBS
- 000 64 XX LF	64	64	39.37	44.87	1.85	4.95	OBS
- 000 66 XX LF	66	66	40.64	46.14	1.85	4.95	OBS
- 000 68 XX LF	68	68	41.91	47.41	1.85	4.95	OBS
- 000 70 XX LF	70	70	43.18	48.64	2.25	5.35	OBS
- 000 74 XX LF	74	74	45.72	51.18	2.25	5.35	OBS
- 000 76 XX LF	76	76	46.99	52.45	2.25	5.35	OBS
- 000 80 XX LF	80	80	49.53	54.99	2.25	5.35	OBS

mat'l. code		surface		tolerance		projection		product family	
		ISO1302		ISO1101 ISO406				MINITEK	
ltr		ecn no		dr		date		title	
A		T09-1117		S.LIN		01/22/10		1.27X1.27 CTB IDC	
J		ELX-N-17276		TIM		03/24/14		RECEPTACLE	
K		ELX-N-18117		TIM		06/27/14		scale 3:1	
F		ELX-N-011804		ZK		05/31/12		dr	
G		ELX-N-15108		TIM		07/02/13		STERLING LIN	
H		ELX-N-15637		TIM		08/27/13		STERLING LIN	
sheet		revision		index		sheet		type	
1		J1		1		1		Product Customer Drawing	