



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us



Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com




Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



LOC	DIST	REV	DATE	BY	APPD
AD	00	B	03JAN2012	KH	DY
REVISIONS			DESCRIPTION	DATE	DWN
			REVISED PER ECO-11-025276	03JAN2012	KH




- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD ON PCB TAILS, NICKEL OVERALL.
- 4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH, Ø3.66 DRILL, AND Ø6.5 PAD.
- 6. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART ON SHEET 2 FOR OTHER POSITIONS.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 25JAN2011	TE Connectivity
DIMENSIONS: mm		CHK J. EBY 25JAN2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. EBY 25JAN2011	NAME: IMPACT, 6 PAIR, 10 COLUMN, HEADER LEFT GUIDED, RIGHT END WALL SIGNAL MODULE, 0.39 PTH SIZE: CAGE CODE DRAWING NO: A100779C=2007875 RESTRICTED TO:
9 PLC ± 1 PLC ±0.25 3 PLC ±0.13 5 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC APPLICATION SPEC WEIGHT FINISH: SEE TABLE	
MATERIAL: SEE TABLE		CUSTOMER DRAWING SCALE: 5:1 SHEET 1 OF 2 REV B	

LOC		DIST		REVISIONS			
AD	00	P	LTB	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			

3	H	5.5	8-2007875-6
3	H	4.9	8-2007875-5
3	H	4.5	8-2007875-4
2	H	5.5	8-2007875-3
2	H	4.9	8-2007875-2
2	H	4.5	8-2007875-1
3	G	5.5	7-2007875-6
3	G	4.9	7-2007875-5
3	G	4.5	7-2007875-4
2	G	5.5	7-2007875-3
2	G	4.9	7-2007875-2
2	G	4.5	7-2007875-1
3	F	5.5	6-2007875-6
3	F	4.9	6-2007875-5
3	F	4.5	6-2007875-4
2	F	5.5	6-2007875-3
2	F	4.9	6-2007875-2
2	F	4.5	6-2007875-1
3	E	5.5	5-2007875-6
3	E	4.9	5-2007875-5
3	E	4.5	5-2007875-4
2	E	5.5	5-2007875-3
2	E	4.9	5-2007875-2
2	E	4.5	5-2007875-1
3	D	5.5	4-2007875-6
3	D	4.9	4-2007875-5
3	D	4.5	4-2007875-4
2	D	5.5	4-2007875-3
2	D	4.9	4-2007875-2
2	D	4.5	4-2007875-1
3	C	5.5	3-2007875-6
3	C	4.9	3-2007875-5
3	C	4.5	3-2007875-4
2	C	5.5	3-2007875-3
2	C	4.9	3-2007875-2
2	C	4.5	3-2007875-1
3	B	5.5	2-2007875-6
3	B	4.9	2-2007875-5
3	B	4.5	2-2007875-4
2	B	5.5	2-2007875-3
2	B	4.9	2-2007875-2
2	B	4.5	2-2007875-1
3	A	5.5	1-2007875-6
3	A	4.9	1-2007875-5
3	A	4.5	1-2007875-4
2	A	5.5	1-2007875-3
2	A	4.9	1-2007875-2
2	A	4.5	1-2007875-1
3	-	5.5	2007875-6
3	-	4.9	2007875-5
3	-	4.5	2007875-4
2	-	5.5	2007875-3
2	-	4.9	2007875-2
2	-	4.5	2007875-1
FINISH	KEY POSITION	DIM M	PART NUMBER



REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 25JAN2011	STE TE Connectivity
DIMENSIONS: mm		CHK J. EARY 25JAN2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ± 8 PLC ±0.25 5 PLC ±0.13 4 PLC ± ANGLES ±		APVD J. EARY 25JAN2011	NAME IMPACT, 6 PAIR, 10 COLUMN, HEADER LEFT GUIDED, RIGHT END WALL SIGNAL MODULE, 0.39 PTH
MATERIAL SEE TABLE		PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	RESTRICTED TO A100779C=2007875 SCALE 5:1 SHEET 2 OF 2 REV B