

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









202D211-100 to 202D299-100

a) Part as supplied



b) Part after unrestricted recovery



Dimensions in millimetres

| Part No. | H min | max | J min | max | P +10% | JO +10% | R Ref | S Ref | T Ref | HW +20% | JW +20% | U +10% | |
|-------------|----------|------|----------|------|-----------|------------|----------|----------|----------|------------|------------|-----------|--|
| | a | b | a | b | _b | _p | b | b | b | b | _p | b | |
| 202D211 | 22.0 | 11.4 | 16.0 | 6.4 | 106 | 86 | 12 | 3.0 | 1.0 | 1.5 | 1.1 | 14 | |
| 202D22.1 | 26.0 | 15.0 | 19.0 | 7.4 | 121 | 99 | 12 | 3.0 | 1.0 | 1.5 | 1.1 | 15 | |
| 202D232 | 30.0 | 18.8 | 21.0 | 8.4 | 139 | 113 | 12 | 3.0 | 1.0 | 1.8 | 1.1 | 15 | |
| 202D242 | 34.0 | 22.9 | 24.0 | 9.7 | 160 | 131 | 12 | 3.0 | 1.0 | 1.8 | 1.1 | 16 | |
| 202D253 | 37.0 | 29.5 | 26.0 | 10.4 | 178 | 142 | 14 | 3.0 | 1.7 | 2.0 | 1.1 | 18 | |
| 202D263 | 44.0 | 34.0 | 31.0 | 12.2 | 203 | 163 | 15 | 3.0 | 1.7 | 2.0 | 1.1 | 20 | |
| 202D274 | 50.0 | 41.2 | 36.0 | 14.2 | 203 | 158 | 15 | 3.0 | 1.7 | 2.3 | 1.4 | 21 | |
| 202D285 | 63.0 | 47.0 | 44.0 | 17.5 | 203 | 153 | 16 | 3.0 | 2.0 | 2.5 | 1.4 | 23 | |
| 202D296 | 69.0 | 59.7 | 49.0 | 19.6 | 203 | 143 | 16 | 3.0 | 2.0 | 2.5 | 1.4 | 24 | |
| 202D299 | 82.0 | 67.1 | 57.0 | 22.9 | 203 | 138 | 16 | 3.0 | 2.0 | 2.5 | 1.4 | 31 | |

Copyright(!) Urheberrechte

The copyright in this drawing is the property of Raychem Ltd. The drawing is issued on condition that it is not copied, reproduced, or disclosed to a third party, either in whole or in part without the prior written consent of Raychem Ltd.

Drawn M.Rogers

Checked 2

leeup

Date Dec 185

Conforms to ISO Recommendations 3rd Angle Projection Not to scale

Approval


Design

MKTG

Q.C.



Ordering Information



(COMPATIBILITY CHART)

| MATERIAL DESCRIPTION | COATING SLASH NUMBER |
|----------------------|----------------------|
| VITON | N/A |
| ZERO HALOGEN | /86,/180 |
| | |
| | |
| | |
| | |
| | VITON |

AS SUPPLIED DIMENSIONS ARE FOR UNCOATED PARTS, WHEN COATING IS ADDED, ENTRY DIAMETERS WILL REDUCE BY 1.5mm MAX.

POTTING PORTS ARE OPTIONAL WHEN SPECIFIED BY SUFFIX "-00" THEY WILL BE LOCATED AS SHOWN

Raychem Electronics OEM Division Europe Swindon, Wiltshire, England. Telephone: (01793) 528171 Fax: 573923