mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





<u>NOTES:</u>

PLATING: 0,5µm MIN. TIN OVER NICKEL. 2


PLATING:					3	OVERMOLD	LCP 30% GF NATURAL	
PARTNUMBER	PERFORMANCE LEVEL					HOUSING	LCP 30% GF NATURAL	
2042088-1	PERFORMANCE LEVEL I: CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL III: UNCONTROLLED ENVIRONMENT APPLICATIONS. SEE PRODUCT SPEC 108-19353				I ITEM NO.	CONTACT DESCRIPTION	COPPER ALLOY MATERIAL	
2042088-2	PERFORMANCE LEVEL 2: CONFORMS TO ALL TESTING ACCORDING PRODUCT SPEC 108-19320, -250 MATING CYCLES, 4 DAYS MIXED GAS TEST PER IEC 60068-2-60 METHOD I	THIS DRAWING IS A C	DWN 3 jan 08 ra chk 3 jan 08		-E TE	TE Connectivity		
CONSULT APPLICATION SPEC OR CONTACT TE CONNECTIVITY FOR PERMISSIBLE CONTACT ASSIGNMENTS.		DIMENSIONS: MM MATERIAL	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- 4 PLC ±- ANGLES ±- FINISH	APVD 3 jan 08 J.BROFKSTEFG PRODUCT SPEC SEE NOTE 2 APPLICATION SPEC 4- 9 06 WEIGHT -	, MALE CC		NNECTOR Slim UHD - 88 -	
		-		CUSTOMER DRAWING	, ,	SCALE		

А

С

\sim
/
L

				1			
00	DIST						
Η	-	Р	LTR	DESCRIPTION	DATE	DWN	APVD
	•		А	DRAWING RELEASED PER ECR-II-017294	22AUG2011	JvdH	TdB
			В	ADDED TOLERANCES PER ECR-13-006546	17APR2013	JvdH	GJV
			С	REVISED PER ECR-13-017996	IIDEC2015	FL	FΥ




D

С

В

А

FL	FL	R	R	R	FL	FL	FL	R	FL	FL	Fl
8	8			8	8	8	8	8	8	8	8
8	8		8	8	8	8				8	8
	8					8	8			8	
	8	8	8	8	8	8	8	8	8	8	8
8	8			8	8	8	8	8	8	8	8
8										8	8
8										8	8
	╘╹┍	╘╹┍	╘╹	╘╹	╘╹	╘╹	╘╝┥	╘╹╡	╘╝┍	╘╹╡	
									<u> </u>		3



RECOMMENDED PCB LAYOUT (COMPONENT SIDE SHOWN)