



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com




Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION


© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS |     |                           |           |     |      |
|-----|------|-----------|-----|---------------------------|-----------|-----|------|
| H   | -    | P         | LTR | DESCRIPTION               | DATE      | DWN | APVD |
|     |      |           | 3   | REMOVE TRIANGLE           | 09SEP2016 | VL  | SS   |
|     |      |           | A   | DRAWING RELEASED          | 24APR2017 | VL  | SS   |
|     |      |           | A1  | REVISED PER ECO-17-007644 | 26MAY2017 | VL  | SS   |
|     |      |           | A2  | REVISED PER ECO-17-013857 | 20SEP2017 | SS  | HL   |



NOTES:

- 1 MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
- 2 MATERIAL: 0.20mm AL. 1.20 - 2.00µm MATTE TIN FINISH OVER NICKEL FLASH.
- 3 STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
- 4 PARTS TO BE FREE OF OIL AND CONTAMINENTS.
- 5 PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
- 6 REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
- 7 PACKAGING: TAPE AND REEL



0,10 ALL SURFACES

|           |          |             |
|-----------|----------|-------------|
| 7         | 2        | 2118711-4   |
| 7         | 1        | 2118711-2   |
| PACKAGING | MATERIAL | PART NUMBER |


|   |  |                             |   |                               |
|---|--|-----------------------------|---|-------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009. |  | DWN S. SU 05-APR-16         | TE Connectivity                         |                               |
| DIMENSIONS: mm  |  | CHK V. LAC 24APR2017        |   |                               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:  |  | APVD V. LAC 24APR2017       | NAME I PIECE STANDARD SHIELD            |                               |
| 0 PLC ±0.2  |  | PRODUCT SPEC 108-115119     | SIZE CAGE CODE DRAWING NO RESTRICTED TO |                               |
| 1 PLC ±0.15   |  | APPLICATION SPEC 114-115013 | A3 00779 C-2118711                      | -                             |
| 2 PLC ±0.10   |  | WEIGHT -                    | CUSTOMER DRAWING                        | SCALE 3:1 SHEET 1 OF 3 REV A2 |
| 3 PLC ±   |  | FINISH -                    |   |                               |
| 4 PLC ±   |  |                             |   |                               |
| 4 PLC ANGLES ±2°  |  |                             |   |                               |

THIS DRAWING IS UNPUBLISHED.


RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| H   | -    |           | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |





NOTES:  
8. STENCIL THICKNESS: 0.10mm MIN.


|  |  |                                |           |  |                    |                         |         |           |
|--|--|--------------------------------|-----------|--|--------------------|-------------------------|---------|-----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.   |  | DWN<br>S. SU                   | 05-APR-16 |  <b>TE Connectivity</b> |                    |                         |         |           |
| DIMENSIONS:<br>mm  |  | CHK<br>V. LAC                  | 24APR2017 |  |                    |                         |         |           |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:   |  | APVD<br>V. LAC                 | 24APR2017 | NAME<br>1 PIECE STANDARD SHIELD  |                    |                         |         |           |
| <ul style="list-style-type: none"> <li>0 PLC ±0.2</li> <li>1 PLC ±0.15</li> <li>2 PLC ±0.10</li> <li>3 PLC ±-</li> <li>4 PLC ±-</li> <li>ANGLES ±2°</li> </ul> |  | PRODUCT SPEC<br>108-115119     |           | RESTRICTED TO  |                    |                         |         |           |
| MATERIAL -   |  | APPLICATION SPEC<br>114-115013 |           | SIZE<br>A3   | CAGE CODE<br>00779 | DRAWING NO<br>C-2118711 |         |           |
| FINISH -   |  | WEIGHT -                       |           | SCALE<br>3:1   |                    | SHEET<br>2              | OF<br>3 | REV<br>A2 |
| CUSTOMER DRAWING   |  |                                |           |  |                    |                         |         |           |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| H   | -    | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      |           |     | SEE SHEET 1 |      |     |      |



USER DIRECTION OF UNREELING  
 →



- NOTES:  
 9. REEL SIZE: O.D. 380mm, I.D. 180mm  
 10. QTY PER REEL: 186PCS

|  |  |                             |   |                      |
|--|--|-----------------------------|---|----------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN S. SU 05-APR-16         |  TE Connectivity |                      |
| DIMENSIONS: mm                         |  | CHK V. LAC 24APR2017        |   |                      |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD V. LAC 24APR2017       | NAME I PIECE STANDARD SHIELD  |                      |
| 0 PLC ±0.2                             |  | PRODUCT SPEC 108-115119     | SIZE A3   |                      |
| 1 PLC ±0.15                            |  | APPLICATION SPEC 114-115013 | CAGE CODE 00779   | DRAWING NO C-2118711 |
| 2 PLC ±0.10                            |  | WEIGHT -                    | RESTRICTED TO -   |                      |
| 3 PLC ±                                |  | CUSTOMER DRAWING            | SCALE 3:1   | SHEET 3 OF 3         |
| 4 PLC ±                                |  |                             |   | REV A2               |
| ANGLES ±2°                             |  |                             |   |                      |
| FINISH -                               |  |                             |   |                      |