



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



4

3

2

1




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC H	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			3	REMOVE TRIANGLE	09SEP2016	VL	SS
			A	DRAWING RELEASED	20APR2017	VL	SS
			A1	REVISED PER ECO-17-007644	26MAY2017	VL	SS
			A2	REVISED PER ECO-17-013857	20SEP2017	SS	HP



SCALE 1:1

NOTES:

- MATERIAL: 0.20mm CRS. 1,25 - 3.00µm MATTE TIN FINISH.
- MATERIAL: 0.20mm AL. 1.20 - 2.00µm MATTE TIN FINISH OVER NICKEL FLASH.
- STAMPING BURR OUTSIDE OF PART, MAX 0.05mm.
- PARTS TO BE FREE OF OIL AND CONTAMINENTS.
- PART IS RoHS COMPLIANT PER TE CONNECTIVITY STANDARD TEC-138-702.
- REFER TO 3D MODEL FOR UNSPECIFIED DIMENSIONS.
- PACKAGING: TAPE AND REEL



7	2	2118712-4
7	1	2118712-2
PACKAGING	MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN S. SU 05-APR-16	TE Connectivity		
		CHK V. LAC 20APR2017			
DIMENSIONS: mm		APVD V. LAC 20APR2017	NAME 1 PIECE STANDARD SHIELD		
		PRODUCT SPEC 108-115119			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-115013	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
0 PLC ±0.2 1 PLC ±0.15 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±2°		WEIGHT -			
MATERIAL 1 -		CUSTOMER DRAWING	A3 00779 C-2118712		
FINISH 1 -		SCALE 2:1	SHEET 1 OF 3 REV A2		


4

3

2

1



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-		-	SEE SHEET 1	-	-



NOTES:  
8. STENCIL THICKNESS: 0.10mm MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. SU 05-APR-16		TE Connectivity		
DIMENSIONS: mm		CHK V. LAC 20APR2017				
		APVD V. LAC 20APR2017		NAME 1 PIECE STANDARD SHIELD ----		
		PRODUCT SPEC 108-115119				
MATERIAL -		FINISH -		APPLICATION SPEC 114-115013		
		WEIGHT -		RESTRICTED TO -		
CUSTOMER DRAWING				SCALE 2:1	SHEET 2 OF 3	REV A2


2		1				
LOC	DIST	REVISIONS				
H	-	P	LTR	DESCRIPTION	DATE	APVD
		-	-	SEE SHEET 1	-	-



USER DIRECTION  
OF UNREELING



## SECTION B-B





## SECTION A-A

NOTES:

9. REEL SIZE: O.D. 380mm, I.D. 180mm

10. QTY PER REEL: 90PCS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. SU	05-APR-16		<div>TE Connectivity</div>		
DIMENSIONS: mm		CHK V. LAC	20APR2017				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD V. LAC	20APR2017		NAME 1 PIECE STANDARD SHIELD ----	
	0 PLC ±0.2		PRODUCT SPEC		SIZE A3		
	1 PLC ±0.15		108-115119				
	2 PLC ±0.10		APPLICATION SPEC				
3 PLC ±-		114-115013		CAGE CODE 00779		DRAWING NO C-2118712	
4 PLC ±-		WEIGHT -		RESTRICTED TO -			
ANGLES ±2°		CUSTOMER DRAWING		SCALE 2:1		SHEET 3 OF 3	
MATERIAL -		FINISH -		REV A2			