

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China











Flex Cable for Raspberry Pi Camera or Display - 1 meter

PRODUCT ID: 2143

This cable will let you swap out the stock 150mm long flex cable from a Raspberry Pi Camera (either 'classic' or 'NoIR' type) or Raspberry Pi Display for a different size. Works great, just carefully open the connector on the Pi and slip this one in.

This cable is 1 meter long. We have cables in a ton of sizes so you can have the perfect fit. Each order comes with one cable, Pi Camera not included (but we have those in the shop as well)

Please note, we did test this length cable with our Pi Model B/B+ and a Pi Camera and it worked great but 1 meter is really long for this kind of camera protocol, so if you have a very electrically noisy environment (inside a tesla coil?) you may have corrupted images.

Technical Details

o Dimensions: 1meter x 16mm x 0.2mm / 3.3ft x 0.6" x 0.01"

o Weight: 7.5g



