



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us




Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




	13	12	11	10	9	8	7	6	5	4	3	2	1
28	(71.12 / 70.61) 2.800 / 2.780	(68.58 ± 0.25) 2.700 ± .010	4 , 5 24 , 25										
27	(68.58 / 68.07) 2.700 / 2.680	(66.04 ± 0.25) 2.600 ± .010	4 , 5 24 , 25										
26	(66.04 / 65.53) 2.600 / 2.580	(63.50 ± 0.25) 2.500 ± .010	4 , 5 20 , 21										
25	(63.50 / 62.99) 2.500 / 2.480	(60.96 ± 0.25) 2.400 ± .010	4 , 5 20 , 21										
24	(60.96 / 60.45) 2.400 / 2.380	(58.42 ± 0.25) 2.300 ± .010	4 , 5 20 , 21										
23	(58.42 / 57.96) 2.300 / 2.282	(55.88 ± 0.23) 2.200 ± .009	4 , 5 20 , 21										
22	(55.88 / 55.42) 2.200 / 2.182	(53.34 ± 0.23) 2.100 ± .009	4 , 5 16 , 17										
21	(53.34 / 52.88) 2.100 / 2.082	(50.80 ± 0.23) 2.000 ± .009	4 , 5 16 , 17										
20	(50.80 / 50.34) 2.000 / 1.982	(48.26 ± 0.23) 1.900 ± .009	4 , 5 16 , 17										
19	(48.26 / 47.80) 1.900 / 1.882	(45.72 ± 0.23) 1.800 ± .009	4 , 5 16 , 17										
18	(45.72 / 45.31) 1.800 / 1.784	(43.18 ± 0.20) 1.700 ± .008	4 , 5 12 , 13										
17	(43.18 / 42.77) 1.700 / 1.684	(40.64 ± 0.20) 1.600 ± .008	4 , 5 12 , 13										
16	(40.64 / 40.23) 1.600 / 1.584	(38.10 ± 0.20) 1.500 ± .008	4 , 5 12 , 13										
15	(38.10 / 37.69) 1.500 / 1.484	(35.56 ± 0.20) 1.400 ± .008	4 , 5 12 , 13										
14	(35.56 / 35.20) 1.400 / 1.386	(33.02 ± 0.18) 1.300 ± .007	4 , 5 8 , 9										
13	(33.02 / 32.66) 1.300 / 1.286	(30.48 ± 0.18) 1.200 ± .007	4 , 5 8 , 9										
12	(30.48 / 30.12) 1.200 / 1.186	(27.94 ± 0.18) 1.100 ± .007	4 , 5 8 , 9										
11	(27.94 / 27.58) 1.100 / 1.086	(25.40 ± 0.18) 1.000 ± .007	4 , 5 8 , 9										
10	(25.40 / 25.04) 1.000 / .986	(22.86 ± 0.15) .900 ± .006	4 , 5										
9	(22.86 / 22.50) .900 / .886	(20.32 ± 0.15) .800 ± .006	4 , 5										
8	(20.32 / 19.96) .800 / .786	(17.78 ± 0.15) .700 ± .006	4 , 5										
7	(17.78 / 17.42) .700 / .686	(15.24 ± 0.13) .600 ± .005	4 , 5										
6	(15.24 / 14.88) .600 / .586	(12.70 ± 0.13) .500 ± .005	4 , 5										
5	(12.70 / 12.40) .500 / .488	(10.16 ± 0.13) .400 ± .005	NONE										
4	(10.16 / 9.86) .400 / .388	(7.62 ± 0.13) .300 ± .005	NONE										
3	(7.62 / 7.32) .300 / .288	(5.08 ± 0.10) .200 ± .004	NONE										
2	(5.08 / 4.78) .200 / .188	(2.54 ± 0.05) .100 ± .002	NONE										





NOTES:

- MATERIAL: NYLON, UL94V-0, COLOR: WHITE
- FINISH:
 (154) = OVERALL TIN: (0.00254)/.000100 MIN., OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
 (197) = OVERALL REFLOWED MATTE TIN: 0.00152/.000060 MIN OVER 0.00127/.000050 MIN NICKEL.
 (222) = OVERALL MATTE TIN: (0.00254)/.000100 MIN., OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
 (208) = SELECT GOLD: 0.00038/.000015 MIN, SELECT MATTE TIN: 0.00254/.000100, BOTH OVER 0.00127/.000050 MIN NICKEL.
 (228) = SELECT GOLD: 0.00076/.000030 MIN, SELECT MATTE TIN: 0.00254/.000100, BOTH OVER 0.00127/.000050 MIN NICKEL.
 (241) = SELECT GOLD: 0.00051/.000020 MIN, SELECT MATTE TIN: 0.00254/.000100, BOTH OVER 0.00127/.000050 MIN NICKEL.
- PARTS CONFORM TO PRODUCT SPECIFICATION PS-10-07.
- PACKAGING INFORMATION: SEE LEGEND.
- PARTS ARE STACKABLE END TO END ON (2.54)/.100 CENTERS.
- PIN PUSH OUT FORCE: 2 LBS. MIN.
- CIRCUIT ONE DESIGNATION IS USED TO DEFINE VOID LOCATION.
CIRCUIT ONE MAY OR MAY NOT LINE UP WITH CIRCUIT ONE ON THE MATING HOUSING.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

GROOVE MAY BE PRESENT ON 2-6 CIRCUIT PARTS (BOTH SIDES).



CENTERLINE OF PIN IN AREA SHOWN NOT TO VARY FROM CENTERLINE OF PIN AT DATUM -E- BY MORE THAN (0.13)/.005 IN ANY DIRECTION



RECOMMENDED P.C. BOARD HOLE LAYOUT

SECONDARY OPERATIONS	
CODE	PACKAGE
BLANK	BULK PK-7478-001
T	TUBE PER PK-44743-001

REV	DESCRIPTION	DATE	APPROVED
AA1	ADD 222 TO NOTE 2	2014/05/16	
	EC NO: UCP2014-4754	2014/05/13	
	DRWN: JDFOX	2014/05/13	
	CHKD: HKIPPER	2014/05/13	
	APPR: FSMITH	2014/05/16	

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	MM	INCH
4 PLACES	± .010	± .0004
3 PLACES	± .020	± .0008
2 PLACES	± .050	± .0020
1 PLACE	± .125	± .0050
0 PLACE	± .250	± .0100

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM/IN		4:1	INCH	
DRAWN BY	DATE	TITLE		
GUZIC	1987/07/30	FRICTION LOCK HEADER ASY		
CHECKED BY	DATE	.100 CL BENT SQ PINS		
PATEL	1987/07/30	7478 SERIES DWG		
APPROVED BY	DATE	molex		
FSMITH	2014/05/16	SDA-7478		
MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
SEE CHART		1 OF 7		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

	13	12	11	10	9	8	7	6	5	4	3	2	1
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. R	DIM. G	DIM. T			
	A-7478-NA222	2766-41(222) OR 4266-0667	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
	A-7478-NA241	4266-0666	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	(4.57) .180	(3.43) .135			
I	A-7478-NA241T	4266-0666	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	(4.57) .180	(3.43) .135			
	A-7478-NA197T	4266-0662	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
H													
G													
F													
E													
D													
C													

B	SEE SHEET 1 EC NO: UCP2014-4754 DRWN:JFOX 2014/05/13 CHKD:HKIPPER 2014/05/13 APPR:FSMITH 2014/05/16	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY GUZIC	DATE 1987/07/30	TITLE FRICTION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG			
A	AA1	DESCRIPTION	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SDA-7478		2 OF 7	
			SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	13	12	11	10	9	8	7	6	5	4	3	2	1	
	A-7478-NA222		A-7478-NA241		A-7478-NA241T		A-7478-NA197T							
J	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.
	22-05-302I	A-7478-2A222	22-12-2024	A-7478-2A241	50-29-1710	A-7478-2A241T	50-34-8500	A-7478-2A197T						
	22-05-303I	A-7478-3A222	22-12-2034	A-7478-3A241	50-29-1711	A-7478-3A241T	50-34-8501	A-7478-3A197T						
	22-05-304I	A-7478-4A222	22-12-2044	A-7478-4A241	50-29-1705	A-7478-4A241T	50-34-8502	A-7478-4A197T						
I	22-05-305I	A-7478-5A222	22-12-2054	A-7478-5A241	50-29-1712	A-7478-5A241T								
	22-05-306I	A-7478-6A222	22-12-2064	A-7478-6A241	50-29-1713	A-7478-6A241T								
	22-05-307I	A-7478-7A222	22-12-2074	A-7478-7A241	50-29-1714	A-7478-7A241T								
	22-05-308I	A-7478-8A222	22-12-2084	A-7478-8A241	50-29-1715	A-7478-8A241T								
	22-05-309I	A-7478-9A222	22-12-2094	A-7478-9A241	50-29-1716	A-7478-9A241T								
H	22-05-310I	A-7478-10A222	22-12-2104	A-7478-10A241	50-29-1717	A-7478-10A241T								
	22-05-311I	A-7478-11A222	22-12-2114	A-7478-11A241	50-29-1718	A-7478-11A241T								
	22-05-312I	A-7478-12A222	22-12-2124	A-7478-12A241	50-29-1719	A-7478-12A241T								
	22-05-313I	A-7478-13A222	22-12-2134	A-7478-13A241	50-29-1720	A-7478-13A241T								
	22-05-314I	A-7478-14A222	22-12-2144	A-7478-14A241	50-29-1721	A-7478-14A241T								
G	22-05-315I	A-7478-15A222	22-12-2154	A-7478-15A241	50-29-1722	A-7478-15A241T								
	22-05-316I	A-7478-16A222	22-12-2164	A-7478-16A241	50-29-1723	A-7478-16A241T								
	22-05-317I	A-7478-17A222	22-12-2174	A-7478-17A241	50-29-1724	A-7478-17A241T								
	22-05-318I	A-7478-18A222	22-12-2184	A-7478-18A241	50-29-1725	A-7478-18A241T								
	22-05-319I	A-7478-19A222	22-12-2194	A-7478-19A241	50-29-1726	A-7478-19A241T								
	22-05-320I	A-7478-20A222	22-12-2204	A-7478-20A241	50-29-1727	A-7478-20A241T								
F	22-05-321I	A-7478-21A222	22-12-2214	A-7478-21A241	50-29-1728	A-7478-21A241T								
	22-05-322I	A-7478-22A222	22-12-2224	A-7478-22A241	50-29-1729	A-7478-22A241T								
	22-05-323I	A-7478-23A222	22-12-2234	A-7478-23A241	50-29-1730	A-7478-23A241T								
	22-05-324I	A-7478-24A222	22-12-2244	A-7478-24A241	50-29-1731	A-7478-24A241T								
	22-05-325I	A-7478-25A222	22-12-2254	A-7478-25A241	50-29-1732	A-7478-25A241T								
	22-05-326I	A-7478-26A222	22-12-2264	A-7478-26A241	50-29-1733	A-7478-26A241T								
E	22-05-327I	A-7478-27A222	22-12-2274	A-7478-27A241	50-29-1734	A-7478-27A241T								
	22-05-328I	A-7478-28A222	22-12-2284	A-7478-28A241	50-29-1735	A-7478-28A241T								

SEE SHEET 1 EC NO: UCP2014-4754 DRWN:JDFX 2014/05/13 CHKD:MK/PPR 2014/05/13 APPR:FSM/TH 2014/05/16	QUALITY SYMBOLS = 0 = 0 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± ---	3 PLACES ± --- ± .010	DRAWN BY GUZIC	DATE 1987/07/30	TITLE FRICITION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG				
		2 PLACES ± 0.25 ± .015	1 PLACE ± 0.38 ± ---	CHECKED BY PATEL	DATE 1987/07/30	MATERIAL NO. SEE CHART				
		0 PLACE ± --- ± ---	APPROVED BY FSMITH	DATE 2014/05/16	DOCUMENT NO. SDA-7478		SHEET NO. 3 OF 7			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	13	12	11	10	9	8	7	6	5	4	3	2	1
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. R	DIM. G	DIM. T			
	A-7478-NA228	42663-0664	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	(4.57) .180	(3.43) .135			
	A-7478-NE197	42663-0742	(19.81) .780	(7.75) .305	(3.56) .140	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
I	A-7478-NF197	42663-0622	(18.29) .720	(6.73) .265	(2.92+.25) .115±.010	(3.18) .125 REF.	90°	(1.17) .046	N/A	OVERALL			
	A-7478-NH197	42663-0482	(16.51) .650	(7.49) .295	(2.69) .106	(0.64) .025	90°	(.64) .025	N/A	OVERALL			
	A-7478-NM208	42663-0564	(17.53) .690	(7.57) .298	(3.63) .143	(0.64) .025	90°	(.64) .025	(5.08) .200	(3.43) .135			
H	A-7478-NA154	42663-0668	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
	A-7478-ANE197	42663-0742	(19.81) .780	(7.75) .305	(3.56) .140	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
	A-7478-NM197	42663-0562	(17.53) .690	(7.57) .298	(3.63) .143	(.64) .025	90°	(.64) .025	N/A	OVERALL			
G	A-7478-NH228	42663-0483	(16.51) .650	(7.49) .295	(2.69) .106	(.64) .025	90°	(.64) .025	(5.08) .200	(5.08) .200			
	A-7478-NN197	42663-0662	(18.80) .740	(6.71) .264	(3.58) .141	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
F	A-7478-NP197	42663-1142	(24.89) .980	(6.60) .260	(9.73) .383	(3.05) .120	90°	(1.17) .046	N/A	OVERALL			
E													
D													
C													

B	SEE SHEET 1 EC NO: UCP2014-4754 DRWN:JDFX 2014/05/13 CHKD:HKIPPER 2014/05/13 APPR:FSMLTH 2014/05/16	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .015 1 PLACE ± 0.38 ± --- 0 PLACE ± --- ± ---	DIMENSION STYLE MM/IN	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	DRAWN BY GUZIC	DATE 1987/07/30	TITLE FRICTION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG
A	AA1	REV	ANGULAR ±1/2°	MATERIAL NO. SEE CHART	DOCUMENT NO. SDA-7478	SHEET NO. 4 OF 7	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

	13	12	11	10	9	8	7	6	5	4	3	2	1	
	A-7478-NA228		A-7478-NE197		A-7478-NF197		A-7478-NH197		A-7478-NM208		A-7478-NA154			
J	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.
	22-12-2026	A-7478-2A228	22-05-8025	A-7478-2E197		A-7478-2F197	S	22-05-8020	A-7478-2H197	S		A-7478-2M208	50-30-4424	A-7478-2A154
	22-12-2036	A-7478-3A228		A-7478-3E197		A-7478-3F197	S	22-05-8030	A-7478-3H197	S		A-7478-3M208	50-30-4434	A-7478-3A154
	22-12-2046	A-7478-4A228		A-7478-4E197		A-7478-4F197	S	22-05-8040	A-7478-4H197	S		A-7478-4M208	50-30-4444	A-7478-4A154
I	22-12-2056	A-7478-5A228	22-05-8055	A-7478-5E197	22-05-9058	A-7478-5F197	S	22-05-8050	A-7478-5H197	S		A-7478-5M208		
	22-12-2066	A-7478-6A228		A-7478-6E197		A-7478-6F197	S	22-05-8060	A-7478-6H197	S		A-7478-6M208		
	22-12-2076	A-7478-7A228		A-7478-7E197		A-7478-7F197	S	22-05-8070	A-7478-7H197	S		A-7478-7M208		
	22-12-2086	A-7478-8A228		A-7478-8E197		A-7478-8F197	S	22-05-8080	A-7478-8H197	S		A-7478-8M208		
	22-12-2096	A-7478-9A228		A-7478-9E197		A-7478-9F197	S	22-05-8090	A-7478-9H197	S		A-7478-9M208		
H	22-12-2106	A-7478-10A228		A-7478-10E197		A-7478-10F197	S	22-05-8100	A-7478-10H197	S		A-7478-10M208		
	22-12-2116	A-7478-11A228		A-7478-11E197		A-7478-11F197	S	22-05-8110	A-7478-11H197	S		A-7478-11M208		
	22-12-2126	A-7478-12A228		A-7478-12E197		A-7478-12F197	S	22-05-8120	A-7478-12H197	S	22-12-2123	A-7478-12M208		
	22-12-2136	A-7478-13A228		A-7478-13E197		A-7478-13F197	S	22-05-8130	A-7478-13H197	S		A-7478-13M208		
	22-12-2146	A-7478-14A228		A-7478-14E197		A-7478-14F197	S	22-05-8140	A-7478-14H197	S		A-7478-14M208		
	22-12-2156	A-7478-15A228		A-7478-15E197		A-7478-15F197	S	22-05-8150	A-7478-15H197	S		A-7478-15M208		
G	22-12-2166	A-7478-16A228		A-7478-16E197		A-7478-16F197	S	22-05-8160	A-7478-16H197	S		A-7478-16M208		
	22-12-2176	A-7478-17A228		A-7478-17E197		A-7478-17F197	S	22-05-8170	A-7478-17H197	S		A-7478-17M208		
	22-12-2186	A-7478-18A228		A-7478-18E197		A-7478-18F197	S	22-05-8180	A-7478-18H197	S		A-7478-18M208		
	22-12-2196	A-7478-19A228		A-7478-19E197		A-7478-19F197	S	22-05-8190	A-7478-19H197	S		A-7478-19M208		
	22-12-2206	A-7478-20A228		A-7478-20E197		A-7478-20F197	S	22-05-8200	A-7478-20H197	S		A-7478-20M208		
F	22-12-2216	A-7478-21A228		A-7478-21E197		A-7478-21F197	S	22-05-8210	A-7478-21H197	S		A-7478-21M208		
	22-12-2226	A-7478-22A228		A-7478-22E197		A-7478-22F197	S	22-05-8220	A-7478-22H197	S		A-7478-22M208		
	22-12-2236	A-7478-23A228		A-7478-23E197		A-7478-23F197	S	22-05-8230	A-7478-23H197	S		A-7478-23M208		
	22-12-2246	A-7478-24A228		A-7478-24E197		A-7478-24F197	S	22-05-8240	A-7478-24H197	S		A-7478-24M208		
	22-12-2256	A-7478-25A228		A-7478-25E197		A-7478-25F197	S	22-05-8250	A-7478-25H197	S		A-7478-25M208		
	22-12-2266	A-7478-26A228		A-7478-26E197		A-7478-26F197	S	22-05-8260	A-7478-26H197	S		A-7478-26M208		
E	22-12-2276	A-7478-27A228		A-7478-27E197		A-7478-27F197	S	22-05-8270	A-7478-27H197	S		A-7478-27M208		
	22-12-2286	A-7478-28A228		A-7478-28E197		A-7478-28F197	S	22-05-8280	A-7478-28H197	S		A-7478-28M208		

SEE SHEET 1 EC NO: UCP2014-4754 DRWN: JDOX CHKD: JHK/PPR APPR: FSM/TH 2014/05/13 2014/05/13 2014/05/16	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
			mm	INCH	DRAWN BY GUZIC	DATE 1987/07/30	FRICITION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG 	
		4 PLACES ± ---	± ---	± ---	CHECKED BY PATEL	DATE 1987/07/30		
		3 PLACES ± ---	± .010	± .015	APPROVED BY FSMITH	DATE 2014/05/16		
2 PLACES ± 0.25	± 0.38	± ---	MATERIAL NO. SEE CHART	DOCUMENT NO. SDA-7478				
1 PLACE ± 0.38	± ---	± ---	ANGULAR ±1/2°		SIZE 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
0 PLACE ± ---	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SHEET NO. 5 OF 7			

13		12		11		10		9		8		7		6		5		4		3		2		1			
PART NO.		ENG. NO.		PART NO.		ENG. NO.		PART NO.		ENG. NO.		PART NO.		ENG. NO.		PART NO.		ENG. NO.		PART NO.		ENG. NO.		PART NO.		ENG. NO.	
								A-7478-ANE197				A-7478-NM197															
									A-7478-A2E197			22-12-4028			A-7478-2M197												
									A-7478-A3E197			22-12-4038			A-7478-3M197												
									A-7478-A4E197			22-12-4048			A-7478-4M197												
								22-05-3055	A-7478-A5E197			22-12-4058			A-7478-5M197												
									A-7478-A6E197			22-12-4068			A-7478-6M197												
								22-05-3075	A-7478-A7E197			22-12-4078			A-7478-7M197												
									A-7478-A8E197			22-12-4088			A-7478-8M197												
									A-7478-A9E197			22-12-4098			A-7478-9M197												
									A-7478-A10E197			22-12-4108			A-7478-10M197												
									A-7478-A11E197			22-12-4118			A-7478-11M197												
									A-7478-A12E197			22-12-4128			A-7478-12M197												
									A-7478-A13E197			22-12-4138			A-7478-13M197												
									A-7478-A14E197			22-12-4148			A-7478-14M197												
									A-7478-A15E197			22-12-4158			A-7478-15M197												
									A-7478-A16E197			22-12-4168			A-7478-16M197												
									A-7478-A17E197			22-12-4178			A-7478-17M197												
									A-7478-A18E197			22-12-4188			A-7478-18M197												
								22-05-3195	A-7478-A19E197			22-12-4198			A-7478-19M197												
									A-7478-A20E197			22-12-4208			A-7478-20M197												
									A-7478-A21E197			22-12-4218			A-7478-21M197												
									A-7478-A22E197			22-12-4228			A-7478-22M197												
									A-7478-A23E197			22-12-4238			A-7478-23M197												
									A-7478-A24E197			22-12-4248			A-7478-24M197												
									A-7478-A25E197			22-12-4258			A-7478-25M197												
									A-7478-A26E197			22-12-4268			A-7478-26M197												
									A-7478-A27E197			22-12-4278			A-7478-27M197												
									A-7478-A28E197			22-12-4288			A-7478-28M197												

SEE SHEET 1 EC NO: UCP2014-4754 DRWN: JDOX CHKD: HKLIPPER APPR: FSMITH	2014/05/13 2014/05/13 2014/05/16	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
					MM/IN		---	INCH	
					DRAWN BY DATE		TITLE		
					CHECKED BY DATE		FRICITION LOCK HEADER ASY .100 CL BENT SQ PINS 7478 SERIES DWG		
		APPROVED BY DATE		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
AA1		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SDA-7478		6 OF 7	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

A-7478-NH228				A-7478-NN197		A-7478-NP197					
PART NO.	ENG. NO.	PART NO.	ENG. NO.	PART NO.	ENG. NO.			PART NO.	ENG. NO.	PART NO.	ENG. NO.
22-16-3026	A-7478-2H228				A-7478-2N197	50-29-0033	A-7478-2P197				
22-16-3036	A-7478-3H228				A-7478-3N197		A-7478-3P197				
22-16-3046	A-7478-4H228				A-7478-4N197		A-7478-4P197				
22-16-3056	A-7478-5H228				A-7478-5N197	22-05-8053	A-7478-5P197				
22-16-3066	A-7478-6H228				A-7478-6N197		A-7478-6P197				
22-16-3076	A-7478-7H228				A-7478-7N197		A-7478-7P197				
22-16-3086	A-7478-8H228				A-7478-8N197		A-7478-8P197				
22-16-3096	A-7478-9H228				A-7478-9N197		A-7478-9P197				
22-16-3106	A-7478-10H228				A-7478-10N197		A-7478-10P197				
22-16-3116	A-7478-11H228				A-7478-11N197		A-7478-11P197				
22-16-3126	A-7478-12H228				A-7478-12N197		A-7478-12P197				
22-16-3136	A-7478-13H228				A-7478-13N197		A-7478-13P197				
22-16-3146	A-7478-14H228				A-7478-14N197		A-7478-14P197				
22-16-3156	A-7478-15H228				A-7478-15N197		A-7478-15P197				
22-16-3166	A-7478-16H228				A-7478-16N197		A-7478-16P197				
22-16-3176	A-7478-17H228			22-59-5176	A-7478-17N197		A-7478-17P197				
22-16-3186	A-7478-18H228				A-7478-18N197		A-7478-18P197				
22-16-3196	A-7478-19H228				A-7478-19N197		A-7478-19P197				
22-16-3206	A-7478-20H228				A-7478-20N197		A-7478-20P197				
22-16-3216	A-7478-21H228				A-7478-21N197		A-7478-21P197				
22-16-3226	A-7478-22H228				A-7478-22N197		A-7478-22P197				
22-16-3236	A-7478-23H228				A-7478-23N197		A-7478-23P197				
22-16-3246	A-7478-24H228				A-7478-24N197		A-7478-24P197				
22-16-3256	A-7478-25H228				A-7478-25N197		A-7478-25P197				
22-16-3266	A-7478-26H228				A-7478-26N197		A-7478-26P197				
22-16-3276	A-7478-27H228				A-7478-27N197		A-7478-27P197				
22-16-3286	A-7478-28H228				A-7478-28N197		A-7478-28P197				

SEE SHEET 1 EC NO: UCP2014-4754 DRWN:JDFX CHKD:MKIPPR APPR:FSMITH	2014/05/13 2014/05/13 2014/05/16	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
					MM/IN	---	INCH	
					DRAWN BY	DATE	TITLE	
					CHECKED BY	DATE		
		ANGULAR ±1/2°		MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
AA1		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SDA-7478		7 OF 7
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								