

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Specification Control Drawing



222K1**





DIMENSIONS	in	millimetres
DIULINDIOND	{in	inches, for referencel


	j	Н	,	J	Р	R	S	T	U	JO	HW	JW	Х	Υ
Part No.	Min	Max	Min	Max	±10%	±10%	±10%	±10%	±10%	±10%	±20%	±20%	±20%	±20%
	а	b	a	Ь	b	b	b	b	b	d	Ь	Ь	b	b
222K121	24	10.4	24	5.6	25	25	19	3.0	1.0	8.5	1.3	0.5	18	16
	{0.94}	(0.41)	{0.94}	{0.22}	{0.98}	(0.98)	(0.75)	{0.12}	{0.04}	(0.33)	(0.05)	{0.02}	{0.71}	(0.63)
222K132	30 {1.18}	14.2 {0.56}	30 {1.18}	5.9 {0.23}	32 {1.26}	27 {1.06}	20 {0.79}	3.0 (0.12)	1.0	8.5 {0.33}	1.5 (0.06)	0.8 {0.03}	18 (0.71)	20 (0.79)
222K142	31 {1.22}	18.0 (0.71)	31 {1.22}	7.1 {0.28}	39 {1.54}	31 {1.22}			1.0 {0.04}	15.0 {0.59}	1.8 {0.07}	1.0 {0.04}	18 {0.71}	20 (0.79)
222K152	36	22.4	36	8.4	46	38	26	3.0	1.0	16.0	1.8	1.0	25	25
	{1.42}	(0.88)	{1.42}	{0.33}	{1.81)	{1.50}	{1.02}	{0.12}	{0.04}	(0.63)	(0.07)	{0.04}	{0.98}	(0.98)
222K163	43	28.2	43	9.9	55	45	30	3.0	1.7	17.5	2.0	1.0	25	30
	{1.69}	{1.11}	{1.69}	{0.39}	{2.17}	{1.77}	{1.18}	10.121	(0.07)	(0.69)	(0.08)	{0.04}	10.981	{1.18}
222K174	60	35.1	60	15.7	80	54	35	3.0	1.7	32.0	3.3	1.5	25	45
	{2.36}	(1.38)	{2.36}	{0.62}	{3.15}	{2.13}	{1.38}	(0.12)	{0.07}	{1.26}	{0.13}	{0.06}	{0.98}	{1.77}
222K185	66	44.5	66	16.8	108	68	42	3.0	2.0	48.0	3.8	2.0	35	70
	{2.60}	(1.75)	{2.60}	{0.66}	{4.25}	(2.68)	(1.65)	{0.12}	{0.08}	(1.89)	(0.15)	{0.08}	{1.38}	(2.76)

Tech.

Page 1 of 2

Specification Control Drawing			ation Drawing	Part Number 222K1ポポ Issue 12		
Iss.	Date	E.C.R. No.	Details of Change			
2	June 1979	2184	Plating spec removed.			
3	August 1982	2958	Product description system added.			
4	January 1984	****	222K174 H&Ja was 52, eyelet clip note removed.			
5	March 1984	4146	Redrawn & viton deleted.			
6	August 1986	4865	JO dimension changed.			
7	May 1966	***	Redrawn.			
8	June 1999	CR99-HM-0013	222K142 J0 dim changed to 15			
9	May 2001	CR01-HM-0008	Redrawn to include inches.			
10	April 2004	CR04-HM-0001	/180 adhes	sive added to -3 material.		
11	April 2008	CR07-HM-010	SCD was ti	tled 222K121 thru 185		

(Ordering Information)



COMPATIBILITY CHART)

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301	/42 ,/86, /180
-4	POLYOLEFIN, FLEXIBLE	RT-1304	/42 ,/86, /180
-25	ELASTOMER, FLUID RESISTANT	RW-2070	/42, /86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

- (i.e. 222K132-3-CS-1858-0).
- 2) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- 3 Potting ports are optional, when specified by suffix :- -00 they will be located as shown.
- (4) For -12 SCD see 222K1**-12.

TE Connectivity Faraday Road, Swindon, Wiltshire, SN3 5HH England Telephone: (01793) 528171 Fax: 572516	TE Connectivity 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361–3860 Fax: (650) 361–5579
Cage Code K1010	Cage Code 06090