mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Soft Potentiometer Kit from Plug&Wear

PRODUCT ID: 2273



. Description

This soft potentiometer is an interesting way to add an adjustable resistor / slide potentiometer to your wearable. You can use it to adjust the brightness of an LED, or as a sensor input to your Flora or Gemma. When the ring slides up and down the ribbon, the resistance from the end of the ribbon to ring will vary from ~100 ohms to about 8Kohm.

To use as a voltage-output potentiometer, connect one end to ground and the other end to 3.3V or so, then measure the voltage on the ring in reference to ground. For an adjustable resistor, connect to one end of the ribbon and the ring, let the other end hang disconnected.

The kit includes 50cm of specially-woven conductive ribbon and a stainless steel metal ring.

. Technical Details

• Resistance: 16KOhm/m

Dimensions:

- Ribbon Length: 50cm / 20"
- Ribbon Thickness: 0.6mm / 0.02"
- Ring Diameter: 9mm / 0.35"
- Weight (ring): 0.6g
- Weight (ribbon): 0.9g



Engineered in NYC Adafruit ®