

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Electronic housing - ME MAX 12,5 3-3 TBUS KMGY - 2279020

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



Electronic housing, design width 12.5 mm, 3 connection levels per side, for DIN rail bus connectors

Product Features

- ☑ DIN rail bus connector as an option
- ☑ Plug-in connection with screw, spring-cage or fast connection technology
- ☑ Large front surface for high-pos. plugs or operating and setting elements

- Transparent front cover can be swiveled

Key commercial data

Packing unit	11
Minimum order quantity	10 1
Weight per Piece (excluding packing)	39.4 GRM
Custom tariff number	85472000
Country of origin	Germany

Technical data

General

Housing type	Complete housing	
Housing material	Polyamide	
Color	light gray	

Dimensions

Length	99 mm
Constructional height	114.5 mm

Power dissipation at 20°C in the horizontal mounting position



Electronic housing - ME MAX 12,5 3-3 TBUS KMGY - 2279020

Technical data

Dimensions

Width	12.5 mm
Technical data	
Inflammability class according to UL 94	V0

4.4 W 8.4 W

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

UL Recognized

Approvals



Electronic housing - ME MAX 12,5 3-3 TBUS KMGY - 2279020

Ex Approvals		
Approvals submitted		
Approval details		
UL Recognized \$\)		

© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com