

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Marshalling connector, 2 x 32 channels can be connected, with 6.3/2.8 mm slip-on connections on the jumpering level



### Key commercial data

Packing unit	1 pc
GTIN	4 017918 057022
Weight per Piece (excluding packing)	841.9 GRM
Custom tariff number	85369010
Country of origin	Germany

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-20 °C 50 °C
Ambient temperature (storage/transport)	-20 °C 70 °C

#### General

Nominal voltage U <sub>N</sub>	24 V AC/DC	
Max. current carrying capacity per branch	1 A	
Number of positions	50	
Status display	No	
Test voltage	800 V AC (50 Hz, 1 min.)	
Mounting position	any	
Standards/regulations	IEC 60664	
	IEC 60664 A	
	DIN VDE 0110	
	DIN VDE 0160 (in parts)	



### Technical data

#### General

Pollution degree	2
Surge voltage category	II

#### Connection data for connection 1

Connection name	Flat-ribbon cable connection
Connection method	Flat-ribbon cable connection
Number of positions	50

### Classifications

### eCl@ss

eCl@ss 4.0	27250313
eCl@ss 4.1	27250313
eCl@ss 5.0	27250313
eCl@ss 5.1	27250313
eCl@ss 6.0	27371601
eCl@ss 7.0	27371601
eCl@ss 8.0	27371601

#### **ETIM**

ETIM 2.0	EC001437
ETIM 3.0	EC001437
ETIM 4.0	EC001437
ETIM 5.0	EC001437

#### UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121421
UNSPSC 13.2	39121421

### Approvals

### Approvals

Approvals

GOST




Approvals	
Ex Approvals	
Approvals submitted	
Approval details	
GOST 💽	


Drawings




Dimensioned drawing













#### Dimensioned drawing



#### Circuit diagram



Phoenix Contact 2014 © - all rights reserved http://www.phoenixcontact.com