imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Δ

(30.60) -1 ONLY ◄── (23.10) ──► - (26.00) —



2292860-1 Assembled view sho

DIMENSIONS SHOWN TYPICAL FOR AL EXCEPT AS NOTED

2

		REVISIONS			
Р	LTR	DESCRIPTION	DATE	DWN	APVD
	А	RELEASED PER ECO-15-010501	17JUL2015	JM	RB
	A 1	REV PER ECO-16-007279	12MAY2016	JM	RB
	Α2	REV PER ECO-16-013256	08SEP2016	JM	RB

1

D

С






3 dimensions to be measured when backshells assembled.

- PRODUCT WEIGHTS: 2292860-1: 3.90g ASSEMBLED 2292860-2: 5.10g ASSEMBLED 2292860-3: 5.65g ASSEMBLED
- 4mm WIDE SLOTS FOR TIE WRAP TO SECURE HARNESS WIRES (-1 ONLY).

6 HEAT SHRINK TUBING RETENTION FEATURE (-1 ONLY).

- 7. INSTRUCTION SHEET: 408-151043.
- 8. CONDUIT PROFILE: NORMAL ONLY



 \square

2292860-2 Assembled view shown DIMENSIONS SHOWN TYPICAL FOR -2 AND -3 ONLY $\boxed{3}$

101	NN		
D	PART	NUMBERS	3

			NC 0 8	NW7.5	2292860-3
		776428-X 776534-X	NC 1 2	NW10	2292860-2
		110004 /	SMOOTH	SMOOTH	2292860-1
		FITS ON	CORRUGATE NC	CORRUGATE NW	
		CAP ASSY	CONDUI	T SIZE	PART NUMBER
THIS DRAWING IS A C	TOLERANCES UNLESS	JMCNEAL chk 19M RBALTER		ETE TE CO	nnectivity
mm	OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 3 PLC ±-	APVD 19M R BALTER PRODUCT SPEC 108-151043 APPLICATION SPEC	AY2015 BACKSHE AMPSEAL	EMBLY, Ll KIT, 2 POSITI 16	ION,
MATERIAL - A	4 PLC ±- ANGLES ±- FINISH –	- WEIGHT 4		drawing no C=2292860	RESTRICTED TO
1	-	CUSTOMER DRAWI	NG	SCALE 2:1 SHEE	T 1 OF 2 REV A 2

В

	4		3	
	THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION ALL RIGHTS RESERVED.	20	
D				
С				
		2292860-1		292860-2
Β	V E X P L C	WITH CAP ASSEMBLY 2 ODED ISOMETRIC VIEW SHOWN	WITH CA Exploded is	AP ASSEMBLY 2 OMETRIC VIEW SHOWN
А				

1471-9 (3/13)

2


REVISIONS

	REVISIONS				
Р	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1

D

С



2292860-3

WITH CAP ASSEMBLY 2 EXPLODED ISOMETRIC VIEW SHOWN

THIS DRAWING IS A C	ONTROLLED DOCUMENT.	DWN 19MAY2015 J MCNEAL снк 19MAY2015 R BALTER	TE Connectivity
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±-		CAP ASSEMBLY, BACKSHELL KIT, 2 POSITION, AMPSEAL 16
	4 PLC ±- ANGLES ±- FINISH - - -	- weight CUSTOMER DRAWING	SIZE CAGE CODE DRAWING NO RESTRICTED TO A 2 0 0 7 7 9 C=2292860 - SCALE 2:1 SCALE 2:1

А

В