



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



E-Z Hook, A Div. of Tektest, Inc.
 P.O. Box 660729,
 Arcadia, CA 91066-0729
 Phone: 626.446.6175
 Fax: 626.446.0972
 E-mail: info@e-z-hook.com
 Website: www.e-z-hook.com

[All Categories](#) > [Kits](#) > [Automotive Test Kits](#) > [E-Z-Mini-Hook Test Lead models: X100W, XR, XL1](#) > ["N" Series Connectors & Adapters](#) > [E-Z-Micro-Hook Test Lead models: PICO, XM, XMR, XG, XK](#) > [Item # 229XM](#)

Item # 229XM, Micro-Hook to Miniature Alligator Clip



[larger image](#)





Micro-Hook to Miniature Alligator Clip








Standard wire for the following leads is 22 AWG PVC.

XM micro-hook to miniature alligator clip

For distributor pricing please contact distributor sales at 1-800-995-4665.

Specifications

Wire Gauge	22 AWG
Wire Insulation	PVC
	 Black (0) larger image
	 Brown (1) larger image
	 Red (2) larger image
	

<p>Colors</p>	<p>Orange (3) larger image </p> <p>Yellow (4) larger image </p> <p>Green (5) larger image </p> <p>Blue (6) larger image </p> <p>Violet (7) larger image </p> <p>Gray (8) larger image </p> <p>White (9) larger image </p>
<p>Connector #1</p>	<p>XM, micro-hook</p>
<p>Connector #2</p>	<p>9275, miniature alligator clip</p>
<p>Standard Lengths</p>	<p>6 in (15 cm) 12 in (30 cm) 18 in (45 cm) 24 in (60 cm) 36 in (90 cm) 48 in (120 cm) 60 in (150 cm)</p>
<p>Unit</p>	<p>each</p>

[Print](#) [Back](#)