## mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China












3



4



2302488-1 Assembled view shown DIMENSIONS SHOWN TYPICAL FOR 2302488-1 AND -3



	]					2222102	
					NW7.5	2302488-3 2302488-2	
		776427-X			NW10		
		776522-X			SMOOTH	2302488-1	
		FITS ON	CORI	REGATE NC	CORREGATE NW		
				CONDUI	PART NUMBER		
THIS DRAWING IS A C	ONTROLLED DOCUMENT.	J MCNEAL	APR2016 APR2016		ETE TE CO	nnectivity	
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD 134 RBALTER	VPR2016	NAME BAC	CKSHELL AND ELBC	)WKIT,	
	0 PLC ±- 1 PLC ±- 2 PLC ±-	PRODUCT SPEC 108-151043		2 POSITION, PLUG ASSEMBLY, AMPSEAL 16			
	3 PLC ±- 4 PLC ±- ANGLES ±-	APPLICATION SPEC			DRAWING NO	RESTRICTED TO	
MATERIAL -	FINISH -	WEIGHT 5		A 1 0 0 7 7 9 0	C=2302488	-	
<u>_1</u> _	-	CUSTOMER DRAWI	NG	• •	SCALE 2:1 SHEE	T OF REVA2	

	P	LTR	DESCRIPTION	DATE	DWN	APVD
A2 REV PER ECO-16-013256 08sep2016 JM I   Image: Ima		А	RELEASED PER ECO-16-007279	12MAY2016	JM	RB
		A 2	REV PER ECO-16-013256	08SEP2016	JM	RB

BACKSHELL DESIGNED SUCH THAT TWO HALVES ATTACH TO ONE ANOTHER AND CLAMP AROUND THE CONNECTOR COVER.

BELBOW DESIGNED SUCH THAT TWO HALVES ATTACH TO ONE ANOTHER AND CLAMP AROUND THE BACKSHELL COLLAR.

4 dimensions to be measured when elbows and backshells assembled.

D

PRODUCT WEIGHTS: 2302488-1: 9.10g ASSEMBLED 2302488-2: 9.75g ASSEMBLED 2302488-3: 9.20g ASSEMBLED

4mm WIDE SLOTS FOR TIE WRAP TO SECURE HARNESS WIRES (-1 ONLY).

- $\overline{2}$  HEAT SHRINK TUBING FEATURE (-1 AND -3 ONLY).
- 8. INSTRUCTION SHEET: 408-151043.

9. CONDUIT PROFILE: NORMAL ONLY.

DIMENSIONS SHOWN FOR 2302488-2 ONLY 4