## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



















4

2302491-1 ASSEMBLED VIEW SHOWN DIMENSIONS SHOWN TYPICAL FOR 2302491-1 AND -3 4






		REVISIONS			
Р	LTR	DESCRIPTION	D	ATE DWN	APVC
	А	RELEASED PER ECO-16-007279	12MA`	(2016 JM	RB
	Α2	REV PER ECO-16-013256	08SEF	2016 JM	RB

D

MATERIAL: NYLON MOLDING COMPOUND, BLACK, PA66/6. BACKSHELL DESIGNED SUCH THAT TWO HALVES ATTACH TO ONE ANOTHER AND CLAMP AROUND THE CONNECTOR COVER. BELBOW DESIGNED SUCH THAT TWO HALVES ATTACH TO ONE ANOTHER AND CLAMP AROUND THE BACKSHELL COLLAR. 4 dimensions to be measured when elbows and backshells assembled. PRODUCT WEIGHTS: 2302491-1: 9.70g ASSEMBLED 2302491-2: 10.35g ASSEMBLED 2302491-3: 9.80g ASSEMBLED 4mm WIDE SLOTS FOR TIE WRAP TO SECURE HARNESS WIRES (-1 ONLY).  $\overline{2}$  HEAT SHRINK TUBING FEATURE (-1 AND -3 ONLY).

8. INSTRUCTION SHEET: 408-151043.

9. CONDUIT PROFILE: NORMAL ONLY.



2302491-2 Assembled view shown DIMENSIONS SHOWN FOR 2302491-2 ONLY 4

			NC08	NW7.5	2302491-3	
	776429-X	NC 1 2		N W 1 O	2302491-2	
	776523-X	SMOOTH		SMOOTH	2302491-1	
	FITS ON	CORF	REGATE NC	CORREGATE NW	- PART NUMBER	
	PLUG ASSY		CONDUIT SIZE PART NUM			
A CONTROLLED DOCUMENT.	J MCNEAL	PR2016	ł	ETE TE CO	nnectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:   0 PLC ±-   1 PLC ±-   2 PLC ±-   3 PLC ±-		PR2016	NAME BACKSHELL AND ELBOW KIT, 3 POSITION, PLUG ASSEMBLY, AMPSEAL 16 -			
4 PLC ±- ANGLES +-	-		SIZE CAGE CODE	DRAWING NO	RESTRICTED TO	
FINISH -	WEIGHT 5		A 1 00779	G=2302491	-	
-	CUSTOMER DRAWII	NG		SCALE 2.1 SHE	et of RevA2	