



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Fixture Clip - Short

PRODUCT ID: 2458



Description

- Doesn't this fixture clamp look like a character in a Pixar movie? If you just drew two little eyes on it then you could just imagine it hopping around on nifty, adorable little adventures that are heartwarming and...sorry, we got carried away.

This fixture clamp is a great way to hold a printed circuit board in place while you're testing or programming. It comes with two mounting screws so you can attach the clamp to your tester. Just press down on the white lever to add or remove a PCB then release to keep the board in nice and snug.

We do have a rough placement object in our EagleCAD library, its called FIXCLIP, your mileage may vary!

Technical Details

- Base Plate: 34mm x 26mm / 1.3" x 1.0"
- Top: 26mm deep x 22mm tall x 18mm wide / 1.0" deep x 0.9" tall x 0.7" wide
- Lever is 21mm / 0.8" high
- Mounting holes are 25mm apart
- Weight: 11g

This is the only diagram we have:

