

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Home My Account She



High Performance Precision Tools and Optical Inspection Systems for Industrial, Scientific and Research Applications

Catalogs & Sales Info

All

All Products Listing



Find A Distributor



Find A Sales Rep



Tuesday, January 27th, 2009

Come and see Aven at MDM West, February 10-12, 2009 at the Anah

Infinity 1 CMOS USB Color Camera 3.1 Megapixel



larger image

Lumenera's INFINITY 1-3 digital camera is designed to be a cost-effective, versatile solution for documentation and archiving of clinical, life science, material science images where higher resolution is routinely required. With 2048x1536 resolution and on-board processing, the INFINITY 1-3 delivers outstanding image quality for a wide variety of scientific applications. Live video preview provides for real-time focus. INFINITY 1-3 auto exposure and auto white balance efficiently captures your optimal image. The INFINITY 1-3 is fully supported by Lumenera's INFINITY CAPTURE and INFINITY ANALYZE software. An intuitive user application provides camera controls, while full integration to popular third-party imaging applications is available through our TWAIN drivers. The USB 2.0 digital interface ensures a simple plug-and-play installation – and one standard cable minimizes camera clutter. No framegrabber required.

INFINITY 1-3 is supported by an experienced team of technical support and imaging experts. We understand your imaging needs and are here to help you get the most out of your camera.

CAMERA SENSOR

Image Sensor 1/2" format, CMOS, color, 6.5mm x 4.9mm array

Effective Pixels 2048 x 1536, 3.2μm square pixels
Frame Rate 12 fps at 2048x1536, 120fps at 640x480

Dynamic Range >60dB

Digital Output 8 and 10-bit uncompressed

Read Noise 20 e- rms

CAMERA CONTROLS

Integration Time 1/1000 to 3 sec.

Shutter Rolling shutter with single frame capture

ROI User Selectable
Auto Exposure Automatic / Manual
White Balance Automatic / Manual

Gain Programmable / 1 to 10X optimizable
Interface USB 2.0 high speed interface
Dimensions (L x W x H) 3.85 x 2.00 x 2.75 inches

Mass 300g

Power Requirement USB 2.0 bus power, or external 5VDC - 500mA

Power Consumption ~2.5Watts
Operating Temperature 0° C to +50° C

Operating Humidity 5%-95%, Non-condensing



Downloadable Documents

Infinity Caputre & Analyze

Model: 26100-216 Shipping Weight: 1.5lbs

Add to Cart: 1

Add to Cart

Copyright © 2008 Aven, Inc. 4595 Platt Road Ann Arbor, MI 48104 734-973-0099 sa