



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**Aven Inc.**  
 4595 Platt Rd.  
 Ann Arbor, MI 48108  
**Phone:** 734.973.0099  
**Email:** [info@aventools.com](mailto:info@aventools.com) • **Web Address:** [www.aventools.com](http://www.aventools.com)

All Categories > Optical Inspection Tools > CCD/CMOS Cameras > Digital Cameras > Aven MiniVue USB Digital Color Camera > Item # 26100-230

### Item # 26100-230, MiniVue Camera



[larger image](#)

Accessories included are:-

- USB Shutter Cable
- USB Cable
- TV-Out Cable
- SD Card
- Remote
- Power Supply
- Image Capture Software

[Features](#) · [Specifications](#)

#### Features

- 3.1 Megapixel Camera
- Built in High Resolution 2" Screen
- Full Digital Signal Processing
- Capture Images and Video on the built in SD Card and transfer to a PC at your convenience
- Connect via USB to a PC or Printer
- Friendly User Interface
- Crosshair feature for location and measurement
- TV Out allows the connection of an external LCD monitor for detailed viewing
- Wireless and wired USB Shutter control
- Many stand alone features on camera

#### Specifications

<b>Sensor Resolution</b>	3.1 megapixels
<b>Max. Resolution</b>	8 megapixels
<b>Sensor Type</b>	1/2" CMOS
<b>Frame Rate</b>	28 fps at TV/PC Out
<b>LCD Screen Size</b>	2 in
<b>Memory Card</b>	SD/MMC Card
<b>TV Output</b>	NTSC/PAL
<b>USB Interface</b>	Yes
<b>Controller</b>	Remote and USB
<b>Picture Format</b>	jpeg
<b>Video Format</b>	MPEG4

<b>Printer Support</b>	Pictbridge and DPOF
<b>Mount</b>	C Mount
<b>Power Supply</b>	DC 12 V, 1.5 A
<b>Weight</b>	1.4 lb

[Print](#) [Back](#)