



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Exceptional Value
Improves Lighting Quality
Reduces Energy Costs



Industrial Grade **LED** Task Lights



Industrial Grade **LED** Task Lights

Exceptional Value Improves Lighting Quality Reduces Energy Costs

Aven's Industrial Grade LED task lights are ideal for lathes, grinders, presses, assembly, inspection, workbench, office and many other uses. The LED element offers significant increase in intensity over that of a standard 20 watt halogen bulb, while using close to 70% less energy. The light covers also stays cool to touch and the LEDs have a minimum of 20,000 hours of high-output life. These flexible gooseneck work lights can be adjusted to just the right position for easier examination and inspection of close-up work. Each Machine task light comes with an 5 foot (152cm) power cord and the Sirius task light with a 6 foot (182.88cm) power cord.

Features



- High intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Flexible Gooseneck Arm for precise positioning



Optional Magnetic Base for Sirius LED task lights 26526, 26527 and 26528. Magnetic base allows for secure yet mobile placement on magnetic surfaces such as metal benches or cabinets.

Part #	Description	
26526	SIRRUS LED Task Light w/ Swivel Head, 500mm(19.5") Flex Arm & Mounting Clamp	
26527	Sirrus LED Task Light w/ High Intensity Fixed Focus, 500mm(19.5") Flex Arm & Mounting Clamp	
26528	Sirrus LED Task Lamp, 500mm(19.5") Flex Arm & Mounting Clamp	
26530-LED	Machine Tool LED Task Light w/ Magnetic Base & 18" Flexible Arm	
26531-LED	Machine Tool LED Task Light Compact with 18" Flexible Arm	
26532-LED	Machine Tool LED Task Light Domed with 36" Flexible Arm	
26533-LED	Machine Tool LED Task Light Domed with 23" Flexible Arm	
26520-MB	Sirrus Magnetic Base optional for 26526, 26527 and 26528	

500MM(19.5")
INDUSTRIAL GRADE
FLEXIBLE GOOSENECK
COATED ARM



SIRRUS **LED** Task Light w/ Swivel Head, 500mm Flex Arm and Clamp

Dramatically Reduces Power Consumption and Improves Lighting Quality

Our new SIRRUS LED Task Light is designed to provide high efficiency & powerful lighting. It features low power consumption with extra long service life. The SIRRUS LED Task Light integrates many outstanding features, making it popular for many locations such as production machines, assembly stations, offices, inspection areas - anywhere precision work is being performed. The swivel head permits swiveling in any direction or sets securely in a fixed position. Includes metal clamp ideal for workbench mounting.

Features

- 500mm(19.5") industrial grade flexible gooseneck coated arm
- Arm stays set in any position to provide direct light where needed
- High intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications
- Mounting Clamp allows for easy attachment to desk and bench tops

SIRRUS LED TASK LIGHT W/ SWIVEL HEAD, 500MM(19.5") FLEX ARM & MOUNTING CLAMP

LED COLOR	High intensity white LEDs
LIGHTING CONTROL	On/Off
LED LIFE	Minimum 20,000 hours
LED OUTPUT	3W
OUTPUT VOLTAGE	24V
INPUT VOLTAGE	100-277V
LENGTH OF GOOSENECK ARM	19.5" (500mm)
WEIGHT	5lbs (2.25kg)
PACKAGE CONTENTS	1 ea. SIRRUS Task Light LED w/ Swivel Head, 500mm Flex Arm & Mounting Clamp

Part #	Description	
26526	SIRRUS LED Task Light w/ Swivel Head, 500mm(19.5") Flex Arm & Mounting Clamp	
26520-MB	SIRRUS Magnetic Base optional for 26526, 26527 and 26528	



500MM(19.5")
INDUSTRIAL GRADE
FLEXIBLE GOOSENECK
COATED ARM



SIRRUS **LED** Task Light w/ High Intensity Fixed Focus, 500mm Flex Arm and Clamp

Dramatically Reduces Power Consumption and Improves Lighting Quality

Our new SIRRUS LED Task Light is designed to provide high efficiency & powerful lighting. It features low power consumption with extra long service life. The SIRRUS LED Task Light integrates many outstanding features making it popular for many locations such as machines, assembly stations, office & inspection locations and precision working. The soft, even area illumination is ideal for close-up applications that require more than a focused beam. Output ranges from 4100 lux at 1 foot distance to 1070 lux at 2 feet. The protective switch cover prevents permeation by dust, water, lubricants, coolants, and other liquids. Includes metal clamp ideal for workbench mounting.

Features

- 500mm(19.5") industrial grade flexible gooseneck coated arm
- Arm stays set in any position to provide direct light where needed
- High intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications
- Mounting Clamp allows for easy attachment to desk and bench tops

SIRRUS LED TASK LIGHT W/ HIGH INTENSITY FIXED FOCUS, 500MM(19.5") FLEX ARM & MOUNTING CLAMP	
LED COLOR	High intensity white LEDs
LIGHTING CONTROL	On/Off
LED LIFE	Minimum 20,000 hours
LED OUTPUT	3W
OUTPUT VOLTAGE	24V
INPUT VOLTAGE	100-277V
LENGTH OF GOOSENECK ARM	19.5" (500mm)
WEIGHT	5lbs (2.25kg)
PACKAGE CONTENTS	1 ea. SIRRUS Task Light LED High Intensity Fixed Focus with 500mm Flex Arm & Mounting Clamp

Part #	Description	
26527	SIRRUS LED Task Light w/ High Intensity Fixed Focus, 500mm(19.5") Flex Arm & Mounting Clamp	
26520-MB	SIRRUS Magnetic Base optional for 26526, 26527 and 26528	



500MM(19.5")
INDUSTRIAL GRADE
FLEXIBLE GOOSENECK
COATED ARM



SIRRUS **LED** Lamp, 500mm Flex Arm & Mounting Clamp

Get Light Where You Need it most?

The innovative SIRRUS LED Lamp features a flexible arm that allows you to direct light exactly where you want it. The 500mm (19.5") Flex Arm, covered with an insulated sleeve, provides vibration resistance. With its slim aluminum lamp head and one piece fabricated PC front shade, this energy efficient LED lamp provides an elegant modern design ideal for use anywhere including many office applications, assembly workstations, or quality inspection areas. You can regulate the brightness of the LED light with a convenient built-in dimmer switch on the base of the lamp. Includes metal clamp ideal for workbench mounting.

Features

- 500mm(19.5") industrial grade flexible gooseneck coated arm
- Arm stays set in any position to provide direct light where needed
- High intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or office applications
- Mounting Clamp allows for easy attachment to desk and bench tops

SIRRUS LED LAMP, 500MM(19.5) FLEX ARM & MOUNTING CLAMP	
LED COLOR	High intensity white LEDs
LIGHTING CONTROL	On/Off
LED LIFE	Minimum 20,000 hours
LED OUTPUT	14W
OUTPUT VOLTAGE	12V
INPUT VOLTAGE	100-260V
LENGTH OF GOOSENECK ARM	19.5" (500mm)
WEIGHT	5lbs (2.25kg)
PACKAGE CONTENTS	1 ea. SIRRUS Lamp LED, 500mm Flex Arm & Mounting Clamp

Part #	Description	
26528	SIRRUS LED Lamp, 500mm(19.5") Flex Arm & Mounting Clamp	
26520-MB	SIRRUS Magnetic Base optional for 26526, 26527 and 26528	



Machine Tool **LED** Task Light w/ Magnetic Base & 18" Flexible Arm

Magnetic base allows versatile mounting options for ideal illumination

This LED machine tool task light is ideal for lathes, grinders, presses, assembly, inspection, and many other uses in the shop. It has a durable metal shade with a black finish. The LED element offer significant increase in intensity over that of a standard 20 watt halogen bulb, while using close to 70% less energy. The metal shade also stays cool to touch and the LEDs have a minimum of 20,000 hours of high-output life. The 18" (457mm) flexible arm holds firmly for precise positioning and the magnetic base allows you to securely mount the task light to most metal surfaces. Comes with an 5 foot (152cm) power cord.

Features

- Durable metal shade with black finish
- 24 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Strong magnetic base
- Flexible Arm for precise positioning

MACHINE TOOL LED TASK LIGHT WITH MAGNETIC BASE & 18" FLEXIBLE ARM	
LED COLOR	24 high intensity white SMD LEDs
LIGHTING CONTROL	On/Off
LED COLOR TEMPERATURE	4000K
LED LIFE	Minimum 20,000 hours
LED OUTPUT	6.5W
OUTPUT VOLTAGE	12V
INPUT VOLTAGE	100-240V
LENGTH OF GOOSENECK	18" (464mm)
DIAMETER OF LAMPSHADE	4" (102mm)
ADAPTER	24V, 0.5A
WEIGHT	2.2 lbs (998g)
PACKAGE CONTENTS	Machine Tool LED Task Light with Power Adapter

Part #	Description	
26530-LED	Machine Tool LED Task Light w/ Magnetic Base & 18" Flexible Arm	



Machine Tool **LED** Task Light Compact w/ 18" Flexible Arm

Compact metal lamp head for unobstructed view of work area for ideal illumination

This compact LED machine tool task light has a small compact head to fit in tight areas and is ideal for medium duty applications. The LED element offer significant increase in intensity over that of a standard 20 watt halogen bulb, while using close to 70% less energy. The head also stays cool to touch and the LEDs have a minimum of 20,000 hours of high-output life. The 18" (457mm) flexible arm holds firmly for precise positioning. It also has a permanent steel bracket for horizontal or vertical mounting. Comes with an 5 foot (152cm) power cord.

Features

- Compact lamp shade with black exterior
- 10 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)

MACHINE TOOL LED TASK LIGHT COMPACT WITH 18" FLEXIBLE ARM	
LED COLOR	10 high intensity white SMD LEDs
LIGHTING CONTROL	On/Off
LED COLOR TEMPERATURE	4000K
LED LIFE	Minimum 20,000 hours
LED OUTPUT	6.5W
OUTPUT VOLTAGE	12V
INPUT VOLTAGE	100-240V
LENGTH OF GOOSENECK	18" (464mm)
DIAMETER OF LAMPSHADE	2.25" (57mm)
ADAPTER	24V, 0.5A
WEIGHT	1.4lbs (635g)
PACKAGE CONTENTS	Machine Tool LED Task Light with Power Adapter

Part #	Description	
26531-LED	Machine Tool LED Task Light Compact with 18" Flexible Arm	



Machine Tool **LED** Task Light Domed w/ 36" Flexible Arm

Provides illumination over a large surface area

Our domed machine tool task light is ideal for lathes, grinders, presses, assembly, inspection, and many other uses in the shop. The LED element offer significant increase in intensity over that of a standard halogen bulb, while using close to 70% less energy. The head also stays cool to touch and the LEDs have a minimum of 20,000 hours of high-output life. The 36" (898mm) flexible arm holds firmly for precise positioning. It also has a permanent steel bracket for horizontal or vertical mounting. Comes with an 5 foot (152cm) power cord.

Features

- Domed metal shade with black finish
- 36 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Flexible arm for precise positioning
- Provides illumination over a large surface area

MACHINE TOOL LED TASK LIGHT DOMED W/ 36" FLEXIBLE ARM

LED COLOR	36 high intensity white SMD LEDs
LIGHTING CONTROL	On/Off
LED COLOR TEMPERATURE	4000K
LED LIFE	Minimum 20,000 hours
LED OUTPUT	7.7W
OUTPUT VOLTAGE	12V
INPUT VOLTAGE	100-240V
LENGTH OF GOOSENECK	36" (898mm)
DIAMETER OF LAMPSHADE	6.6" (167mm)
ADAPTER	24V, 0.5A
WEIGHT	3lbs (.4kg)
PACKAGE CONTENTS	Machine Tool LED Task Light with Power Adapter

Part #	Description	
26532-LED	Machine Tool LED Task Light Domed with 36" Flexible Arm	



Machine Tool **LED** Task Light Domed w/ 23" Flexible Arm

Provides illumination over a large surface area

Our domed machine tool task light is ideal for lathes, grinders, presses, assembly, inspection, and many other uses in the shop. The LED element offer significant increase in intensity over that of a standard halogen bulb, while using close to 70% less energy. The head also stays cool to touch and the LEDs have a minimum of 20,000 hours of high-output life. The 23" (584mm) flexible arm holds firmly for precise positioning. It also has a permanent steel bracket for horizontal or vertical mounting. Comes with an 5 foot (152cm) power cord.

Features

- Domed metal shade with black finish
- 36 high intensity energy saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Flexible arm for precise positioning
- Provides illumination over a large surface area

MACHINE TOOL LED TASK LIGHT DOMED W/ 23" FLEXIBLE ARM

LED COLOR	36 high intensity white SMD LEDs
LIGHTING CONTROL	On/Off
LED COLOR TEMPERATURE	4000K
LED LIFE	Minimum 20,000 hours
LED OUTPUT	7.7W
OUTPUT VOLTAGE	12V
INPUT VOLTAGE	100-240V
LENGTH OF GOOSENECK	23" (584mm)
DIAMETER OF LAMPSHADE	6.6" (167mm)
ADAPTER	24V, 0.5A
WEIGHT	3lbs (.4kg)
PACKAGE CONTENTS	Machine Tool LED Task Light with Power Adapter

Part #	Description	
26533-LED	Machine Tool LED Task Light Domed with 23" Flexible Arm	