



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





2015

wiha 
Tools that work for you


Professional Tech Tools




Complete Tech Tools Program




Wiha Precision Screwdrivers

Description	Page
Precision Slotted Drivers	4-5
Precision Phillips Drivers	5
Precision Pozidriv® Drivers	6
Precision Hex Drivers	6
Precision Ball End Drivers	7
Precision Nut Drivers	8
Precision Torx® Drivers	9
Precision 5Point Drivers	9
 Precision Chip Lifters	4



Wiha Magnetizer/Demagnetizer

Description	Page
 Magnetizer/Demagnetizer	11


Wiha Precision Protturn Drivers

Description	Page
 Protturn Drivers & Blade Sets	14
Slotted, Phillips, Torx, Chip Lifter	





Wiha TorqueControl Tools

Description	Page
 Torque Cable Keys	7
 TorqueControl Handle	7



Wiha ESD Safe Precision Handles/Blades

Description	Page
 SYSTEM 4 Handles/Blades	15-16
SYSTEM 4 Sets	18-19



Wiha Precision Screwdriver Accessories

Description	Page
 Precision Master Tech Set	9
 Precision Pocket Clip	4
 Precision Stand	4
 Precision Pouch	11,13




Wiha ESD Safe Precision Handle & Blades

Description	Page
 SYSTEM 4 Drive-Loc Handle & Blades	17
 SYSTEM 4 Drive-Loc Set	17




Wiha Precision PicoFinish Drivers

Description	Page
 PicoFinish Screwdrivers	10-13
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	
 Insulated PicoFinish Drivers	13







ESD Safe Micro Bit Handles, Bits & Sets

Description	Page
 Micro Bits Handles/Bits/Sets	20-22
 Micro Bit Storage Handle Sets	21
 ESD Safe Micro Bit Sets	23



Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	24
	Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	24
	Electronic Diagonal Cutters Narrow Shape	24
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	25
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	25
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	25
	Electronic Diagonal Cutters Short Nose Precision Pliers	25
	Electronic Stripping Pliers	25
	Flush Cutting Diagonal Cutters	25

Wiha Stripping Tools

	Description	Page
	Self Adj. Cut & Strip Tools	34
	Adjustable Cable Stripper	35
	Adjustable Stripping Tool	35
	CATV/Satellite Stripper	35
	2 Step Stripping Tools	36
	3 Step Stripping Tools	37

Wiha Professional Tweezers

	Description	Page
	ESD Safe Tweezers	26-29
	Inspection Mirrors	29




Wiha ESD Safe Tech Tools

- ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter
- ESD Safe Ceramic Drivers
- ESD Safe SYSTEM 4
Handles/Blades/Sets
- ESD Safe Drive-Loc
Handles/Blades/Sets
- ESD Safe Pliers & Cutters



Catalog 99945.wo

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Frame	30
	PortaCrimp Dies	31-33
	PortaCrimp Sets	30



Rotating cap
for precise turning and control with fingertip


Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
chrome-vanadium-molybdenum steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter
Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle


Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate



26001 Pocket Clip for Precision Screwdrivers
Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.


Item No.	lbs.	pkg.
26001	Fits all Precision handles	.0035 1



26000 Plastic Precision Tool Rack
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08 1


Wiha Long Life Precision Series



260 Slotted Screwdriver, With Precision Handle
Blade high alloy chrome-vanadium-molybdenum steel.


Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



26090 6 Piece Precision Slotted Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Slotted:	lbs.
26090	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	




26099 8 Piece Precision Slotted Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	.54
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	

Wiha Precision Slotted/Phillips Drivers



261 Phillips Screwdriver, With Precision Handle 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



26092 7 Piece Precision Slotted & Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26092	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
Phillips:		
	0 x 75mm	



26190 7 Piece Precision Slotted & Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26190	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
Phillips:		
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



26194 4 Piece Precision Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	lbs.
26194	000, 00 x 40mm	.18
	0 x 50mm, 1 x 60mm	




In canvas storage pouch

26199 8 Piece Precision Slotted/Phillips Set 

Blade high alloy CVM steel, hard chrome finished.

Item No.	Slotted:	lbs.
26199	1.0, 2.0 x 40mm,	.55
	3.0 x 50mm, 4.0 x 60mm	
Phillips:		
	000, 00 x 40mm,	
	0 x 50mm, 1 x 60mm	



26192 5 Piece Precision Slotted & Phillips Set 

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	lbs.
26192	2.5, 3.0, 4.0 x 150mm	.44
Phillips:		
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



[SHOP](#)

262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



[SHOP](#)

263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.7	.028	40	1.6	120	4.7	.02	10	
26309	.9	.035	40	1.6	120	4.7	.02	10	
26313	1.3	.050	40	1.6	120	4.7	.02	10	
26315	1.5	-	50	2.0	145	5.7	.03	10	
26320	2.0	5/64	50	2.0	145	5.7	.03	10	
26325	2.5	-	60	2.4	170	6.7	.04	10	
26330	3.0	-	60	2.4	170	6.7	.04	10	
26340	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch Precision Series



[SHOP](#)

263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
26307	0.028	0.7	40	1.6	120	4.7	.02	10	
26309	0.035	0.9	40	1.6	120	4.7	.02	10	
26313	0.05	1.3	40	1.6	120	4.7	.02	10	
26316	1/16	-	50	2.0	145	5.7	.03	10	
26320	5/64	2.0	50	2.0	145	5.7	.03	10	
26323	3/32	-	60	2.4	170	6.7	.04	10	
26327	7/64	-	60	2.4	170	6.7	.04	10	
26331	1/8	-	60	2.4	170	6.7	.04	10	
26333	9/64	-	60	2.4	170	6.7	.05	10	
26336	5/32	60	2.4	170	6.7	.05	10		

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
26391	Hex Inch: lbs.
	.028, .035, .050 x 1.6" .32
	1/16, 5/64 x 2.0"
	3/32, 7/64, 1/8 x 2.4"



[SHOP](#)

26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
26390	Hex Metric: lbs.
	.7, .9, 1.3 x 40mm .28
	1.5, 2.0 x 50mm
	2.5, 3.0 x 60mm




[SHOP](#)

26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	
26399	Hex Inch: lbs.
	.028, .035, .050 x 1.6"
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"
	.55

Wiha Ball End Precision Series




SHOP

264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	0.05	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

SHOP



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26490	.050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.28

SHOP



In canvas storage pouch

SHOP

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Ball End Hex Inch:	lbs.
26499	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha Torque Cable Keys



SHOP

286 Torque Cable Key For Threaded Hex Connectors

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06

+/-6% accuracy tolerance
Certificate of calibration



SHOP

28552 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

[SHOP](#)

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

[SHOP](#)

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26591 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	Inch Nut Drivers:	lbs.
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47



[SHOP](#)

26590 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	Metric Nut Drivers:	lbs.
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.48

26592 Set 7 Pcs. Nut Driver Metric

Item No.	26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
----------	-------	-------------------------------------



[SHOP](#)

26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Wiha Precision Screwdriver Set



[SHOP](#)

26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	Metric Nut Drivers:	lbs.
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.70



[SHOP](#)

92191 51 Piece Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips:	#000, #00, #0, #1
	Torx®:	T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 3.14	Metric Hex:	1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex:	.028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers:	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
		26810 Chip Lifter

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

SHOP

Wiha 5Point Precision Series

Wiha 5Point drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air



- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 5Point Screwdrivers, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	1PL	40	1.6	120	4.7	.01	1
26762	2PL	40	1.6	120	4.7	.02	1
26763	3PL	40	1.6	120	4.7	.02	1
26764	4PL	40	1.6	120	4.7	.02	1
26765	5PL	40	1.6	120	4.7	.02	1
26766	6PL	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate

SHOP



26790 6 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	



SHOP

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	TORX®:	lbs.
26791	T1, T2, T3, T4, T5, T6, T7, T8	



SHOP

26799 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.	TORX®:	lbs.
26799	T3, T4, T5, T6, T7, T8 x 40mm	
	T9 x T10 x 50mm	.50



26792 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm	.33
	T9, T10 x 50mm	
	T15 x 60mm	

SHOP



26794 6 Pc. Precision 5Point Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Super hardened best wear resistance long life

Item No.	5Point Screwdrivers:	lbs.
26794	1PL, 2PL, 3PL, 4PL, 5PL, 6PL	.35

SHOP

Wiha Precision Screwdriver Set



SHOP

92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 2.86	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

[SHOP](#)

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft

PicoFinish Handle In storage pouch

Item No.		lbs.
26093	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

[SHOP](#)

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft

PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26193	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

[SHOP](#)

Item No.	mm	mm	mm	mm	Inch	lbs	pkg.
26815	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX®	lbs.
26793	T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50

[SHOP](#)



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	TORX®	lbs.
26796	T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	.57

[SHOP](#)



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	lbs.
26798	.45

[SHOP](#)

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

[SHOP](#)

(Parts under 1" Length or 1/8" Diameter may not demagnetize)



Pico Soft Grip Hex Inch & Metric



[SHOP](#)

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Ball End Inch & Metric



[SHOP](#)

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
26392	.028, .035, .050 x 1.6"	
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24



[SHOP](#)

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
26493	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	.27



[SHOP](#)

263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	.71(.028)	40	1.6	134	5.3	10
26343	.89(.035)	40	1.6	134	5.3	10
26345	1.27(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

[SHOP](#)

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm	
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22



[SHOP](#)

91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Nut Drivers Inch & Metric



[SHOP](#)

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit.

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



[SHOP](#)

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Insulated PicoFinish Precision Screwdrivers



1000Volt




[SHOP](#)

320 Insulated Slotted PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

High quality CV steel, through hardened, black finish.

Rotating cap for precise turning and control with fingertip.

Item No.	mm	Inch	mm	mm	Pkg.	lbs.
32000	1.5	.06	40	154	1	.05
32001	2.0	.08	40	154	1	.07
32002	2.5	.10	60	160	1	.07
32003	3.0	.12	60	160	1	.08
32004	3.5	.14	60	160	1	.08



Individually Tested Protective Insulation 1000Volt AC, VDE and GS Tested

1000Volt

[SHOP](#)

32088 8 Piece Slotted & Phillips PicoFinish Set

Item No.	Slotted:	lbs.
32088	1.5, 2.0, 2.5, 3.0, 3.5 Phillips: #00, #0, #1	.35



1000Volt



[SHOP](#)

321 Insulated Phillips PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

Item No.	Size	mm	mm	Pkg.	lbs.
32106	00	40	154	1	.05
32107	0	60	160	1	.07
32108	1	60	160	1	.08




1000Volt

[SHOP](#)

32085 5 Piece Slotted & Phillips PicoFinish Set

Item No.	Slotted:	lbs.
32085	1.5, 2.5, 3.5 Phillips: #0, #1	.26

Wiha Protturn Precision Screwdrivers



pro turn

Rotating cap for precise turning and control with fingertip

Tapered handle allows rapid rotation

Molded on ergonomic handle

Tip precision ground for exact fit

Blade CVM steel, black finish blades



[SHOP](#)

95190 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



[SHOP](#)

65090 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	mm	mm	Phillips	Size	mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



[SHOP](#)

96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



[SHOP](#)

62990 5 Piece Slotted & Phillips Pocket Pack Set

Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ↔ lbs. .15




[SHOP](#)

62993 9 Piece Slotted/Phillips/TORX® Work Station Set

Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- ↔ lbs. .64



[SHOP](#)

62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack

Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- ↓ ● Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .66 Set in canvas storage pouch

[SHOP](#)

Wiha SYSTEM 4 Precision Handles and Blades



Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5+ 000	120	4.7	.05	
26972	2.0+ 00	120	4.7	.05	
26973	3.0+ 0	120	4.7	.05	
26974	4.0+ 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 SYS 4 TORX Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item				
No.	Size	Size	lbs.	
26951	T6 + T8		.03	
26952	T7 + T9		.03	
26953	T10 + T15		.03	
26954	T15 + T20		.03	



269 SYSTEM 4 TORX Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item			
No.	Size	lbs.	
26955	T3	.03	
26956	T4	.03	
26957	T5	.03	

Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Inch Hex Sizes, [SHOP](#)

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item				
No.	Inch	mm	Inch	lbs.
26921	.50	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes, [SHOP](#)

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



280 SYSTEM 4 Inch Ball End Hex [SHOP](#)

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex [SHOP](#)

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex. [SHOP](#)

Item						
No.	mm	mm	mm	Inch	lbs.	
26932	1.3 + 1.3	120	4.7	.05		
26933	1.5 + 1.5	120	4.7	.05		
26934	2.0 + 2.0	120	4.7	.06		
26935	2.5 + 2.5	120	4.7	.06		
26936	3.0 + 3.0	120	4.7	.06		
26937	4.0 + 4.0	120	4.7	.06		



269 SYSTEM 4 Nut Driver Inch, [SHOP](#)

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item					
No.	Inch	Inch	Inch	lbs.	
26962	3/32	.16	.16	.04	
26963	7/64	.20	.20	.04	
26964	1/8	.20	.20	.04	
26965	9/64	.21	.24	.04	
26966	5/32	.22	.24	.04	
26967	3/16	.26	.28	.04	
26968	7/32	.30	.32	.04	
26969	1/4	1.34	.36	.04	



269 SYSTEM 4 Nut Driver Metric, [SHOP](#)

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item						
No.	mm	mm	Inch	Inch	lbs.	
26940	1.5 + 1.8	.12	.12	.03		
26941	2.0 + 2.5	.16	.16	.03		
26938	1.5 -	.11	.11	.04		
26939	1.8 -	.12	.12	.04		
26949	2.0 -	.13	.13	.06		
26950	2.5 -	.16	.16	.06		
26942	3.0 -	.20	.20	.06		
26943	3.2 -	.20	.20	.06		
26944	3.5 -	.22	.24	.06		
26945	4.0 -	.22	.24	.06		
26946	4.5 -	.25	.28	.06		
26947	5.0 -	.27	.28	.06		
26948	5.5 -	.30	.32	.06		

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



26961 ESD Safe Dissipative Precision Drive-Loc Handle
Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	mm	mm	lbs.
26958	1.5 + 3.0		.02
26959	2.0 + 3.5		.02
26960	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	Size	Size	lbs.
26975	000 + 00		.02
26976	0 + 1		.02



269 SYSTEM 4 TORX Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	Size	Size	lbs.
26977	T1 + T2		.02
26978	T3 + T4		.02
26979	T5 + T6		.02
26980	T6 + T8		.02
26981	T7 + T9		.02
26982	T10 + T15		.02



280 SYSTEM 4 Pozidriv Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	Size	Size	lbs.
28002	0 + 1		.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	mm	mm	lbs.
28003	1.3 + 1.3		.02
28004	1.5 + 1.5		.02
28005	2.0 + 2.0		.02
28006	2.5 + 2.5		.02
28007	3.0 + 3.0		.02
28008	4.0 + 4.0		.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades
On 4mm Hex blades

Item No.	mm	mm	lbs.
28009	1.5 + 1.8		.02
28010	2.0 + 2.5		.02
28011	3.0 + 3.0		.02
28012	3.2 + 3.2		.02
28013	3.5 + 3.5		.02
28014	4.0 + 4.0		.02
28015	4.5 + 4.5		.02
28016	5.0 + 5.0		.02
28017	5.5 + 5.5		.02



26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set
In storage pouch

Item No.	Description	Weight
26985	ESD Safe Drive-Loc Handle	
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0	
	Phillips: 000x00, 0x1	lbs. .44
	TORX: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15	



Wiha Canvas Pouch Sets



SHOP

Canvas Pouch


26990 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

- Slotted: 2.0, 3.0, 4.0mm
- ⊕ Phillips: 00, 0, 1

↔ lbs. .17



SHOP

Canvas Pouch


26991 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:

- Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1

↔ lbs. .29



SHOP

Canvas Pouch

26992 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set


Wiha ESD Safe precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1
- Ball End Hex Inch: .050, 1/16, 5/64, 7/64, 3/32, 1/8"
- Ball End Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

↔ lbs. .63



SHOP

Canvas Pouch

28080 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:


- Slotted: 1.5, 2.0, 3.0, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1
- ⊛ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
- Hex: .028, .035
- Ball Hex: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

ESD Safe Precision Chip Lifter

↔ lbs. .33



ESD Technicians Kit Precision Screwdrivers & Tweezers



SHOP



Canvas Pouch

44590 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.


44590 Set includes the following blades:

- Slotted: 2.0, 3.0, 4.0mm
- ⊕ Phillips: 00, 0, 1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15


ESD Safe Precision Tweezers:

- 44501 Fine Point - AA SA
- 44509 Extra Fine Point - 5 SA
- 44505 Flat and Blunt - 2a SA
- 44510 Curved Fine Point - 7a SA

↔ lbs. .60



Slotted, Phillips, TORX® Set In Steel Box



SHOP


28094 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1
- ⊛ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15

↔ lbs. 1.51



SHOP

26993 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:

- Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1

↔ lbs. .87




ESD Anti-Static Vinyl Pouch Set




SHOP

28091 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

 **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm


 **Phillips:** 000, 00, 0, 1

 **lbs.** .25




SHOP


28097 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.


28097 Set includes the following blades:

 **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1


 **TORX®:** T5, T6, T7, T8, T9, T10, T15

 **lbs.** .33





SHOP


28084 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 12 Wiha interchangeable blades.


28084 Set includes the following blades:

 **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1

 **Ball End Hex Inch:** .050, 1/16,


5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **lbs.** .44




SHOP

28087 8 Piece TORX® Precision Interchangeable Blade Set


Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.

28087 Set includes the following blades:

 **TORX® Sizes on standard blades:** T3, T4, T5

 **TORX® Sizes on reversible blades:**


T6, T7, T8, T9, T10, T15, T20

 **lbs.** .29




SHOP

26996 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.

26996  **Phillips:** 000, 00, 0, 1

 **Slotted:** 1.5, 2.0, 3.0, 3.5mm

 **lbs.** .54





SHOP

26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.

26997  **Phillips:** 000, 00, 0, 1

 **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm


 **TORX®:** T6, T7, T8, T9, T10, T15

 **lbs.** .64



SHOP

26999 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26999  **Hex Metric:** .7, .9, 1.3, 1.5,

2.0, 2.5, 3.0, 4.0mm


 **lbs.** .66




SHOP

26989 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

26989  **Hex Inch:** .050, 1/16, 5/64, 3/32,


7/64, 1/8, 9/64, 5/32"


 **lbs.** .64



SHOP

26995 5 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.


26995  **TORX®:** T6, T7, T8, T9, T10, T15, T20

 **lbs.** .52




SHOP

26987 8 Piece TORX® Precision Blade Set


Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

 **TORX® standard blades:** T3, T4, T5

 **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

 **lbs.** .62



Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits

Rotating Cap
for precise turning and control

Tips
Exact fit, precision machined

Tapered Handle
allows rapid rotation, requires less clearance

Bits High alloy
CVM steel, hardened

Use bits directly in handle or with 4" bit extension



75800 SYSTEM 4 Standard Precision Bit

Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle 110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications
Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades



75900 Extension Blade For SYS 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07



75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04



750 SYSTEM 4 Slotted Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



751 SYSTEM 4 Phillips Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



753 SYSTEM 4 Hex Metric Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



753 SYSTEM 4 Hex Inch Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



757 SYSTEM 4 TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



757 SYSTEM 4 Security TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01



753 SYS 4 Metric Security Hex Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYS 4 Security Hex Inch Micro Bits

Item No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter




75902 Micro Bit 1/4" Drive Power Tool Adapter


Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL


Item No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07

Wiha SYSTEM 4 Micro Bits


NEW 

757 SYSTEM 4 5Point Micro Bits CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.	
75743	1P	28	1.1	.01	
75744	2P	28	1.1	.01	
75745	3P	28	1.1	.01	
75746	4P	28	1.1	.01	
75747	5P	28	1.1	.01	
75748	6P	28	1.1	.01	

NEW 

758 SYSTEM 4 Metric & Inch Nut Setters CVM steel, hardened, on 4 mm hex stock.

Item No.	Metric	mm	mm	Inch	lbs.	
75820	2.0	30	1.2	.01		
75821	2.5	30	1.2	.01		
75822	3.0	30	1.2	.01		
75823	3.5	30	1.2	.01		
75824	4.0	30	1.2	.01		
75825	4.5	30	1.2	.01		
75826	5.0	30	1.2	.01		
75827	5.5	30	1.2	.01		

Item No.	Inch	mm	mm	Inch	lbs.
75810	5/64	30	1.2	.01	
75811	3/32	30	1.2	.01	
75812	7/64	30	1.2	.01	
75813	1/8	30	1.2	.01	
75814	9/64	30	1.2	.01	
75815	5/32	30	1.2	.01	
75816	3/16	30	1.2	.01	
75817	7/32	30	1.2	.01	

1/4" Drive Micro Bit Tool Adapters

#75802  #75803 

75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.	
75802	4.0	25	4.0	.01	

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.	
75803	4.0	38	4.0	.02	

Micro Bit Handle Storage Sets

Micro precision bits on 4mm hex drive

Storage handle

Bits of exclusive CRM-72 tool steel

Bits hardened for extreme durability





75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No. Set with Micro Bit Precision Storage Handle

75981   **Slotted:** 1.2, 1.5, 2.0mm

 **Phillips:** 000, 00, 0

 **lbs.** .08





75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision

No. Storage Handle

75985  **TORX®** T3, T4, T5, T6, T7, T8

 **lbs.** .08





75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision

No. Storage Handle

75983  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"

 **lbs.** .08




Protturn Precision Power Driver Bit Set


75989 SYSTEM 4 Protturn Precision Power Screwdriver Set With Micro Bits, 40 Pcs. In Storage Box. Includes Wiha precision handle, Protturn Power Screwdriver & 38 interchangeable Micro bits.


Item Set with System 4 Standard


No. Precision Handle


75989 Set includes the following bits:


 **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

lbs.  **Phillips:** 000, 00, 0, 1

1.18  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

 **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"






Wiha SYS 4 Micro Bits & Compact Bit Sets


75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set


75999 Set with Standard Precision Handle

Set includes the following bits:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1

 **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **100mm Bit Extension**

 lbs. .64

[SHOP](#)



26 Pc. Set

75792 SYSTEM 4 **TORX**® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.

Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item SYSTEM 4 TORX® Bit Set

No. Set with ESD Safe Precision Handle

75792 and the following bits:

 **TORX**®:

T3, T4, T5, T6, T7, T8, T9, T10, T15

 **100mm Bit Extension**

 lbs. .54

[SHOP](#)



11 Pc. Set


75395 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set

75395 Set with Standard Precision Handle

Includes the following bits:

 **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **100mm Bit Extension**

 lbs. .58

[SHOP](#)



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/**TORX**® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item Handle Options for SYSTEM 4

No. Combination Bit Sets

75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Set includes the following bits:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1

 **TORX**®: T3, T4, T5,


T6, T7, T8, T9, T10, T15

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **100mm Bit Extension**

 lbs. .64

[SHOP](#)



27 Pc. Set


75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.


Item SYSTEM 4


No. Combination Bit Set

75996 Set with ESD Safe Precision Handle


Set includes the following bits:


↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

 **Phillips:** 000, 00, 0, 1

 **TORX**®: T3, T4, T5, T6, T7, T8, T9, T10, T15



 **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **100mm Bit Extension**

 lbs. 1.04

[SHOP](#)



40 Pc. Set

75994 SYSTEM 4 Slotted/Phillips/Hex Metric/**TORX**® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.

Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75994 Set with ESD Safe Precision Handle

Set includes the following bits:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips:** 000, 00, 0, 1

 **TORX**®:


T3, T4, T5, T6, T7, T8, T9, T10, T15

 **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **100mm Bit Extension**

 lbs. .64

[SHOP](#)



27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension


Rotation cap

Light weight & compact

Handle tapered for precise control

Bits hardened for extreme durability

Surface resistance of handles is 10⁶ - 10⁹ Ohms



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

- ↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm
- ⊕ Phillips: 00, 0, 1
- ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
- 100mm Bit Extension

↔ lbs. .17

[SHOP](#)



75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle

- ↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm
- ⊕ Phillips: 00, 0, 1
- ⬢ Hex Inch: .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
- 100mm Bit Extension

↔ lbs. .17

[SHOP](#)



75095 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

- ↓ ● Slotted: 1.5, 2.0, 2.5, 3.0mm
- ⊕ Phillips: 00, 0, 1
- ⬢ Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- 100mm Bit Extension

↔ lbs. .17

[SHOP](#)



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.


Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle

- ⬢ Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⬢ Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- 100mm Bit Extension

↔ lbs. .17

[SHOP](#)



SYS 4 Interchangeable Bit Sets



75990 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item No. SYSTEM 4 Combination Bit Set


No. Set with ESD Safe Precision Handle

75990 Set includes the following bits:

- ↓ ● Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1
- ⊛ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬢ Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ Hex Inch: .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 100mm Bit Extension

↔ lbs. .65

[SHOP](#)



40 Pc. Set



75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box. Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. With ESD Precision Handle, 1/4" Ratchet, Micro Bit Extension



75965 Set includes the following micro bits:

- ↓ ● Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ Phillips: 000, 00, 0, 1
- ⊛ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- ⬢ Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬢ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ⊛ Pentolobe: P1, P2, P3, P4, P5, P6

Magnetic 1/4" to 4mm Adapter

↔ lbs. 1.16

[SHOP](#)

Wiha Precision Electronic Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

C70 tool steel HR60 hardness

Glare free black finish

Precision ground cutting edges for smooth cuts



The Comfortable Precision Pliers & Cutters




Velvet soft ergonomically designed multi component handle

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

Electronic Diagonal Cutters



Full Flush

56818 Precision Electronic Diagonal Cutters, Wide Pointed Head


Cutting edge - full flush. With return spring. C70 special tool steel.

For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

[SHOP](#)

Electronic Diagonal Cutters



Semi Flush

56815 Precision Electronic Diagonal Cutters, Wide Pointed Head

Cutting edge - semi flush. With return spring. C70 special tool steel.

Universal small diagonal cutter for cutting copper wires.


Item No.	mm	Inch	Cut Capacity	Medium Hard Wire	Pkg.	lbs.
#56815	138	5.5	2.0mm/12AWG	0.8	1	.23

[SHOP](#)

Electronic Diagonal Cutters



Wire Holding Spring



Full Flush

56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring


Wide, Pointed head. Cutting edge - full flush.

With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.23

[SHOP](#)

Electronic Diagonal Cutters



Full Flush

56812 Precision Electronic Diagonal Cutters, Narrow Shape


Extra narrow, short head for working in particularly restricted spaces.

Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	1	.19

[SHOP](#)

Electronic Diagonal Cutters



Full Flush




Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	1	.19

[SHOP](#)

Electronic Oblique 48° Cutter




Full Flush

56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

[SHOP](#)

Narrow Front Cutter/Long Nose Pliers




Full Flush

56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	1	.19

[SHOP](#)

Electronic Pointed Pliers




56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	1	.23

[SHOP](#)

Electronic Stripping Pliers



56871 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	1	.15

[SHOP](#)

Flush Cutting Diagonal Cutters



- Flush cutting, with return spring

[SHOP](#)

326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel hardened and tempered. For cutting plastic tie wraps & injection mold components. Soft vinyl grips.

Item	↔		↔	↔	↔
No.	mm	Inch	Pkg.	lbs.	
32607	127	5.0	1	.14	
32614	160	6.3	1	.36	