



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Qi Wireless Charging Module - 20mm - Lightning Connector

PRODUCT ID: 2677



. Description

If you have a modern smart phone you may have noticed that it comes with built in wireless charging capability called 'Qi charging.' Qi is a trademark name for a thin and smart inductive charging system. Many large gadget companies have standardized on Qi, which means it's easy to find a charging dish and we thought it might be cool if your iPhone 5/5C/5S/6/6P can recharge itself wirelessly. Thus, we now have this **Qi Wireless Charging Module with a Lightning Connector!**

You do need a Qi transmitter to go along with the receivers - which we now carry in the Adafruit store.

We also have Universal Qi modules in four different MicroUSB orientations and other inductive chargers in the store!

• Technical Details

- Output Voltage: 5V
- Output Current: 500-100MmA
- Max Power Transmission: 5W
- Conversion Efficiency: >70%
- Charging Distance: 2-6mm

Product Dimensions: 100.0mm x 38.0mm x 1.5mm / 3.9" x 1.5" x 0.1"

Product Weight: 4.1g / 0.1oz

