



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Aven's Complete Product Line : Microscopy and Inspection : Microscopes : Stereo Microscopes : Aven Designed Microscope Systems

NSW-30 Stereo Binocular Microscope with Stand LW & LED Ring Light • Product # 26800B-361



Rating:

Product # : 26800B-361

Overview : NSW-30 Stereo Binocular Microscope 10x and 30x magnification mounted on an articulating stand LW with LED ring light with 4 Sector and brightness control. Articulating arm allows you to cover a large area and move the microscope out of the way when not in use.



Description Features **Specs**

NSW-30 Stereo Binocular Microscope with Stand LW & LED Ring Light

Illumination	60 White LED
Body	Binocular
Eyepiece	10x Wide Field (FN: 23) 45° Inclined
Objective Lens	1x and 3x
Magnification	10x and 30x
Working Distance	107mm
Field of View	23mm at 10x 7.6mm at 30x
Interpupillary Distance	52 to 75mm
Diopter Adjustment	+/- 7.2 D in left eyepiece tube
Optical System	Greenough
Stand Type	Articulating Arm with Clamp and E-Arm
Base Dimensions	X

Stage Plate	None
Pole/Track Height	315mm
Accessories Included	Dust Cover Rubber Eye Guards Tension Control Pin
Optional Accessories	Auxiliary Lens: 0.5x, 0.75x, 1.6x Eyepieces: 10x, 15x, 20x and 10x with Scale Protective Lens Cover Ring Light Adapter
Weight	15lbs
Package Contents	NSW-30 Binocular Microscope Body E-Arm 26800B-518 LW Articulating Arm Stand 26800B-555 Ring Light Adapter 26800B-480 LED Ring Light 26800B-211



High Performance
Tools For Microscopy,

AVEN'S DIGITAL CATALOG

SIGN UP FOR OUR NEWSLETTER

Full Name

Email Address

Enter Word Verification in the box below