



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Wireless set - FL BT EPA AIR SET - 2693091

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Factoryline Wireless Bluetooth Ethernet Port adapter set; Bluetooth V2.0; frequency band 2.4 GHz; 1 wireless interface per module; WLAN-BlackChannelList; LEM; country approvals; IP67; M12 connection for 9 - 30 V DC and LAN; Autocrossing; PROFINET- & Profisafe-compatible

Product Features

- Integrated special antenna (EPA)
- Range* of up to 200 m
- Protocol-transparent communication on Layer 2
- IP65 protection class
- WLAN coexistence functions AFH, LEM, black channel listing



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	1120.0 GRM
Custom tariff number	85176200
Country of origin	Germany

Technical data

Dimensions

Width	66 mm
Height	91 mm
Depth	34 mm
Note on dimensions	Without M12 connections

Ambient conditions

Ambient temperature (operation)	-40 °C ... 65 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Permissible humidity (operation)	5 % ... 90 % (non-condensing)
Permissible humidity (storage/transport)	5 % ... 90 % (non-condensing)

Wireless set - FL BT EPA AIR SET - 2693091

Technical data

Ambient conditions

Air pressure (operation)	795 hPa ... 1080 hPa (up to 2000 m above mean sea level)
Degree of protection	IP65

Ethernet interface

Interface	Ethernet
Number	1
Connection method	M 12 connectors (D-coded, female)

Wireless interface

Designation	Bluetooth
Wireless standard	Bluetooth 2.1 + EDR
Antenna connection method	(Internal)
Frequency range	2.402 GHz ... 2.48 GHz (ISM bandwidth)
Frequency band	2.4 GHz
Transmission power	max. 15 dBm (EIRP)
Number of wireless interfaces	1
Wireless modules that can be connected	1
Profiles supported	PAN

Wireless card

Number	1
Assembly instructions	Permanently installed

Antenna

Assembly instructions	Internal circularly polarized panel antenna
Number	1
Connection method	Permanently installed

Power supply for module electronics

Connection method	M12 connector (A-coded, male)
Supply voltage	24 V DC
Supply voltage range	9 V DC ... 30 V DC
Supply current	46 mA (at 24 V DC)
Current consumption	46 mA (per module at 24 V DC)
	46 mA ((typical per device at 24 V DC))

Functions

Operating modes	Ethernet client adapter
Configuration	Web interface, MODE button, AT commands (TCP/IP), SSC
Automatic channel selection	FHSS, AFH
Quality of service (QoS)	Yes

Wireless set - FL BT EPA AIR SET - 2693091

Technical data

Functions

Security	128-bit data encryption
	Authentication
	PIN
	Non-discoverable

Digital inputs

Number of inputs	1
------------------	---

General

Weight	490 g
Mounting type	Wall mounting
Protection class	III, IEC 61140, EN 61140, VDE 0140-1
Conformance with EMC directives	Noise immunity test in accordance with EN 61000-6-2 EN 61000-6-4
Wireless licences	Belgium
	Bulgaria
	Denmark
	Germany
	Estonia
	Finland
	France
	Greece
	Great Britain
	Ireland
	Iceland
	Italy
	Canada
	Latvia
	Liechtenstein
	Lithuania
	Luxembourg
	Malta
	The Netherlands
	Norway
	Austria
	Poland
	Portugal
	Romania
	Sweden

Wireless set - FL BT EPA AIR SET - 2693091

Technical data

General

	Switzerland
	Slovakia
	Slovenia
	Spain
	Czech Republic
	Hungary
	USA
	Cyprus (rep.)

Classifications

eCl@ss

eCl@ss 4.0	27240409
eCl@ss 4.1	27240409
eCl@ss 5.0	27242215
eCl@ss 5.1	27250501
eCl@ss 6.0	27242208
eCl@ss 7.0	27242208
eCl@ss 8.0	27242208

ETIM

ETIM 2.0	EC001423
ETIM 3.0	EC001423
ETIM 4.0	EC000515
ETIM 5.0	EC000515

UNSPSC

UNSPSC 6.01	20142601
UNSPSC 7.0901	20142601
UNSPSC 11	20142601
UNSPSC 12.01	20142601
UNSPSC 13.2	20142601