



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Termination resistor - FL LCX 50-OHM-SMA - 2700425

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



The termination resistor is screwed onto an unused antenna connection of a WLAN device, e.g., in leaky wave applications. This terminates the connection with the correct impedance and prevents undesirable emission.

### Product description

Note: In order to screw the FL LCX 50-OHM-SMA termination resistor onto the antenna port (RSMA) of the following devices:

FL WLAN 24 AP 802-11 (Order No. 2884075)

FL WLAN 24 EC 802-11 (Order No. 2884130)

FL WLAN 24 DAP 802-11 (Order No. 2884279)

FL WLAN 230 AP 802-11 (Order No. 2884444)

The RAD-ADP-RSMA/F-SMA/F adapter (Order No. 2884538) is also required.

### Key commercial data

Packing unit	1 PCE
Custom tariff number	85366910
Country of origin	China

### Technical data

#### General

Frequency range	2.4 GHz ... 6 GHz
Impedance	50 $\Omega$
Connection method	SMA (male)

### Classifications

#### eCl@ss

eCl@ss 4.0	27240404
eCl@ss 4.1	27240404
eCl@ss 5.0	27242204
eCl@ss 5.1	27242604
eCl@ss 6.0	27242604
eCl@ss 7.0	27242604
eCl@ss 8.0	27242604

## Termination resistor - FL LCX 50-OHM-SMA - 2700425

### Classifications

#### ETIM

ETIM 3.0	EC001599
ETIM 4.0	EC000448
ETIM 5.0	EC001698

#### UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404