# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



### Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## Extract from the online catalog

### **TRK 2,5 OG**

Order No.: 2701116



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2701116

Transformer terminal block, twin terminal block version for mounting on mounting rail or coils

Commercial data	
EAN	4017918060442
Pack	50 Pcs.
Customs tariff	85369010
Weight/Piece	0.008479 KG

#### Product notes

WEEE/RoHS-compliant since: 02/16/2005



#### http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

#### **Certificates / Approvals**


Approval logo



Nominal voltage $U_N$	600 V	
Nominal current I <sub>N</sub>	25 A	
AWG/kcmil	18-12	
UL		
Nominal voltage $U_N$	600 V	
Nominal current $I_N$	20 A	
AWG/kcmil	22-12	
Certification	CSA, DNV, GL, GOST, IMQ, NK, PRS, UL	

#### Drawings

#### Dimensioned drawing



#### Address

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg,Germany Phone +49 5235 3 00 Fax +49 5235 3 41200 http://www.phoenixcontact.de



© 2008 Phoenix Contact Technical modifications reserved;