



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Software - FL SNMP OPC SERVER V3 - 2701139

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



SNMP-OPC server, German and English, for monitoring and configuration of SNMP-capable equipment in HMI and SCADA systems

Product Features

- Any number of SNMP trap receivers can be configured
- Freely configurable alarm conditions



Key Commercial Data

| | |
|----------------------|----------|
| Packing unit | 1 pc |
| Custom tariff number | 85234925 |
| Country of origin | Germany |

Technical data

Functions

| | |
|------------------------|---|
| Type of software | Configuration |
| | Diagnostics |
| Number of I/O nodes | not relevant |
| Basic functions | Monitoring and configuration of 100 SNMP-compatible devices in HMI/SCADA systems |
| | Network monitoring with HMI/SCADA systems |
| | SNMP Version v1 and v2c supported |
| | OPC clients OPC Data Access 1.0A/2.0 or OPC Alarm and Events supported |
| | Integrated MIB browser |
| | Import/export and creation of device profiles supported, online and remote configuration possible via remote PCs |
| Expanded functionality | The SNMP OPC server V3 is designed for a maximum of 100 devices. If additional devices are required, an extension license (Order No. 2700138) is available. |

Software - FL SNMP OPC SERVER V3 - 2701139

Technical data

Functions

| | |
|-----------------------|------------------------------------|
| Supported controllers | Ethernet infrastructure components |
|-----------------------|------------------------------------|

Hardware requirements

| | |
|---------------------|-----------------------------|
| Hard disk | min. 20 Mbyte |
| CPU | PC Pentium > 266 MHz |
| Optical drive | CD-ROM |
| Operating equipment | Keyboard, mouse recommended |

Operating systems

| | |
|-------------------|--|
| Operating systems | Windows XP SP3, Windows Vista, Windows 7, Windows 2003 Server SP1, Windows 2008 Server |
|-------------------|--|

Scope of delivery

| | |
|-------------------|---|
| Scope of delivery | CD-ROM with German and English product version and online documentation |
|-------------------|---|

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27250270 |
| eCl@ss 4.1 | 27250270 |
| eCl@ss 5.0 | 27242501 |
| eCl@ss 5.1 | 27242501 |
| eCl@ss 6.0 | 27242501 |
| eCl@ss 7.0 | 27242501 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001435 |
| ETIM 4.0 | EC000757 |
| ETIM 5.0 | EC000757 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 43172015 |
| UNSPSC 7.0901 | 43201404 |
| UNSPSC 11 | 81111810 |
| UNSPSC 12.01 | 43232401 |
| UNSPSC 13.2 | 43232401 |