



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Software - NLC-NAV-01 - 2701221

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



nanoNavigator software

### Product Features

- Programming can be carried out without a controller connected and then downloaded later
- Direct connection to a controller enables data to be monitored (inputs, outputs, registers, flags, etc.) and inputs and outputs to be set manually
- The software simulator provides a simulated controller for troubleshooting
- Automatic configuration of hardware options
- Multiple charts create a project



### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	51.0 g
Custom tariff number	85234945
Country of origin	United States

### Technical data

#### Functions

Basic functions	Programming with flowcharts
	Programming with ladder diagram
	Project configuration
	Project simulation
	Execution monitoring

#### Hardware requirements

Hard disk	128 Mbyte
CPU	Pentium > 400 MHz
Interfaces	COM port or USB port

## Software - NLC-NAV-01 - 2701221

### Technical data

#### Hardware requirements

Optical drive	CD-ROM
Monitor resolution	SVGA (800 x 600)
Operating equipment	Keyboard, mouse

#### Operating systems

Operating systems	MS Windows 2000, Windows XP, Windows Vista (32- and 64-bit), Windows 7 (32- and 64-bit)
-------------------	---

#### Software requirements

Operating systems	MS Windows 2000, Windows XP, Windows Vista (32- and 64-bit), Windows 7 (32- and 64-bit)
-------------------	---

### Classifications

#### eCl@ss

eCl@ss 4.0	27250315
eCl@ss 4.1	27250315
eCl@ss 5.0	27242216
eCl@ss 5.1	27242216
eCl@ss 6.0	27242216
eCl@ss 7.0	27242216
eCl@ss 8.0	27242501

#### ETIM

ETIM 2.0	EC001417
ETIM 3.0	EC001417
ETIM 4.0	EC001417
ETIM 5.0	EC000809

#### UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404


### Drawings

## Software - NLC-NAV-01 - 2701221

Pictogram




Pictogram



Pictogram



Pictogram



Pictogram



Pictogram

