imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Wireless elements - PSD-S WIN STARTERKIT/UL - 2701564

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Starter kit with C-UL-US approval for the WIN signal tower wireless system, consisting of one master with antenna, three slaves, nine LED permanent light elements (red, yellow, green), three connection elements, three mounting feet with integrated tube, software CD, USB cable (3 m), four rubber feet, and mounting material for wall mounting the master

Why buy this product

- Existing signal towers can be extended without additional wiring
- ☑ Can be operated parallel to other wireless applications
- ☑ Simultaneous detection of up to 50 wireless elements
- ☑ Range of a wireless element with a free line of sight of up to 300 m
- Error messages can be sent via e-mail
- Repeater for increasing the range integrated in each wireless element



Key Commercial Data

Packing unit	1 STK
GTIN	4 046356 801973
GTIN	4046356801973

Technical data

Note

Trade restriction	The products are offered exclusively for export outside the EU and the European Economic Area.
Approvals / conformities	
Electromagnetic compatibility	Conforms with guidelines: FCC Part 15.249/IC: RSS-210 Issue 8, RSS- GEN Issue 4, RSS-102 Issue 4
Standards and Regulations	
Electromagnetic compatibility	Conforms with guidelines: FCC Part 15.249/IC: RSS-210 Issue 8, RSS- GEN Issue 4, RSS-102 Issue 4
Environmental Product Compliance	
China RoHS	Environmentally friendly use period: unlimited = EFUP-e

04/30/2017 Page 1 / 4



Wireless elements - PSD-S WIN STARTERKIT/UL - 2701564


Technical data

Environmental Product Compliance


No hazardous substances above threshold values

Drawings

Dimensional drawing



Dimensional drawing



Master

Articles in set

Wireless elements - PSD-S WIN SL/UL - 2701565



Slave with C-UL-US approval for creating or extending the WIN signal tower wireless system, 24 V AC/DC, black

Signal towers with elements of the starter kit

Wireless elements - PSD-S WIN MA/UL - 2701664



Master with antenna for the WIN signal tower wireless system, with USB interface, voltage supply via USB interface, software CD, USB cable (3 m), four rubber feet and material for wall mounting of the master

04/30/2017 Page 2 / 4



Wireless elements - PSD-S WIN STARTERKIT/UL - 2701564

Articles in set

Optical element - PSD-S OE LED RD - 2700107



LED permanent light element, 24 V AC/DC, red

Optical element - PSD-S OE LED YE - 2700122



LED permanent light element, 24 V AC/DC, yellow

Optical element - PSD-S OE LED GN - 2700119



LED permanent light element, 24 V AC/DC, green

Connection element - PSD-S CE-TM SPRING - 2700092



Connection element with spring-cage terminal blocks for tube mounting

Mounting material - PSD-S ME BT 110 - 2700156



Foot with integrated tube, 110 mm high, black

04/30/2017 Page 3 / 4



Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com