

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









DIAG+ CPY

Order No.: 2730404



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2730404

Copy license for DIAG+ software

Commercial data	
GTIN (EAN)	4 017918 613808
Note	Made-to-order
sales group	K102
Pack	1 pcs.
Customs tariff	49019900
Catalog page information	Page 57 (AX-2009)

Product notes

WEEE/RoHS-compliant since: 11/19/2004



http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Functions

D : ();	
Basic functions Execu	ting important commands (start/stop/)

	Reading in the installed bus structure
	Detecting/representing error states (plain text from knowledge database)
	Saving diagnostics data in flash memory or parameterizing memory of the controller board
	Diagnostics of INTERBUS FO paths (transmission quality)
	Can be linked into other 32-bit applications as ActiveX Control including programming interface for further processing of all diagnostic data
	Configuration comparison of Ethernet topologies (parameterized with real topology)
	Reading out the Controller Diagnose Archive
Supported interface connections	INTERBUS controller board of the 4th generation, PROFINET I/O Controller (Phoenix Contact only)
Configuration	INTERBUS, PROFINET
Diagnostics	INTERBUS, PROFINET
Hardware requirements	
Interfaces	Serial interface, Ethernet, PCI
Monitor resolution	XGA (1024 x 768)
Operating equipment	Keyboard, mouse
CPU	Pentium 4/Celeron, 1 GHz
Optical drive	DVD-ROM
Supported interface connections	INTERBUS controller board of the 4th generation, PROFINET I/O Controller (Phoenix Contact only)
Operating systems	
Operating systems	MS Windows XP SP3, MS Windows Vista Business, MS Windows 7 (32-bit)
Operating equipment	Keyboard, mouse

http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2730404

Address

PHOENIX CONTACT Inc., USA 586 Fulling Mill Road Middletown, PA 17057,USA Phone (800) 888-7388 Fax (717) 944-1625 http://www.phoenixcon.com



© 2011 Phoenix Contact Technical modifications reserved;