

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









### ST-BE-VP

Order No.: 2802332

http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2802332

Component connector, Height: 19 mm, Color: gray

Commercial data	
EAN	4017918074425
Pack	10 pcs.
Customs tariff	85366990
Weight/Piece	0.01393 KG
Catalog page information	Page 388 (CL-2009)

# Product notes WEEE/RoHS-compliant since: 01/01/2003



#### http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

#### **Certificates / Approvals**





Certification CUL, GOST, UL

#### CUL

Nominal voltage $U_{\scriptscriptstyle{N}}$	300 V
Nominal current I <sub>N</sub>	10 A
AWG/kcmil	30-14

## ST-BE-VP Order No.: 2802332

http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2802332

#### UL

Nominal voltage U <sub>N</sub>	300 V
Nominal current I <sub>N</sub>	10 A
AWG/kcmil	30-14

http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2802332

#### Address

PHOENIX CONTACT Inc., USA 586 Fulling Mill Road Middletown, PA 17057,USA Phone (800) 888-7388 Fax (717) 944-1625 http://www.phoenixcon.com



© 2010 Phoenix Contact Technical modifications reserved;