



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



IBS RBC METER-T


Order No.: 2806286

The illustration shows the versions standard, highly flexible and remote bus cables for underground runs



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2806286>

Remote bus cable for permanent installation, sold by the meter

Commercial data	
GTIN (EAN)	 4 017918 074791
Note	Made-to-order
sales group	K900
Pack	1 m
Customs tariff	85444993
Catalog page information	Page 417 (AX-2009)

Product notes

WEEE/RoHS-compliant since:
03/30/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
External sheath	
Outer sheath, material	Special mixture on PVC base
External sheath, color	Green RAL 6017
External diameter	7.2 mm

Single wire

Individual wires per module	6
Single wire, color	Color-coded DIN 47100
Structural data	7-strand Litz wires

Mechanical properties

Smallest bending radius, fixed installation	8 x 7.2 mm
Ambient temperature (storage/transport)	-30 °C ... 70 °C

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;