imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Extract from the online catalog

FLT-PLUS CTRL-0.9/I

This item is no longer available. Should you have any questions, please contact our Sales Team.

Order No.: 2818960



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2818960

Type 1 / Class I / B arrester (lightning current arrester) with arc chopping spark gap and ignition electronics with control lamp, quenching plates for high mains follow-through current quenching capacity, 1-channel. Protection level: 0.9 kV. Housing width: 35 mm (2 Div.)

| Comme | ercial | data |
|---------|-----------|------|
| 0011111 | JI CIUI V | uulu |

| GTIN (EAN) | 4 017918 168780 |
|--------------------------|-------------------|
| sales group | J013 |
| Pack | 1 pcs. |
| Customs tariff | 85363030 |
| Catalog page information | Page 17 (TT-2007) |

Product notes

WEEE/RoHS-compliant since: 05/16/2006



http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals




| Certification | | GOST | | |
|---------------|-------------|---|--|--|
| | _ | | | |
| Accessories | | | | |
| Item | Designation | Description | | |
| Assembly | | | | |
| 1201442 | E/UK | End clamp, for assembly on NS 32 or NS 35/7.5 DIN rail | | |
| Bridges | | | | |
| 2809209 | MPB 18/1- 2 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 2-pos. | | |
| 2809212 | MPB 18/1- 3 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 3-pos. | | |
| 2809225 | MPB 18/1- 4 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 4-pos. | | |
| 2748564 | MPB 18/1- 6 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 6-pos. | | |
| 2748577 | MPB 18/1- 8 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 8-pos. | | |
| 2748580 | MPB 18/1- 9 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 9-pos. | | |
| 2748593 | MPB 18/1-12 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 12-pos. | | |
| 2809238 | MPB 18/1-57 | Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 57-pos. | | |
| Marking | | | | |
| 1051993 | B-STIFT | Marker pen, for manual labeling of unprinted Zack strips, smear- | | |


| 1051993 | B-STIFT | Marker pen, for manual labeling of unprinted Zack strips, smear- proof and waterproof, line thickness 0.5 mm |
|---------|----------------------|---|
| 2749589 | ZBN 18,LGS:ERDE | Marking labels, printed horizontally, strips with 5 labels, GND (grounding symbol), color: White |
| 2749576 | ZBN 18,LGS:L1-N,ERDE | Marker labels, printed horizontally, strips with 5 labels, L1, L2, L3, N, GND, color: white |
| 2809128 | ZBN 18:UNBEDRUCKT | Unprinted marker labels, strips with 5 labels for individual labeling with M-PEN or CMS system, for terminal block width: 17.5 mm, color: White |

Diagrams/Drawings

Dimensioned drawing



Circuit diagram



Address

PHOENIX CONTACT Deutschland GmbH Flachsmarktstr. 8 32825 Blomberg,Germany Phone +49 5235 3 12000 Fax +49 5235 3 41200 http://www.phoenixcontact.de



© 2011 Phoenix Contact Technical modifications reserved;