



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us



Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
B		CHANGES PER ECO-16-014788	12OCT2016	LA	GF



1. ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.
2. ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3

LABEL CENTERED AND LABEL INFORMATION AS BELOW:

TE

2820328-[]

METERS

MADE IN

YYWWSSSS

TE LOGO AND P/N

LENGTH

COUNTRY OF ORIGIN

YYWW IS DATE CODE, SSSS IS SERIAL


BAR FOR YYWWSSSS

4. SEE SHEET #2 FOR WIRING SCHEMATIC.

1000	$+25_{-0}$	2820328-4
700	$+25_{-0}$	2820328-3
500	$+25_{-0}$	2820328-2
300	$+25_{-0}$	2820328-1
"L"[MM]		TE P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.YI 16/JUN/2014	<div>TE Connectivity</div> <div>C/A, INTERNAL HD MINI SAS, R/A TO R/A 100 OHMS, 4X</div>		
DIMENSIONS: mm		CHK G.GUTGOLD 16/JUN/2014			
		APVD G.GUTGOLD 16/JUN/2014			
		PRODUCT SPEC			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	NAME		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		—	SIZE	CAGE CODE	DRAWING NO
MATERIAL		FINISH	—	—	—
—		—	WEIGHT	0	—
		CUSTOMER DRAWING	SCALE	N.T.S.	SHEET 1 of 2
					REV B

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

M.YI

16/JUN/2014

CHK

G.GUTGOLD

16/JUN/2014

APVD

G.GUTGOLD

16/JUN/2014

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

±

±

±

±

±

±

—

—

—

—

—

—

TOLERANCES UNLESS OTHERWISE SPECIFIED:

MATERIAL

-

FINISH

-

WEIGHT

-

CUSTOMER DRAWING

TE

TE Connectivity

NAME

C/A, INTERNAL HD MINI SAS, R/A TO R/A
100 OHMS, 4X

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

C=2820328

-

SCALE

N.T.S.

SHEET

2 of 2

REV

B