



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






- ASSEMBLY TO BE 100% TESTED FOR CONTINUITY, SHORTS, AND OPENS, CABLES ASSEMBLYS ARE ALSO TO BE 100% TESTED FOR SIGNAL INTEGRITY, TO SAS 3.0 REQUIREMENTS.
- ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL CENTERED AND LABEL INFORMATION AS BELOW:

	2820337-[]	TE LOGO AND P/N
	METERS	LENGTH
MADE IN		COUNTRY OF ORIGIN
YYWWSSSS		YYWW IS DATE CODE, SSSS IS SERIAL
		BAR FOR YYWWSSSS

4. SEE SHEET #2 FOR WIRING SCHEMATIC.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.YI	16/JUN/2014	 TE Connectivity			
DIMENSIONS: mm		CHK G.GUTGOLD	16/JUN/2014				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G.GUTGOLD	16/JUN/2014	NAME C/A, INTERNAL HD MINI SAS, STR TO STR 100 OHMS, 8X, HALOGENATED —		
	0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —		PRODUCT SPEC —				
	MATERIAL —		APPLICATION SPEC —				
	FINISH —		WEIGHT —				
		CUSTOMER DRAWING		SIZE A2	CAGE CODE 00779	DRAWING NO C=2820337	RESTRICTED TO —
				SCALE N.T.S.	SHEET 1 of 2	REV A	



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		—	SEE SHEET 1	—	—	—

P1-A

P2-A

P1-B

P2-B



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.YI	16/JUN/2014	TE Connectivity				
		CHK G.GUTGOLD	16/JUN/2014					
		APVD G.GUTGOLD	16/JUN/2014	NAME				
		PRODUCT SPEC		C/A, INTERNAL HD MINI SAS, STR TO STR 100 OHMS, 8X, HALOGENATED				
		APPLICATION SPEC		-				
		WEIGHT		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO
		CUSTOMER DRAWING		A2		00779	C=2820337	-
		SCALE		N.T.S.		SHEET		2 of 2
						REV		A