



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## IB IL PD GND-PAC


Order No.: 2862990



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2862990>

Inline terminal for power distribution (GND), complete with  
accessories, (connector and labeling field) connections for GND

### Commercial data

GTIN (EAN)	 4 017918 910099
sales group	K417
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 269 (AX-2009)

### Product notes

WEEE/RoHS-compliant since:  
11/27/2007



[http://  
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)  
Please note that the data given  
here has been taken from the  
online catalog. For comprehensive  
information and data, please refer  
to the user documentation. The  
General Terms and Conditions of  
Use apply to Internet downloads.

### Product description

The terminal is designed for use within an Inline station. The IB IL PD GND (-PAC) terminal block provides eight GND connections. It thus makes it possible to connect the station-internal GND of actuators, that are connected with 1-wire technology to the IB IL 24 DO 32/HD terminal block.

## Technical data

### Power supply


I/O voltage	(GND)
Max. current consumption	8 A

### General data


Weight	44 g
Width	12.2 mm
Height	119.8 mm
Depth	71.5 mm

## Diagrams/Drawings

### Connection diagram



### Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;