

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Antenna - TC ANT MOBILE/GPS - 2903590

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Combined mobile phone GPS antenna with omnidirectional characteristic, 2 m antenna cable with SMA round plug (GSM/UMTS) and R-SMA round plug (GPS)



Key Commercial Data

| Packing unit | 1 STK |
|--------------|---------------------------|
| GTIN | 4 0 4 6 3 5 6 7 5 7 5 4 6 |
| GTIN | 4046356757546 |

Technical data

Dimensions

| Height | 23 mm |
|----------|-------|
| Diameter | 76 mm |

Ambient conditions

| Degree of protection | IP69K |
|---------------------------------|--------------|
| Ambient temperature (operation) | -40 °C 85 °C |

General

| With connecting cable | yes |
|-----------------------|-----------------------|
| Frequency range | 850 MHz |
| | 900 MHz |
| | 1800 MHz |
| | 1900 MHz |
| | 2100 MHz |
| Gain | 5 dBi (800/900 MHz) |
| | 3 dBi (1800/1900 MHz) |
| | 1 dBi (2100 MHz) |
| | 25 dBi (GPS) |
| Connection method | SMA (male) |

05/01/2017 Page 1 / 2



Antenna - TC ANT MOBILE/GPS - 2903590

Technical data

General

| | RSMA (female) |
|---------------|-----------------|
| Mounting type | Control cabinet |

Environmental Product Compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
| | No hazardous substances above threshold values |

Phoenix Contact 2017 @ - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com