



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Control cabinet - RAD-SYS-NEMA4X-SMS - 2917189

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

NEMA 4X enclosure for SMS relay

Product description

NEMA 4X enclosure preconfigured for wireless systems. Includes power supply and surge protection.

Key commercial data

Packing unit	1
Minimum order quantity	5
GTIN	 4 046356 671552
Country of origin	SWITZERLAND

Technical data

Product type	Control box
--------------	-------------

Articles in set

Power supply unit - STEP-PS/ 1AC/24DC/0.75 - 2868635



DIN rail power supply unit 24 V DC/0.75 A, primary switched-mode, 1-phase, 61 mm constructional depth.

Type 3 surge protection connector - PT 2-PE/S-230AC-ST - 2839347



Type 3 arrester replacement connector (device protection) for 1-phase power supply networks with separate N and PE (3-conductor system: L1, N, PE).

Signaling system - PSI-MODEM-SMS-REL/6ADI/4DO/DC - 2313520



SMS remote control and signaling system for mounting on EN DIN rail. Installation built-in device as per DIN 43880. 6 analog or digital configurable inputs and 4 relay outputs. Supply voltage 24 V DC. Scope of supply: SMS relay, antenna, software, RS-232 cable.

Control cabinet - RAD-SYS-NEMA4X-SMS - 2917189

Articles in set

Type 3 surge protection connector - PT 2-PE/S-230AC-ST - 2839347



Type 3 arrester replacement connector (device protection) for 1-phase power supply networks with separate N and PE (3-conductor system: L1, N, PE).

Classifications

eclass

eCl@ss 5.1	27061805
eCl@ss 6.0	27061805
eCl@ss 7.0	27061805

etim

ETIM 4.0	EC000310
----------	----------

Accessories

Accessories

Antennas

Antenna - PSI-GSM/UMTS-QB-ANT - 2313371



GSM UMTS antenna, with omnidirectional characteristic, 2 m antenna cable with SMA round connector

Cable/conductor

Conductor - CM-KBL-RS232/USB - 2881078



Connecting cable D-9-SUB to USB, with adapter D-9-SUB to D-25-SUB.

Control box - RAD-SYS-BKT - 2900038

