



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




VISU+ RT BASIC

Order No.: 2985644



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2985644>

Visu+ 1.2 RT Basic license is the runtime license for Visu+ on Windows 2000/XP systems with limitation to 512 bytes for I/O data and variables in scripting.

Commercial data	
GTIN (EAN)	 4 046356 094092
Note	Made-to-order
sales group	K112
Pack	1 pcs.
Customs tariff	85234045
Catalog page information	Page 293 (AX-2007)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Functions	
Basic functions	Full SCADA (Supervisory Control And Data Acquisition) functionality with visualization, trending and alarm management

	Multilingualism of software and projects (incl. Unicode support and online toggling)
	Know-How protection and safety through encoding of projects
	Low resource consumption through project compression
	Control coupling with OPC
	Access protection with user management
	Web client capability
	Fully scalable process diagrams for using one design on different devices and monitor sizes
	Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
	Automatic data recording and recipe management
	Scripts can be created in VBA and IL
	FDA CRF 22 Part 11 compatible

Hardware requirements

Monitor resolution	SVGA (800 x 600)
Operating equipment	Keyboard, mouse
CPU	Min. Pentium 4 / Celeron 1 GHz
Optical drive	CD-ROM

Operating systems

Operating systems	MS Windows 2000 SP4, MS Windows XP SP2 (recommended), MS Windows Vista Business
	MS Windows CE
Operating equipment	Keyboard, mouse

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;