

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









AX OPC SERVER

Order No.: 2985945



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2985945

AX OPC SERVER, communication interface for OPC-capable visualization with PC WORX-based controls.

Commercial data	
GTIN (EAN)	4 046356 103497
Note	Made-to-order
sales group	K130
Pack	1 pcs.
Customs tariff	85234045
Catalog page information	Page 296 (NTK-2010)

http://

www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Functions

Basic functions	Supports OPC standard functions and all the optional interfaces (in accordance with OPC spec. DA 1.0a and DA 2.04/2.05)
	Simultaneous support to several controllers
	Integrated OPC testing and diagnostics client
System limits	16 Ethernet connections
Supported interface connections	Embedded Controller (INTERBUS controller boards are supported only by the IBS OPC SERVER.)
Supported data types	BOOL, BYTE, DINT, DWORD, INT, REAL, SINT, STRING, TIME, WORD, UINT, USINT, UDINT, ARRAY (1 dim. of standard data types), STRUCT (byte array)

Hardware requirements

Monitor resolution	XGA (1024 x 768)
Operating equipment	Keyboard, mouse
CPU	Pentium 4/Celeron, 1 GHz
Optical drive	DVD-ROM
Name	PC WORX Version 3 or later
Supported interface connections	Embedded Controller (INTERBUS controller boards are supported only by the IBS OPC SERVER.)
	supported only by the ibe of a control of
Operating systems	capported strip by the IBC of C CERTUELT.
Operating systems Operating systems	MS Windows XP SP3, MS Windows Vista Business, MS Windows 7 (32-bit)
	MS Windows XP SP3, MS Windows Vista Business, MS
Operating systems	MS Windows XP SP3, MS Windows Vista Business, MS Windows 7 (32-bit)

Address

PHOENIX CONTACT Deutschland GmbH Flachsmarktstr. 8 32825 Blomberg,Germany Phone +49 5235 3 12000 Fax +49 5235 3 41200 http://www.phoenixcontact.de



© 2010 Phoenix Contact Technical modifications reserved;