



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



USB Mini Hub with Power Switch – OTG Micro-USB

PRODUCT ID: 2991



DESCRIPTION

Do you ever find yourself saying, "Gee whiz I wish I could plug in 4 more USB devices to my tablet, or microcontroller with USB host, or a Pi Zero?" I did – literally every single day. But then I found this Micro USB powered hub and stopped having to repeat myself!

This mini USB hub has four USB 2.0 ports each with a max total transmission speed up to 480 MBps. All four ports are powered thru the USB micro-B cable. There's also a single on-off switch that controls the four USB ports. There is a port for an external power supply but its connected directly to the 5V line so if you need to externally power, we recommend prying open the case and cutting the red 5V line from the USB connection.

This hub is great for expanding your Pi Zero's USB port, or connecting to a tablet or other device with OTG USB, no adapter required!

Technical Details

[FE1.1s Datasheet \(the hub chip inside\)](#)

Dimensions: 72mm x 25mm x 19mm / 2.8" x 1.0" x 0.7"

Cable: 130mm / 5.1"

Weight: 24g