

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China








Central Central Semiconductor Com. Central Semiconductor Corp.

Central[™] Semiconductor Corp.

145 Adams Avenue Hauppauge, New York 11788



2N2903

2N2903A

NPN SILICON DUAL TRANSISTOR

JEDEC TO-78 CASE

DESCRIPTION

The CENTRAL SEMICONDUCTOR 2N2903, A types are silicon NPN dual transistors manufactured by the epitaxial planar process utilizing 2 individual chips mounted in a hermetically sealed metal case designed for differential amplifier applications.

MAXIMUM RATINGS (TA=25°C unless otherwise noted)

· A		SYMBOL			UNIT
Collector-Base Voltag	ge	V _{CBO}	. 60		V
Collector-Emitter Vol	tage	VCEO	30		٧
Emitter-Base Voltage		V _{EBO}	7.0		V
Collector Current		IC	50		mΑ
Power Dissipation (Or	ne Die)	PD	200		mW
Power Dissipation (Bo	oth Dice)	P_{D}^{-}	300		mW
Power Dissipation (Or	ne Die, T _C =25°C)	P_{D}	600		mW
Power Dissipation (Bo	oth Dice, T _C =25°C)	P_{D}^{-}	1200		mW
Operating and Storage					
Junction Temperature		TJ. TSTG	-65 TO +200		°C
ELECTRICAL CHARACTERI	STICS (TA=25°C unle	ess otherwise noted)			
SYMBOL	TEST CONDITIONS		MIN	MAX	UNIT
СВО	V _{CB} =50V			0.01	μА
СВО	V _{CB} =50V, T _A =150°C			15	μΑ
¹ EBO	V _{BE} =5.0V			0.01	μΑ
BVCBO	I _C =10μΑ		60		٧
BVCEO	I _C =10mA		30		٧
BV _{EBO}	Ι _Ε =0.1μΑ		7.0		V
V _{CE} (SAT)	$I_C=5.0$ mA, $I_B=0.5$ mA			1.0	٧
V _{BE} (SAT)	$I_C=5.0$ mA, $I_B=0.5$ mA			0.9	٧
hFE	V _{CE} =5.0V, I _C =10μA		60	-	
hFE	$V_{CE}=5.0V$, $I_{C}=10\mu A$,	T _A =-55°C	25	-	
hFE	$V_{CE}=5.0V$, $I_{C}=1.0mA$		125	625	
hfE	$V_{CE}=5.0V$, $I_{C}=1.0mA$,	T _A =-55°C	60	-	
fT	$V_{CE}=10V$, $I_{C}=5.0$ mA,		60		MHz
¢ob €	$V_{CB}=10V$, $I_{E}=0$, $f=14$			8.0	рF
C!P	$V_{BE}=0.5V$, $I_{C}=0$, $f=1$			10	pF
NF	$V_{CE}=5.0V$, $I_{C}=10\mu A$,			7.0	dВ
hFE1/hFE2	$V_{CE}=5.0V$, $I_{C}=1.0mA$		0.80	1.0	
hFE1/hFE2	$V_{CE}=5.0V$, $I_{C}=1.0mA$		0.90	1.0	
V _{BE1} -V _{BE2}	$V_{CE}=5.0V$, $I_{C}=10\mu A$ (-	10	mV
VBE1-VBE2	$V_{CE}=5.0V$, $I_{C}=10\mu A$ (2N2903A)	-	5.0	mV
$\Delta(V_{BE1}-V_{BE2})$					
ΔΤΑ	V _C ==5.0V, I _C =10μA,	$T_A = -55 \text{ TO } +125^{\circ}\text{C} $ (2N2)	903)	20	μV/°C
$\Delta (V_{BE1}-V_{BE2})$					•
ΔΤΑ	V E OV 10 A	T EE TO 412E°C (2N2)	0024)	10	μV/°C
A	νCE-2.0ν, ιC=10μA,	$T_A = -55 \text{ TO } +125^{\circ}\text{C} $ (2N2)	JUJAJ	10	μν/ С

OUTSTANDING SUPPORT AND SUPERIOR SERVICES



PRODUCT SUPPORT

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- · Inventory bonding
- · Consolidated shipping options

- Custom bar coding for shipments
- · Custom product packing

DESIGNER SUPPORT/SERVICES

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2nd day air)
- Online technical data and parametric search
- SPICE models
- · Custom electrical curves
- Environmental regulation compliance
- · Customer specific screening
- · Up-screening capabilities

- · Special wafer diffusions
- · PbSn plating options
- Package details
- · Application notes
- · Application and design sample kits
- · Custom product and package development

CONTACT US

Corporate Headquarters & Customer Support Team

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA Main Tel: (631) 435-1110

Main Fax: (631) 435-1824

Support Team Fax: (631) 435-3388

www.centralsemi.com

Worldwide Field Representatives: www.centralsemi.com/wwreps

Worldwide Distributors:

www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: www.centralsemi.com/terms

www.centralsemi.com (000)



Product End of Life Notification

PDN ID:	PDN01061
Notification Date:	1/17/17
Last Buy Date:	7/17/17
Last Shipment Date	1/17/18

Summary: All transistors manufactured in the TO-78 package are discontinued and now classified as End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by various manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's Product Management Process. Any replacement product will be noted below. The effective date for placing the last purchase order will be six(6) months from the date of this notice and twelve(12) months from the notice date for final shipments; this may be extended if inventory is available.

Central Part Number	Replacement
CEN876	N/A
CEN894	N/A
CEN895	N/A
CEN896	N/A
CEN911	N/A
CEN947	N/A
CEN955 W/DATA	N/A
MD2219A	N/A
MD2369	N/A
MD2369A	N/A
MD2369B	N/A
MD2905	N/A
MD2905A	N/A
MD5179	N/A
MD7000	N/A
MD7001	N/A
MD7003	N/A
MD7003A	N/A
MD7003B	N/A
MD8002	N/A
MD8003	N/A
MD918	N/A
MD918A	N/A
MD918B	N/A
MD984	N/A
2N2060	N/A
2N2060A	N/A
2N2060M	N/A
2N2223	N/A
2N2223A	N/A
2N2453	N/A
2N2453A	N/A
2N2480	N/A
2N2480A	N/A
2N2639	N/A
2N2640	N/A
2N2641	N/A
2N2642	N/A
*** CONTINUED ***	

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.

CCC785 REV 002



Product End of Life Notification

PDN ID:	PDN01061
Notification Date:	1/17/17
Last Buy Date:	7/17/17
Last Shipment Date	1/17/18

*** CONTINUED FROM PRIOR PAGE ***

Central Part Number	Donlogomont
2N2643	Replacement N/A
2N2644	N/A
2N2652	N/A
2N2652A	N/A
2N2720	N/A
2N2720 2N2721	N/A
2N2721 2N2722	N/A
2N2903	N/A
2N2903A	N/A
2N2913	N/A
2N2914	N/A
2N2915	N/A
2N2915A	N/A
2N2916	N/A
2N2916A	N/A
2N2917	N/A
2N2918	N/A
2N2919	N/A
2N2919A	N/A
2N2920	N/A
2N2920A	N/A
2N3726	N/A
2N3727	N/A
2N3806	N/A
2N3807	N/A
2N3808	N/A
2N3809	N/A
2N3810	N/A
2N3810A	N/A
2N3811	N/A
2N3811A	N/A
2N4015	N/A
2N4016	N/A
2N4854	N/A
2N4937	N/A
2N4938	N/A
2N4939	N/A
2N5793	N/A
2N5794	N/A
2N5796	N/A
2N5912	N/A
2N6502	N/A

*** CONTINUED ***

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.

CCC785 REV 002



Product End of Life Notification

PDN ID:	PDN01061
Notification Date:	1/17/17
Last Buy Date:	7/17/17
Last Shipment Date	1/17/18

*** CONTINUED FROM PRIOR PAGE ***

Central Part Number	Replacement
Central would be happy to assist yo	ou by providing additional information or technical data to help locate an alternate source if we
have no replacement available. Plea	ase email your requests to engineering@centralsemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.

CCC785 REV 002