



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




P	LTR	DESCRIPTION	DATE	DWN	APVD
B4		PN 6--1 ADDED	05APR2013	AZ	PY
C		BYSON AND ZHSCGB CABLES ARE ADDED AS ALTERNATIVE CABLES	20NOV2013	KR	TD

CABLE ASSEMBLY VERSION (ACC. SHEET 2)	ORDER NO.	DIMENSION LA	PCS. △	QUANTITY										
				PIN CONNECTOR PLUS	PIN CONNECTOR MINUS	SOCKET CONNECTOR PLUS	SOCKET CONNECTOR MINUS	LABEL	SOLARLOK CABLE TE CONNECTIVITY 4mm ² BLACK, ZHSCG △6	PIN CONNECTOR NEUTRAL △5	SOCKET CONNECTOR MINUS	LABEL PLUS △3△4	LABEL MINUS △3△4	DESCRIPTION
				1394461-3	1394461-4	1393462-3	1394462-4			7-1394461-2	6-1394462-2			PART NO.
				1	2	3	4	5	6	7	8	9	10	ITEM NO.
7	6-1987376-1	250	400	-	1	1	-	1	1	-	-	-	-	
6	5-1987376-1	2005	20	-	-	-	-	1	1	1	1	1	1	
5	4-1987376-6	1842	30	-	-	1	1	2	1	-	-	-	-	
	4-1987376-5	20042	5	-	-	1	1	2	1	-	-	-	-	
	4-1987376-4	10042	10	-	-	1	1	2	1	-	-	-	-	
	4-1987376-3	5042	10	-	-	1	1	2	1	-	-	-	-	
	4-1987376-2	3042	20	-	-	1	1	2	1	-	-	-	-	
4-1987376-1	1042	100		-	-	1	1	2	1	-	-	-		
4	3-1987376-6	25042	5	-	-	-	2	2	1	-	-	-	-	
	3-1987376-5	20042	5	-	-	-	2	2	1	-	-	-	-	
	3-1987376-4	10042	10	-	-	-	2	2	1	-	-	-	-	
	3-1987376-3	5042	10	-	-	-	2	2	1	-	-	-	-	
	3-1987376-2	3042	20	-	-	-	2	2	1	-	-	-	-	
3-1987376-1	1042	100		-	-	-	2	2	1	-	-	-		
3	2-1987376-6	25042	5	-	-	2	-	2	1	-	-	-	-	
	2-1987376-5	20042	5	-	-	2	-	2	1	-	-	-	-	
	2-1987376-4	10042	10	-	-	2	-	2	1	-	-	-	-	
	2-1987376-3	5042	10	-	-	2	-	2	1	-	-	-	-	
	2-1987376-2	3042	20	-	-	2	-	2	1	-	-	-	-	
2-1987376-1	1042	100		-	-	2	-	2	1	-	-	-		
2	1-1987376-5	20042	5	-	1	-	1	1	1	-	-	-	-	
	1-1987376-4	10042	10	-	1	-	1	1	1	-	-	-	-	
	1-1987376-3	5042	10	-	1	-	1	1	1	-	-	-	-	
	1-1987376-2	3042	20	-	1	-	1	1	1	-	-	-	-	
	1-1987376-1	1042	100	-	1	-	1	1	1	-	-	-	-	
1	0-1987376-5	20042	5	1	-	1	-	1	1	-	-	-	-	
	0-1987376-4	10042	10	1	-	1	-	1	1	-	-	-	-	
	0-1987376-3	5042	10	1	-	1	-	1	1	-	-	-	-	
	0-1987376-2	3042	20	1	-	1	-	1	1	-	-	-	-	
	0-1987376-1	1042	100	1	-	1	-	1	1	-	-	-	-	


REMARKS:

- 1 **PACKAGING:**
EACH CABLE ASSY SEPARATELY PACKED IN A SEALED ESD PLASTIC BAG
- 2 **PACKAGING UNIT = MINIMUM ORDER QUANTITY (SEE TABLE)**
- 3 **POS. 9 LABEL PLUS AND POS. 10 LABEL MINUS NOT SHOWN.**
- 4 **POS. 9 LABEL PLUS AND POS. 10 LABEL MINUS LOOSE PACKED IN ESD PLASTIC BAG.**
- 5 **NEUTRAL PIN CONNECTOR MUST BE MARKED BY APPLICATION WITH A POLARITY LABEL POS. 9 (PLUS) OR POS. 10 (MINUS).**
- 6 **FOR ZHSCG SOLAR CABLE, 4mm², 12AWG, BLACK. SOLAR CABLE PN 1983821-1 OR ZHSCGB SOLAR CABLE PN 1983530-1 CAN BE ALTERNATIVELY USED.**


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.SCHLEIFER 24SEP2009	 TE Connectivity	
DIMENSIONS: mm		CHK H. SCHERER 24SEP2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. WÖBER	NAME PHOTOVOLTAIK CABLE ASSY	
0 PLC ±0.5		PRODUCT SPEC	108-18701	
1 PLC ±		APPLICATION SPEC	114-18488-1	
2 PLC ±		WEIGHT	-	
3 PLC ±		SCALE	2:1	
4 PLC ±		SHEET	1 OF 2	
ANGLES ±		RESTRICTED TO	-	
FINISH		Customer Drawing	REV C	

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-


CABLE ASSEMBLY
VERSION 1




CABLE ASSEMBLY
VERSION 2




CABLE ASSEMBLY
VERSION 3




CABLE ASSEMBLY
VERSION 4




CABLE ASSEMBLY
VERSION 5



CABLE ASSEMBLY
VERSION 6



CABLE ASSEMBLY
VERSION 7



-1...6--1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SCHLEIFER 24 SEP 2009	TE Connectivity	
DIMENSIONS: mm		CHK H. SCHERER 24 SEP 2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.5 1 PLC ±0.5 2 PLC ±0.5 3 PLC ±0.5 4 PLC ±0.5 ANGLES FINISH ±		APVD A. WÖBER	NAME PHOTOVOLTAIK CABLE ASSY	
MATERIAL		PRODUCT SPEC 108-18701	SIZE -	
		APPLICATION SPEC 114-18488-1	CAGE CODE A2 00779	
		WEIGHT -	DRAWING NO C-1987376	
		Customer Drawing	RESTRICTED TO -	
		SCALE 2:1	SHEET 2 OF 2	
			REV C	