



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





2016



Professional Screwdrivers & Nut Drivers



Screwdrivers & Nut Drivers



Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
SoftFinish® Slotted/Phillips Drivers	4-7
Stubby Slotted/Phillips Drivers	7
SoftFinish® Square Drivers	7
SoftFinish® Pozidriv® Drivers	8
SoftFinish® Spanner Drivers	8
Torx®/TR Torx® Screwdrivers	9-10
SoftFinish® TorxPlus® Drivers	11
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8

Wiha Screw Holding Screwdrivers

Description	Page
Screw Holding Screwdrivers	9

Wiha ACR® Screwdrivers

Description	Page
ACR® Slotted/Phillips Drivers	15

Wiha 3K Series Screwdrivers

Description	Page
3K Series Slotted/Phillips	15-16
3K Series Torx Drivers	17
3K Series Pozidriv® Drivers	17
3K Series Bit Holders	15
3K Series Hex Inch & Metric	18

Wiha Drive-Loc VI Tools

Description	Page
Drive-Loc VI Handles	19
Drive-Loc VI Blades	19-20

Wiha Drive-Loc VI Sets

Description	Page
Drive-Loc VI Blade Sets	20-21

Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
MicroFinish Slotted Drivers	21-22
MicroFinish Phillips Drivers	21-22
MicroFinish Torx Drivers	22
MicroFinish Bit Holder	21

Wiha Powerhandle Screwdrivers

Description	Page
Powerhandle Torx® Drivers	23

Wiha Protturn Screwdrivers

Description	Page
Protturn Torx® Drivers	23

Wiha Dynamic Screwdrivers

Description	Page
Dynamic Slotted/Phillips Drivers	14

Wiha Square Handle Screwdrivers

Description	Page
Slotted & Phillips Drivers	24


Wiha Offset Screwdrivers

Description	Page
Slotted & Phillips Offset Drivers	24
TORX Offset Screwdrivers	24

Wiha Power Blades & Sets

Description	Page
CentroFix Blade Holder	25
90mm Power Blades	25-26
Power Blade Sets	26


Wiha Magnetizer/Demagnetizer

	Description	Page
	Magnetizer/Demagnetizer	33


Wiha Precision Screwdrivers

	Description	Page
	Precision Slotted Drivers	27-28
	Precision Phillips Drivers	27-28
	Precision Pozidriv® Drivers	28
	Precision Hex Drivers	28
	Precision Ball End Drivers	29
	Precision Torx® Drivers	29
	Precision Pentalobe Drivers	30
	Precision Chip Lifters	27
	Precision Screwdriver Sets	30


Wiha Precision PicoFinish Drivers

	Description	Page
	PicoFinish Screwdrivers	31-32
	Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	


Wiha Protturn Precision Screwdrivers

	Description	Page
	Protturn Precision Screwdrivers	33
	Slotted & Phillips	
	Protturn Precision Blade Sets	33


Wiha ESD Safe Precision Handles/Blades

	Description	Page
	SYSTEM 4 Handles/Blades	34-35
	SYSTEM 4 Sets	36-37

Wiha ESD Safe Precision Handle & Blades

	Description	Page
	SYSTEM 4 Drive-Loc Handle & Blades	35
	SYSTEM 4 Drive-Loc Set	35

Wiha Nut Drivers

	Description	Page
	SoftFinish® Nut Drivers	38-39
	Hollow Shaft Nut Drivers	40
	T-handle Nut Drivers	41
	Drive-Loc VI Nut Drivers	42
	Precision Nut Drivers	43
	PicoFinish® Nut Drivers	42
	SYS 4 Nut Driver Blades/Sets	44

Wiha Insulated Screwdrivers



- Insulated Slotted
- Insulated Phillips
- Insulated Terminal Block Xeno
- Insulated Square Drivers
- Insulated Hex Metric Drivers
- Insulated Torx® Drivers
- Insulated Nut Drivers
- Insulated Torque Drivers
- Insulated *SlimLine* Drivers

Wiha ESD Safe Screwdrivers

- ESD Safe SoftFinish® Drivers
Slotted/Phillips/Torx
- ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter
- ESD Safe Ceramic Drivers
- ESD Safe SYSTEM 4
Handles/Blades/Sets
- ESD Safe Drive-Loc VI
Handles/Blades/Sets



Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue


All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability

Wiha tips are precision machined to exact tolerances for a perfect fit every time



Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Wiha SoftFinish® Extra Heavy Duty



[SHOP](#)

530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53010*	3.5	.139	75	3.0	0.6	.024	4.0	5/32	186	7.3	30	1.18	.16	10
53015*	4.5	.177	90	3.5	0.8	.031	4.0	5/32	201	7.9	30	1.18	.17	10
53020	5.5	.196	100	3.9	1.0	.039	5.0	13/64	213	8.4	36	1.42	.23	10
53025	6.5	.255	125	5.0	1.2	.047	6.0	1/4	238	9.4	36	1.42	.33	10
53027	8.0	.315	150	5.9	1.2	.047	8.0	5/16	268	10.6	41	1.61	.56	10
53035	10.0	.393	175	7.0	1.6	.063	8.0	5/16	293	11.6	41	1.61	.58	10
53040	12.0	.472	200	8.0	2.0	.079	10.0	25/64	318	12.5	41	1.61	.76	10

*No Hex Bolster



[SHOP](#)

531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53110	1	80	3.1	5.0	13/64	186	7.3	30	1.18	.20	10
53115	2	100	3.9	6.0	1/4	213	8.4	36	1.42	.32	10
53120	3	150	5.9	8.0	5/16	268	10.6	41	1.61	.56	10



[SHOP](#)



53090 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Phillips:	lbs.
53090	5.5, 6.5, 8.0mm	#1, 2	1.85




[SHOP](#)



53075 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	Phillips:	lbs.
53075	4.5, 5.5, 6.5mm	#1, 2	1.59



[SHOP](#)



53096 6 Piece Slotted & Phillips Set - Extra Heavy Duty


Item No.	Slotted:	Phillips:	lbs.
53096	3.5, 4.5, 5.5, 6.5mm	#1, 2	1.69

SoftFinish® Extra Heavy Duty



[SHOP](#)


53097 7 Pc. Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted:	
No.	5.5, 6.5, 8.0, 10.0mm	lbs.
53097	Phillips: #1, 2, 3	3.15



[SHOP](#)

53099 10 Piece Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted: 3.5, 4.5, 5.5,	
No.	6.5, 8.0, 10.0, 12.0mm	lbs.
53099	Phillips: #1, 2, 3	4.20

SoftFinish® Slotted & Phillips



[SHOP](#)

30276 7 Pc. Slotted & Phillips Set CVM

steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No. 30276	Tip Size	Blade	Tip Style		lbs.
30816	1/4"	4" Hex	Keystone		1.87
30825	5/16"	6" Hex	Keystone		
30218	3/16"	3" Round	Cabinet		
30219	3/16"	6" Round	Cabinet		
30222	1/4"	4" Round	Cabinet		
31110	#1	3" Round	Phillips		
31115	#2	4" Round	Phillips		
















Wiha SoftFinish® Heavy Duty Screwdriver



[SHOP](#)

308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)
















Item																lbs.	pkg.
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	4.0	5/32	30	1.18	.16	10			
30814	4.5	.177	90	3.5	0.8	.032	201	7.9	4.0	5/32	30	1.18	.17	10			
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	5.0	13/64	36	1.42	.19	10			
30816	6.5	.216	100	3.9	1.2	.047	213	8.4	6.0	1/4	36	1.42	.22	10			
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	6.0	1/4	36	1.42	.23	10			
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	6.0	1/4	36	1.42	.23	10			
30825	8.0	.315	150	5.9	1.2	.047	271	10.7	8.0	5/16	41	1.61	.37	10			
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	8.0	5/16	41	1.61	.40	10			
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	10.0	25/64	41	1.61	.58	10			



[SHOP](#)

312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item																lbs.	pkg.
31201	1	80	3.1	5.0	3/16	186	7.3	30	1.18	.13	10						
31202	2	100	3.9	6.0	7/32	213	8.4	36	1.42	.21	10						
31203	3	150	5.9	8.0	5/16	271	10.7	41	1.61	.37	10						



[SHOP](#)

30892 5 Piece Slotted & Phillips Set

Item	Slotted:	
No.	5.5, 7.0, 8.0mm	lbs.
30892	Phillips: #1, 2	1.33



[SHOP](#)


30898 8 Piece Slotted & Phillips Set

Item	Slotted: 5.5, 6.5,	
No.	7.0, 8.0, 10.0mm	lbs.
30898	Phillips: #1, 2, 3	2.52



[SHOP](#)

30896 6 Piece Slotted & Phillips Set

Item	Slotted: 3.5, 4.5,	
No.	5.5, 7.0mm	lbs.
30896	Phillips: #1, 2	1.34

Wiha SoftFinish® Handle - Standard Series



[SHOP](#)

302 Slotted Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	↓	↓	←	←	⊖	⊖	←	←	⊖	⊖	↵	↵	lbs.	pkg.
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05		10	
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05		10	
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06		10	
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06		10	
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07		10	
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07		10	
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07		10	
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09		10	
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11		10	
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12		10	
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14		10	
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11		10	
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12		10	
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12		10	
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15		10	
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24		10	
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20		10	
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17		10	
30223	6.5	.255	100	3.9	1.0	.039	218	8.6	36	1.42	.20		10	
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22		10	
30226	6.5	.255	200	8.0	1.2	.047	318	12.5	36	1.42	.22		10	
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29		10	
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30		10	
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36		10	
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36		10	
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52		10	

*Cabinet Tips



[SHOP](#)

311 Phillips Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	⊕	←	←	⊖	⊖	←	←	⊖	⊖	↵	↵	lbs.	pkg.
	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06		10	
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11		10	
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15		10	
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18		10	
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20		10	
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25		10	
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30		10	
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33		10	
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51		10	



[SHOP](#)

30294 6 Pc. Slotted/Phillips Screwdriver Set

Item No.	↓	←	⊕	←	↵	lbs.
	mm	mm	Size	mm		
30294	4.0	100	1	80		1.29
	6.5	150	2	100		
	8.0	150				
	4.0*	25				

*Stubby screwdriver with Wiha SoftFinish® handle



[SHOP](#)

30298 8 Pc. Slotted/Phillips Screwdriver Set

Item No.	↓	←	⊕	←	↵	lbs.
	mm	mm	Size	mm		
30298	3.0	100	1	80		1.87
	4.0	100	2	100		
	5.5	125	3	150		
	6.5	150				
	8.0	175				



[SHOP](#)

30297 12 Piece Slotted & Phillips Screwdriver Set

Item No.	↓	←	⊕	←	↵	lbs.
	mm	mm	Size	mm		
30297	3.0	100	0	60		2.48
	4.0	100	1	80		
	5.5	125	2*	25		
	6.5	150	2	100		
	6.5*	25	3	150		
	8.0	175				
	10	200				

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Pozidriv®



[SHOP](#)

313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31312	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10

Wiha SoftFinish® Slotted Spanner Nut Drivers



[SHOP](#)


305 Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	mm	mm	Inch	mm	Inch	pkg.
30517	M1.7	80	3.1	0.5	4.0	184	7.2	23	.91	1
30520	M2	80	3.5	1.0	4.5	184	7.2	23	.91	1
30523	M2.3	90	3.5	1.0	5.0	201	7.9	30	1.18	1
30526	M2.6	100	3.9	1.2	5.5	201	7.9	30	1.18	1
30530	M3	100	3.9	1.2	6.0	211	8.3	30	1.18	1
30535	M3.5	100	3.9	1.4	7.0	218	8.6	36	1.42	1
30540	M4	100	3.9	1.4	8.0	218	8.6	36	1.42	1
30550	M5	125	4.9	2.0	10.0	243	9.6	36	1.42	1
30560	M6	125	4.9	2.5	11.0	243	9.6	36	1.42	1
30580	M8	150	5.9	3.0	14.0	274	10.8	41	1.61	1


Wiha SoftFinish® CushionGrip Drivers

With Inch & MM Scale on Blades



Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Precision machined exact fit tips
- Hard chrome surfaces for incredible wear resistance



[SHOP](#)

31194 2 Pc Slotted & Phillips Measuring Scale Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
31194	5.5	125	2	100	.37



Wiha SoftFinish® Handle - Standard Series Sets



[SHOP](#)

30299 20 Piece Slotted, Phillips, TORX®, Square & Pozidriv® Set

Item No.	Slotted: 3.0, 4.0, 5.5, 6.5, 8.0mm	lbs.
30299	Phillips: 0, 1, 2 TORX®: T6, T8, T10, T15, T20, T25, T30 Square: 1, 2, 3 Pozidriv®: 1, 2	3.27




Perfect for measuring small parts on the go

[SHOP](#)

30295 5 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30295	3.0	100	1	80	1.02
	4.0	100	2*	100	
	6.5	150			

Inch & Metric scales



[SHOP](#)



302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	30	1.18	30-110	.16	10

Inch & Metric scales



[SHOP](#)



311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
31137	2	100	3.9	6.0	1/4	218	8.6	36	1.42	20-90		.21	10	

Wiha Screw Holding Screwdrivers




Clamping sleeve to hold screw

[SHOP](#)

398 Slotted Screw Holding Screwdriver, With Wiha-SoftFinish® Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. SoftFinish® handle cushion grip, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
39825	2.5	75	3.0	160	6.3	30	1.18	.09		10	
39830	3.0	100	3.9	195	7.6	30	1.18	.19		10	
39840	4.0	125	5.0	230	9.0	36	1.42	.27		10	
39850	5.0	150	5.9	265	10.4	36	1.42	.27		10	
39860	6.0	175	6.9	290	11.4	36	1.42	.32		10	



Clamping sleeve to hold screw

[SHOP](#)

397 Phillips Screw Holding Screwdriver, With Wiha-SoftFinish® Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. SoftFinish® handle cushion grip, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
39700	0	100	3.9	195	7.6	30	1.18	.13	10
39701	1	125	5.0	230	9.0	36	1.42	.27	10
39702	2	175	7.0	290	11.4	36	1.42	.32	10



39892 5 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.	Slotted:	Phillips:	lbs.
39892	2.5x75mm, 3.0x100mm, 4.0x125mm	0x100mm, 1x125mm	1.36




39896 8 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.	Slotted:	Phillips:	lbs.
39896	2.5x75mm, 3.0x100mm, 4.0x125mm, 5.0x150mm, 6.0x175mm	0x100mm, 1x125mm, 2x175mm	1.80

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*
- Stainless rotary spring



Screw Holding TORX®

Laser Welded MagicSpring Assembly



[SHOP](#)

362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.21	10



36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers



SHOP

362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Star	Flat	Hex	Star	Star	Star	Star	Star	Star	Star	Star	Star
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	Star
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05	10	Star
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10	Star
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10	Star
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06	10	Star
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10	10	Star
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10	Star
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10	Star
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11	10	Star
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12	10	Star
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10	Star
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10	Star
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27	10	Star
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31	10	Star



#36291



SHOP


36291 6 Piece TORX® SoftFinish® - Cusion Grip Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item	Star	Flat	Star	Star	Star
No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

36201 Set 6 Pcs. TORX®

Item	Star	Flat	Star	Star	Star
No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	



SHOP



36294 8 Piece TORX® Set

Item	TORX®:	Star
No.	T6, T8, T10, T15, T20, T25, T27, T30	lbs.
36294		1.24



SHOP



36267 12 Piece TORX® Set

Item	TORX®:	Star
No.	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	lbs.
36267		2.03

Wiha Security TORX® Screwdrivers



SHOP

362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	Star	Flat	Star	Star	Star	Star	Star	Star	Star	Star	Star	Star
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	Star
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10	Star
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10	Star
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10	10	Star
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10	Star
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10	Star
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11	10	Star
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11	10	Star
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10	Star
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10	Star
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10	Star



SHOP

36298 Set 7 Pcs. Security

Item	Security TORX®:	Star
No.	T7s, T8s, T9s, T10s, T15s, T20s, T25s	lbs.
36298		.95



SHOP

36259 Set 10 Pcs. Security TORX®

Item	Security TORX®:	Star
No.	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	lbs.
36259		1.5

Wiha TORXPlus® Cushion Grip Drivers




Not for use in standard Torx fasteners

[SHOP](#)

Soft Grip BiCut SuperCut & Screwdriver Set



[SHOP](#)


32644 7 Pc. Soft Grip BiCut SuperCut & Screwdriver Set  lbs. 1.78

Item No. BiCut SuperCut:
32644 8.0"/200mm BiCut SuperCut
Screwdrivers: Phillips: #0, #1, #2
Slotted: 3.0, 4.0, 6.5mm

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.


Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



[SHOP](#)

36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	1.36
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			



[SHOP](#)

36296 Set 6 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36296	IP6	60	IP9	60	.72
	IP7	60	IP10	80	
	IP8	60	IP15	80	

Industrial BiCut SuperCut & Screwdriver Set



[SHOP](#)

30942 7 Pc. Industrial BiCut SuperCut & Screwdriver Set  lbs. 1.86

Item No. BiCut SuperCut:
30942 8.0"/200mm BiCut SuperCut
Screwdrivers: Phillips: #0, #1, #2
Slotted: 3.0, 4.0, 6.5mm

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

[SHOP](#)

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)



Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!

Hard Chrome Finish

SHOP



SHOP

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
36710*	.050	3.1	80	179	7.0	23	.91	.06	10	
36713*	1/16	3.1	80	204	8.0	23	.91	.06	10	
36716*	5/64	3.9	100	204	8.0	23	.91	.07	10	
36719*	3/32	3.9	100	204	8.0	23	.91	.07	10	
36723*	7/64	3.9	100	211	8.3	23	.91	.07	10	
With MagicRing										
36726	1/8	3.9	100	243	9.6	30	1.18	.12	10	
36728	9/64	3.9	100	243	9.6	30	1.18	.12	10	
36732	5/32	5.0	125	271	10.7	30	1.18	.12	10	
36734	3/16	6.0	150	271	10.7	30	1.18	.16	10	
36736	7/32	6.0	150	271	10.7	36	1.42	.23	10	
36738	1/4	6.0	150	271	10.7	36	1.42	.25	10	
36742	5/16	8.0	200	271	10.7	36	1.42	.37	10	
36744	3/8	8.0	200	271	10.7	41	1.61	.54	10	

* Standard Ball - No Ring

36791 13 Piece MagicRing Inch Ball End Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	lbs.
36791	.050*	3.0	5/32	5.0	2.58
	1/16*	3.0	3/16	6.0	
	5/64*	4.0	7/32	6.0	
	3/32*	4.0	1/4	6.0	
	7/64*	4.0	5/16	8.0	
	1/8	4.0	3/8	8.0	
	9/64	4.0			


* Standard Ball - No Ring



SHOP

36793 8 Piece MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	lbs.
36793	1/8	4.0	7/32	6.0	2.25
	9/64	4.0	1/4	6.0	
	5/32	5.0	5/16	8.0	
	3/16	6.0	3/8	8.0	



SHOP

36794 6 Piece MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Ball End	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	lbs.
36794	1/8	4.0	3/16	6.0	1.34
	9/64	4.0	7/32	6.0	
	5/32	5.0	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36715*	1.5	75	3.0	179	7.0	23	.91	.06	10
36720*	2.0	100	3.9	204	8.0	23	.91	.07	10
36725*	2.5	100	3.9	204	8.0	23	.91	.07	10
With MagicRing									
36730	3.0	100	3.9	204	8.0	23	.91	.07	10
36740	4.0	125	5.0	211	8.3	30	1.18	.12	10
36750	5.0	150	5.0	243	9.6	30	1.18	.16	10
36760	6.0	150	5.0	243	9.6	36	1.42	.23	10
36780	8.0	200	8.0	268	10.6	36	1.42	.37	10
36786	10.0	200	8.0	271	10.7	41	1.61	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36790	1.5*	75	5.0	150	2.06
	2.0*	100	6.0	150	
	2.5*	100	8.0	200	
	3.0	100	10.0	200	
	4.0	125			

* Standard Ball - No Ring



36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36792	3.0	100	6.0	150	1.86
	4.0	125	8.0	200	
	5.0	150	10.0	200	

Wiha SoftFinish® Bit Holders

Magnetic



Retainer out of stainless steel [SHOP](#)

384 1/4" Magnetic Bit Holding Drivers,

With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Pkg. 1

Item	Size	mm	Inch	mm	Inch	lbs.
No.	1/4"	125	5.0	240	9.46	.23
38450	1/4"	300	11.8	400	15.69	.37



For working in confined spaces [SHOP](#)

28103 Magnetic 1/4" Bit Holder With Wiha

SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	Inch	mm	Inch	lbs.	pkg.
No.	1/4"	57	2.2	.11	1
28103	1/4"	57	2.2	.11	1



Plastic coated flexible metal

Stainless steel with retaining ring [SHOP](#)

38600 Bit Holder 1/4" with Retaining Ring

With Flexible Shaft Wiha-SoftFinish® handle multi-component, cushion grips.

Item	Inch	mm	Inch	mm	Inch	lbs.	pkg.
No.	1/4"	150	5.9	268	10.6	.30	1
38600	1/4"	150	5.9	268	10.6	.30	1

Adjustable Blade Length
Magnetic Bit Holder



28489 Drive-Loc VI Bit Holder

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	Inch	Extends	lbs.	pkg.
No.	1/4"	1-3/4" to 4-7/8"	.36	1
28489	1/4"	1-3/4" to 4-7/8"	.36	1

Wiha Interchangeable Tools Magnetize & Demagnetize



[SHOP](#)

48190 4 Piece Slotted & Phillips

Interchangeable Blade Set, In Durable Pouch Set includes Magnetizer/Demagnetizer handle & 3 interchangeable blades.

Item	lbs.
No. 48190	lbs. .62
Slotted:	3.0, 4.0, 6.0mm
Phillips:	0, 1, 2
Wiha Magnetizer/Demagnetizer Handle	


Dynamic Series Drivers Slotted & Phillips




Rotating cap prevents user discomfort and blisters - even at high pressure and high torque

Allows rapid rotation

Ergonomic Handle shape for user comfort



Blade CVM steel, hardened, hard chromed




[SHOP](#)

51099 11 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item	Slotted:	Phillips:
No.	2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5, 8.0mm	0, 1, 2
51099	2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5, 8.0mm	0, 1, 2
		lbs. 1.3

Switch Cabinet Keys



[SHOP](#)

21103 Switch Cabinet Key

For applications with all common switch cabinets and locking systems. Diecast Zinc

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0"	1	.22



[SHOP](#)


21105 Pen Style Control Cabinet Key

For applications with all common switch cabinets and locking systems. Diecast Zinc, polished finish. Includes: Square 5, 6, 7, 8mm, Triangular 9mm, Double Bit Key 5mm/Internal & 9mm/External, Universal 1/4" Bit Adapter, Magnetic Bit Holder & 2 Double Insert Bits: Slotted 7mm / Phillips #2 / TORX T20/T25



Item No.	mm	Inch	Pkg.	lbs.
21105	140	5.5"	1	.30

Wiha ACR® Slotted & Phillips Screwdrivers

**ACR®
Anti-Cam-Out Ribs**



Precision Black Tips



[SHOP](#)

46991 Set 6 Pcs. Slotted & Phillips 3K

ACR® Soft Grip Set Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item					
No.	mm	mm	Size	mm	lbs.
46991	4.5	80	1	80	1.49
	6.0	100	1	150	
	8.0	150	2	100	

Anti-Cam-Out ribs give maximum grip in the screw head
Dual material handle has molded in soft grip panels & hang hole
Precision machined exact fit slotted tips ACR® ribs
3K overdrive maximum comfort molded on ergonomic handle
Round blade made CVM special tool steel



469 ACR® Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
46912*	4.5	.177	80	3.1	1.3	.050	186	7.3	.13	10
46915	4.5	.177	150	5.9	1.3	.050	256	10.0	.16	10
46921	6.0	.236	100	3.9	1.5	.058	218	8.5	.21	10
46924	6.0	.236	150	5.9	1.5	.058	269	10.5	.23	10
46933	8.0	.315	150	5.9	2.0	.078	269	10.5	.27	10

* Cabinet Tip



468 ACR® Phillips Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
46803	1	80	3.1	186	7.3	.13	10
46806	1	150	5.9	257	10.1	.15	10
46812	2	100	3.9	218	8.5	.21	10
46815	2	150	5.9	269	10.6	.23	10

[SHOP](#)

[SHOP](#)

Wiha 3K Series Screwdrivers and Sets

Dual material handle has molded soft grip panels
Blades made of CVM tool steel, chromed shaft
Exact fit precision machined black tips



[SHOP](#)

46099 40 Piece Slotted, Phillips, TORX®, Pozidriv®, Bit Holder & Folding Ruler Blade CVM steel, hardened. With 16" tool box

Item		Slotted:
No.		2.5, 3.0, 3.5, 4.0, 4.5x100,
46099		4.5x150, 4.5x200, 5.5, 6.0x100,
		6.0x150, 6.0x200, 6.5x40,
lbs.		6.5x150, 8.0, 10mm
10.4		Phillips: 0x60, 1x80, 1x200,
		2x100, 2x150, 2x200, 2x40, 3x150
		TORX®: T6, T7, T8, T9, T10, T15,
		T20, T25, T27, T30, T40, T45, T50
		Pozidriv®: 1x80, 2x100
		3K 1/4" Magnetic Bit Holder
		61601 Folding Ruler

Wiha 3K Series Bit Holder



[SHOP](#)

48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle Magnetic, holds bit & screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	211	8.3	.24	1

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets

Hole in handle for hanging

Blades made of CVM tool steel, chromed shaft

Exact fit precision machined black tips

Dual material handle has molded soft grip panels



SHOP

450 Slotted Screwdriver, With Wiha-3K Series Handle Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
45040**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10
45061	6.0	.24	150	5.9	0.9	.04	268	10.5	.23	10
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10
45069	10.0	.39	200	8.0	1.6	.06	318	12.5	.35	10

* Stubby screwdriver with Wiha Powerhandle - 45064

** Cabinet Tip



SHOP

451 Phillips Screwdriver, With Wiha-3K Series Handle

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
45135	0	60	2.4	145	5.7	.06	10
45137	1	80	3.1	187	7.3	.13	10
45140	1	200	8.0	307	12.0	.16	10
45142	2	100	3.9	218	8.5	.21	10
45144	2	150	5.9	268	10.5	.23	10
45147	2	200	8.0	318	12.5	.25	10
45150*	2	40	1.6	90	3.5	.08	10
45152	3	150	5.9	268	10.5	.31	10

* Stubby screwdriver with Wiha Powerhandle - 45150



SHOP

46098 4 Pc. Slotted/Phillips 3K Driver Set Blade CVM, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted:	lbs.
46098	4.5, 6.0mm	.83
46098	Phillips: #1, 2	



SHOP

46095 5 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46095	4.5, 6.0mm	
46095	Phillips: #0, 1, 2	1.04



SHOP

46094 6 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46094	3.0, 4.5, 5.5, 6.5mm	.91
46094	Phillips: #1, 2	



SHOP

46097 8 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46097	3.0, 4.5, 6.0, 8.0mm	1.70
46097	Phillips: #1, 2, 3	
	Stubby Phillips: #2	

Wiha TORX® 3K Series Drivers and Sets



[SHOP](#)

455 TORX® Screwdriver, With Wiha-3K Series Handle Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



[SHOP](#)

45593 5 Pc. TORX® Set Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	TORX® :	lbs.
45593	T8, T10, T15, T20, T25	.86



[SHOP](#)

45598 6 Pc. TORX® Screwdriver Set

Item No.	TORX® :	lbs.
45598	T6, T7, T8, T9, T10, T15	.88

Wiha 3K Series Pozidriv® Screwdrivers



[SHOP](#)

452 Pozidriv® Screwdriver, With Wiha-3K Series Handle Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
45205	0	60	2.4	146	5.7	.06	10
45207	0	100	3.9	186	7.3	.07	10
45215	1	80	3.1	187	7.3	.13	10
45220	1	100	3.9	207	8.1	.14	10
45225	2	100	3.9	219	8.6	.21	10
45230	2	150	5.9	269	10.6	.23	10
45235	3	150	5.9	269	10.6	.31	10



[SHOP](#)

45595 8 Pc. TORX® Screwdriver Set

Item No.	TORX® :	lbs.
45595	T8, T9, T10, T15, T20, T25, T27, T30	1.36

Wiha 3K Series Square Tip Screwdrivers



[SHOP](#)

458 Square Tip Screwdriver, With Wiha-3K Series Handle Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip. Pkg. 1

Item No.	Size	mm	Inch	mm	Inch	lbs.
45831	1	80	3.1	187	7.3	.14
45832	2	100	3.9	210	8.3	.16
45833	3	150	5.9	271	10.7	.24



[SHOP](#)



45891 3 Pc. Square Tip 3K Driver Set Blade CVM, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted:	lbs.
45891	#1, 2, 3	.52




[SHOP](#)

45597 11 Pc. TORX® Screwdriver Set

Item No.	TORX® :	lbs.
45597	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	1.88



Wiha Ball End 3K Series Screwdrivers & Sets



Fast angle entry

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips

Yellow = Inch
Red = Metric



Metric / Soft Grip

[SHOP](#)

467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item	Hex	mm	Inch	mm	Inch	lbs.	pkg.
46715	1.5	75	3.0	161	6.3	.07	10
46720	2.0	100	3.9	186	7.3	.07	10
46725	2.5	100	3.9	186	7.3	.07	10
46730	3.0	100	3.9	186	7.3	.07	10
46740	4.0	100	3.9	197	7.8	.11	10
46750	5.0	100	3.9	197	7.8	.13	10
46760	6.0	150	5.9	257	10.1	.21	10
46780	8.0	200	8.0	307	12.1	.34	10
46786	10.0	200	8.0	319	12.6	.52	10




Inch / Soft Grip

[SHOP](#)

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item	Hex	Inch	mm	Inch	mm	lbs.	pkg.
46702	.050	2.9	75	6.3	160	.07	10
46704	1/16	2.9	75	6.3	160	.07	10
46706	5/64	3.9	100	7.3	185	.07	10
46708	3/32	3.9	100	7.3	185	.07	10
46710	7/64	3.9	100	7.3	185	.07	10
46712	1/8	3.9	100	7.7	196	.09	10
46714	9/64	3.9	100	7.7	196	.10	10
46716	5/32	3.9	100	7.7	196	.11	10
46718	3/16	3.9	100	7.7	196	.12	10
46722	7/32	5.9	150	10.0	254	.19	10
46724	1/4	5.9	150	10.0	254	.22	10
46726	5/16	7.9	200	12.0	305	.34	10
46728	3/8	7.9	200	12.5	318	.48	10




46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item	Hex Inch:	lbs.
No.	1/16, 5/64, 3/32, 7/64	
46797	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.40


[SHOP](#)



46796 7 Piece Metric Ball End Hex Screwdriver Set

Item	Metric Hex:	lbs.
No.	1.5, 2.0, 2.5, 3.0,	
46796	4.0, 5.0, 6.0mm	1.15


[SHOP](#)



46799 9 Piece Metric Ball End Hex Screwdriver Set

Item	Hex Metric:	lbs.
No.	1.5, 2.0, 2.5, 3.0, 4.0,	
46799	5.0, 6.0, 8.0, 10.0mm	1.93

[SHOP](#)



46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item	Hex Inch:	lbs.
No.	.050, 1/16, 5/64, 3/32,	
46793	7/64, 1/8, 9/64, 5/32"	1.19

[SHOP](#)



46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item	Hex Inch:	lbs.
No.	1/8, 9/64, 5/32,	
46794	3/16, 7/32, 1/4"	.97

[SHOP](#)

Wiha Drive-Loc VI Handles & Blades

For Adjustable Length Locking Blades

Ergonomic handles in ESD Safe, cushioned & non-slip grip



See Drive-Loc VI Nut drivers on Page 42

Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments

Blades high quality CVM steel, hard chrome finish

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

Adjust interchangeable blades from 40 to 120mm



28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection. **Advantages:** Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



10810 Drive-Loc VI Standard Narrow Profile Tech Handle

Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16



28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection. **Advantages:** Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



28105 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, friction hold. **Advantages:** Static Dissipative, ideal for use on static sensitive electronic components and equipment. Fits all Drive-Loc blades.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28105	6.0	122	4.8	36.0	1.41	.22



28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers. **Advantages:** Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



281 Slotted Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	mm	lbs.	pkg.
28106	3.5	4.5	.10	1
28108	5.5	6.5	.10	1



281 Slotted & Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	mm	lbs.	pkg.
28107	3.0	0	.10	1
28109	4.0	1	.10	1
28110	6.0	2	.10	1



28112 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
28112	1	2	.10	1



28137 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
28137	1	2	.10	1



28114 Pozidriv® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
28114	1	2	.10	1



281 Tri-wing® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
28138	0	1	.10	1
28139	2	3	.10	1
28140	4	5	.10	1

Wiha Drive-Loc VI Blades



281 Torq Set® Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item	+	+	↔	▬
No.	Size	+ Size	lbs.	pkg.
28142	2	4	.08	1
28143	6	8	.10	1



281 TORX® Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	⚙	⚙	↔	▬
No.	Size	+ Size	lbs.	pkg.
28126	T6	T8	.10	1
28127	T7	T9	.10	1
28128	T10	T15	.10	1
28129	T20	T25	.10	1
28130	T30	T40	.10	1



281 Security TORX® Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	⚙	⚙	↔	▬
No.	Size	+ Size	lbs.	pkg.
28132	T6s	T8s	.10	1
28133	T7s	T9s	.10	1
28134	T10s	T15s	.10	1
28135	T20s	T25s	.10	1
28136	T30s	T40s	.10	1



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item	⬢	⬢	↔	▬
No.	mm	+ mm	lbs.	pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1



281 Hex Metric Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"


Item	⬢	⬢	↔	▬
No.	mm	+ mm	lbs.	pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1



281 Hex Inch Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	⬢	⬢	↔	▬
No.	Inch	+ Inch	lbs.	pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1

Drive-Loc VI Interchangeable Blade Sets



28188 32 Pc. Drive-Loc VI Interchangeable Blade Set, In Canvas Pouch Set includes Drive-Loc VI handle & 31 Drive-Loc VI blades.

Item No. 28188	↔ lbs.	3.66
Slotted:	3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips:	3.0+0, 4.0+1, 6.0+2	
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In:	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM:	5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha SoftFinish® Cushion Grip		



28187 32 Pc. ESD Safe Drive-Loc VI Interchangeable Blade Set, In Canvas Pouch Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187	↔ lbs.	3.66
Slotted:	3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips:	3.0+0, 4.0+1, 6.0+2	
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In:	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM:	5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha ESD Safe SoftFinish® Cushion Grip		



28194 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item	↔ lbs.
No. 28194	.80
Slotted:	3.5+4.5, 5.5+6.5
Phillips:	1+2
Square:	1+2
SoftFinish® Cushion Grip Blade Lock Handle	



28197 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	↔ lbs.
No. 28197	.83
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
SoftFinish® Cushion Grip Blade Lock Handle	



28199 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No. 28199	↔ lbs.	
Slot/Ph:	4.0+1, 6.0+2	1.11
TORX®:	T6+T8, T7+T9, T10+T15, T20+T25	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16"	
SoftFinish® Cushion Grip Blade Lock Handle		



28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189	↔ lbs.	1.40
Slotted:	3.5+4.5, 5.5+6.5	Phillips: 1+2
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0mm	
SoftFinish® Cushion Grip Blade Lock Handle		

Drive-Loc VI Interchangeable Blade Set In Tool Box Tray




Tool box set in blow molded tray

[SHOP](#)

28191 33 Pc. Drive-Loc VI

Interchangeable Blade Set, In Tool Box

Tray Set includes Drive-Loc VI handles & 31 interchangeable blades.

Item No. 28191  lbs. 3.48

Slotted: 3.5+4.5, 5.5+6.5mm Square: 1+2

Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2

Security TORX: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0

Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm


Wiha SoftFinish® Cushion Grip & MicroFinish Non-Slip Grip Handles



[SHOP](#)

52090 5 Piece Slotted & Phillips


Screwdriver Set Blade CVM steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	 lbs.
52090	Phillips: 1x80, 2x100mm	1.23



[SHOP](#)

52097 7 Pc. Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	 lbs.
52097	Phillips: #1x80, #1x200, #2x100, #2x200mm	1.35

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish



Hex bolster & steel strike cap on 533 & 534 series

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance

Exact fit precision ground tips



520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Slotted	Phillips	Square	Hex	Hex Bolt	Weight	Pkg.
	mm	Inch	mm	Inch	mm	Inch	lbs.
52005*	4.0	.157	100	3.9	0.8	.031	211
52010*	4.0	.157	150	5.9	0.8	.031	261
52020*	5.5	.216	125	5.0	1.0	.039	236
52025*	5.5	.216	150	5.9	1.0	.039	261
52035	6.5	.255	150	5.9	1.2	.047	268
52040	8.0	.315	150	5.9	1.2	.047	274
52050	10.0	.393	200	8.0	1.6	.063	324

*Cabinet Tips



521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Item No.	Size	Slotted	Phillips	Weight	Pkg.
		mm	Inch	mm	Inch
52105	1	80	3.1	191	7.5
52110	1	200	8.0	311	12.2
52115	2	100	3.9	218	8.6
52120	2	200	8.0	318	12.5
52125	3	150	5.9	274	10.8



[SHOP](#)



[SHOP](#)

52098 8 Pc. Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 6.5, 8.0x150, 10.0x200mm	Phillips: 1x80, 2x100, 3x150mm	Weight
52098			lbs. 2.58



52099 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	Phillips: 1x80, 1x200, 2x100, 2x200, 3x150mm	Weight
52099			lbs. 4.20



[SHOP](#)



52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item No.	Size	Slotted	Phillips	Weight	Pkg.
		mm	Inch	mm	Inch
52650	1/4	125	5.0	244	9.6


Wiha Powerhandle TORX® Made in Germany



362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10


[SHOP](#)



36292 8 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	T6, T8, T10, T15,	lbs.
36292	T20, T25, T27, T30	1.45

[SHOP](#)



36293 6 Pc. Set TORX®

Item No.	T6, T7, T8, T9,	lbs.
36293	T10, T15	.78

[SHOP](#)

Wiha TORX® Protturn Screwdrivers

protturn
TORX®

Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel

Black finish blades

[SHOP](#)



45589 Set 14 Pcs. TORX®

Item TORX® :


No. T6, T7x50mm, T8, T9x60mm,
45589 T10, T15x80mm, T10x275mm,
lbs. ↕ T20, T25x100mm, T27, T30x115mm,
2.2 T40, T45, T50x130mm



45591 Set 6 Pcs. TORX®

Item	TORX® :	lbs.
No.	T7, T8, T9, T10,	
45591	T15, T20	.72

[SHOP](#)



455 TORX® Screwdriver, With Wiha-Protturn Handle Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45556	T45	130	5.1	8.0	.315	240	9.4	.27	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10


[SHOP](#)



45592 Set 8 Pcs. TORX®

Item	TORX® :	lbs.
No.	T8, T9, T10, T15,	
45592	T20, T25, T27, T30	1.10

[SHOP](#)



48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item	Size	mm	Inch	mm	Inch	lbs.	pkg.
48400	1/4	125	5.0	243	9.6	.24	10

[SHOP](#)



Wiha Cabinet Tip Slotted & Phillips Screwdrivers



[SHOP](#)

186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle Blade CVM steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Slotted	Slotted	Phillips	Phillips	Slotted	Slotted	Phillips	Phillips	Slotted	Slotted	Phillips	Phillips	Weight	Pkg.
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	
18601	2.0	.08	40	1.6	0.40	.02	100	4.0	14	.55	.02	.10	.02	10
18603	2.5	.10	50	2.0	0.40	.02	110	4.3	14	.55	.02	.10	.02	10
18606	3.0	.12	75	3.0	0.50	.02	150	5.9	19	.75	.05	.10	.05	10
18609	3.0	.12	100	3.9	0.50	.02	175	6.9	19	.75	.06	.10	.06	10
18612	3.0	.12	150	5.9	0.50	.02	225	8.9	19	.75	.06	.10	.06	10
18615	3.0	.12	200	8.0	0.50	.02	285	11.2	22	.87	.08	.10	.08	10
18624	4.0	.16	100	3.9	0.60	.02	185	7.3	22	.87	.08	.10	.08	10
18627	4.0	.16	150	5.9	0.60	.02	235	9.3	22	.87	.10	.10	.10	10
18630	4.0	.16	200	8.0	0.60	.02	285	11.2	22	.87	.11	.10	.11	10
18642	5.0	.20	100	3.9	0.70	.03	195	7.7	24	.94	.13	.10	.13	10
18645	5.0	.20	150	5.9	0.70	.03	245	9.6	24	.94	.15	.10	.15	10
18648	5.0	.20	200	8.0	0.70	.03	295	11.6	24	.94	.17	.10	.17	10
18651	5.0	.20	300	12.0	0.70	.03	395	15.6	24	.94	.20	.10	.20	10
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	28	1.10	.19	.10	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	28	1.10	.21	.10	.21	10
18663	6.0	.24	300	12.0	0.90	.04	405	15.9	28	1.10	.29	.10	.29	10
18678	8.0	.32	300	12.0	1.20	.05	415	16.3	32	1.26	.39	.10	.39	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	32	1.26	.37	.10	.37	10



[SHOP](#)

153 Phillips Screwdriver, With Wiha-Square Handle Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	Slotted	Slotted	Phillips	Phillips	Slotted	Slotted	Phillips	Phillips	Weight	Pkg.
		mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	
15305	0	60	2.4	3.0	.12	135	5.3	19	.75	.05	10
15310	1	80	3.1	4.5	.18	175	6.9	24	.94	.11	10
15315	1	200	8.0	4.5	.18	295	11.6	24	.94	.15	10
15325	2	100	3.9	6.0	.24	205	8.1	28	1.10	.18	10
15330	2	250	10.0	6.0	.24	355	14.0	28	1.10	.27	10
15335	2	350	13.7	6.0	.24	455	17.8	28	1.10	.33	10
15340	3	150	5.9	8.0	.32	265	10.4	32	1.26	.33	10



[SHOP](#)

222 Pozidriv® Screwdriver, With Wiha-Square Handle Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	Slotted	Slotted	Phillips	Phillips	Slotted	Slotted	Phillips	Phillips	Weight	Pkg.
		mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	
22220	1	200	8.0	4.5	.17	295	11.6	.15	.10	.15	10
22230	2	250	9.8	6.0	.23	355	13.9	.27	.10	.27	10
22240	3	150	5.9	8.0	.31	265	10.4	.30	.10	.30	10

Wiha Offset Screwdrivers



[SHOP](#)

161 Phillips Offset Screwdriver, With Handle For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.

Item No.	Size	Slotted	Slotted	Phillips	Phillips	Weight	Pkg.
		mm	Inch	mm	Inch	lbs.	
16112	1 + 2	125	4.9	5.5	.217	.08	10
16134	3 + 4	200	8.0	10.0	.315	.33	10



[SHOP](#)

207 Slotted Offset Screwdriver, With Handle

Item No.	Slotted	Slotted	Phillips	Phillips	Weight	Pkg.	
	mm	Inch	mm	Inch	lbs.		
20700	3.5	9/64	90	3.5	0.6	.02	10
20705	4.0	5/32	100	3.9	0.8	.03	10
20710	5.5	7/32	125	5.0	1.0	.04	10
20715	6.5	1/4	125	5.0	1.2	.05	10
20720	8.0	5/16	150	5.9	1.2	.05	10
20725	10.0	3/8	175	6.9	1.6	.06	10



[SHOP](#)

20790 5 Piece Slotted & Phillips Offset Screwdriver Set


Item No.	Weight	Set includes:
20790	.92	Slotted: 6.5, 8.0, 10.0 Phillips: 1 + 2, 3 + 4



[SHOP](#)

207 TORX® Offset Screwdriver With Molded Handle Working in confined spaces. CVM special steel, hardened, black finish.

Item No.	Size	Weight	Pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



[SHOP](#)







20799 TORX® Offset Screwdriver Set, 5 Pcs. Molded Handle.

Item No.	Size	Weight	Pkg.
20799	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	.24	1

Wiha Power Blades




76000 CentroFix Cushion Grip Blade Holder
Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26

90mm Power Blades

CentroFix quick release bit holder with magnet








Ergonomic SoftFinish® cushion grip handle

Blades high quality CVM steel, hard chrome finish








760 Slotted Power Blades
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	mm	lbs.	pkg.		
76035	2.5	.02	1		
76036	3.0	.02	1		
76037	4.5	.03	1		
76038	5.5	.03	1		
76039	6.0	.04	1		




760 Square Power Blades
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76056	1	.02	1		
76057	2	.03	1		
76058	3	.04	1		




760 Spanner Power Blades
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76022	6	.03	1		
76023	8	.04	1		
76024	10	.04	1		





76093 5 Piece Slotted Blade Set

Item		Set includes:
No.	lbs.	Slotted: 2.5, 3.0, 4.5,
76093	.16	5.5, 6.0mm x 90mm




76095 3 Piece Square Blade Set

Item		Set includes:
No.	lbs.	Square: #1, 2,
76095	.11	3 x 90mm








76089 3 Piece Spanner Blade Set

Item		Set includes:
No.	lbs.	Spanner: #6, 8,
76089	.12	10 x 90mm








760 Phillips Power Blades
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76041	0	.01	1		
76042	1	.02	1		
76043	2	.03	1		
76044	3	.04	1		









760 Pozidriv® Power Blades
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76011	1	.03	1		
76012	2	.04	1		
76013	3	.04	1		





760 Tri-Wing Power Blades
S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76031	1	.02	1		
76032	2	.02	1		
76033	3	.03	1		
76034	4	.04	1		





76094 4 Piece Phillips Blade Set

Item		Set includes:
No.	lbs.	Phillips: #0, 1, 2,
76094	.17	3 x 90mm




76091 3 Piece Pozidriv® Blade Set

Item		Set includes:
No.	lbs.	Pozidriv®: #1, 2,
76091	.12	3 x 90mm



76088 4 Piece Tri-Wing Blade Set

Item		Set includes:
No.	lbs.	Tri-Wing: #1, 2,
76088	.16	3, 4 x 90mm